

Ashkhabad  
Ашхабад

Таблица  
с и к индексов  
Суточные характеристики Января 1964

9689

н. 69

Дата	Амплитуды			Характер С	К-индекс								
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	1	1	1	2	3	3	3	3	17
2				2	3	4	6	7	6	6	6	4	42
3				1	4	3	2	4	4	4	4	2	27
4				1	2	3	2	2	3	4	4	2	22
5				0	2	1	2	2	3	2	3	2	17
6				0	1	1	2	2	2	2	2	1	13
7				1	1	1	1	3	4	3	2	2	17
8				1	1	1	2	2	2	2	4	3	17
9				1	3	3	2	2	3	4	4	4	25
10				0	3	3	3	3	3	3	2	3	23
11				0	2	2	2	3	2	2	2	3	18
12				0	3	2	2	2	3	2	3	3	20
13				0	1	2	2	2	3	1	1	2	14
14				0	0	0	0	0	0	1	1	1	3
15				0	0	0	0	1	1	1	2	2	7
16				2	3	4	5	6	5	7	5	4	39
17				1	3	2	3	4	4	3	3	2	24
18				0	2	2	2	2	2	3	4	1	18
19				0	1	1	2	1	3	3	4	2	17
20				0	3	1	3	2	2	3	2	1	17
21				0	1	1	1	1	0	1	1	2	8
22				0	2	1	2	1	1	3	1	1	12
23				0	2	2	2	3	3	3	2	2	19
24				1	2	3	3	4	4	3	3	3	25
25				1	2	2	3	2	2	2	4	4	21
26				0	3	1	1	1	2	2	4	3	17
27				0	1	1	1	2	2	1	3	3	14
28				1	2	2	2	2	3	2	4	4	21
29				1	3	3	3	4	5	4	3	3	28
30				0	3	2	3	3	3	3	2	3	22
31				1	2	2	3	5	5	4	4	3	28
нее	$\epsilon_0 = 3.52$	$\epsilon_H = 1.49$	$\epsilon_z = 0.60$		$K_0 = 300$								

Ashkhabad

Таблица  
с и к индексов  
н. 62

9957-III

Ашхабад

Суточные характеристики февраля 1964

Дата	Амплитуды			Характер $\bar{\epsilon}$	К-индекс								
	$\Delta D$	$\Delta H$	$\Delta Z$		1-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	$\Sigma K$
1				0	2	2	2	2	2	2	3	3	18
2				0	2	2	2	2	3	3	1	0	15
3				0	0	0	0	0	1	1	1	2	5 $\checkmark$
4				1	2	3	3	3	5	4	2	2	24
5				0	1	1	2	1	2	2	3	4	16
6				1	3	4	4	4	5	5	4	4	33
7				0	1	2	2	3	2	4	4	3	21
8				1	3	1	1	2	2	4	5	5	23
9				0	2	2	2	2	2	3	3	2	18
10				0	1	1	1	1	2	2	2	3	13
11				0	2	1	1	1	1	1	1	1	9 $\checkmark$
12				1	1	1	3	4	3	4	3	3	22
13				1	3	3	4	5	4	5	5	3	32
14				0	2	2	3	3	3	3	4	3	23
15				0	2	2	2	2	3	2	4	2	19
16				0	1	1	2	3	2	2	3	2	16
17				0	1	1	1	1	3	3	3	2	15
18				0	1	2	2	2	2	4	4	2	19
19				0	1	1	3	2	2	1	2	1	13
20				-	1	2	-	-	-	-	-	-	-
21				0	-	-	2	2	2	3	3	1	-
22				0	1	1	1	1	3	3	4	2	16
23				0	1	1	1	1	1	4	4	1	14 $\checkmark$
24				0	1	1	1	4	4	2	2	3	18
25				1	1	1	2	4	3	6	6	3	26
26				1	2	3	3	6	6	3	2	3	28
27				0	3	2	1	2	2	4	4	3	21
28				1	3	3	3	3	3	4	3	2	24
29				0	1	1	2	2	1	2	2	2	13 $\checkmark$
30													
31													
Среднее	$\bar{\epsilon}_D = 3.32$	$\bar{\epsilon}_H = 1.49$	$\bar{\epsilon}_Z = 0.60$		$K_9 = 300$								

Ashkhabad  
Ашхабад

Таблица  
с и к индексов  
Суточные характеристики март 1964

10243 -11

н.62

1964

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	1	1	1	1	1	1	2	1	9
2				0	0	0	0	0	0	0	0	1	1 <sup>v</sup>
3				1	0	0	0	1	2	3	3	5	14
4				1	3	3	3	6	6	6	6	5	38
5				1	5	4	4	3	5	4	5	4	34
6				1	2	3	2	3	4	4	3	2	23
7				0	2	1	2	2	2	3	3	2	17
8				1	2	2	3	3	3	3	3	3	22
9				0	2	2	2	2	1	1	1	0	11
10				0	0	1	1	1	2	2	3	1	11
11				0	1	3	3	3	3	2	2	2	19
12				1	3	3	3	3	3	4	2	2	23
13				0	2	1	1	3	2	1	2	2	14
14				1	1	1	2	3	3	2	4	3	19
15				0	1	2	2	1	3	3	4	2	18
17				0	2	1	1	2	3	3	3	2	17
17				0	3	2	3	3	3	3	1	1	19
18				0	1	0	1	1	1	1	1	1	7
19				0	1	1	1	1	0	1	1	1	7
20				0	1	0	2	2	1	2	3	1	12
21				0	2	2	2	1	1	3	4	3	18
22				1	1	1	2	2	4	5	5	5	25
23				1	2	3	3	5	3	4	4	3	27
24				1	2	2	3	2	2	3	3	2	19
25				0	2	2	3	2	2	3	3	2	19
26				0	2	2	2	2	2	1	1	1	13
27				0	0	0	1	0	0	1	1	2	5 <sup>v</sup>
28				0	0	0	0	0	0	0	0	0	0 <sup>v</sup>
29				0	0	0	1	0	1	2	3	3	10
30				1	2	3	3	3	4	5	4	3	27
31				0	0	0	1	1	1	2	1	1	7 <sup>v</sup>
Среднее	с1 н0 20 E <sub>D</sub> = 3.51 с21 н0 31 E <sub>D</sub> = 3.59	с1 н0 20 E <sub>H</sub> = 1.49 с21 н0 31 E <sub>H</sub> = 1.50	с1 н0 20 E <sub>Z</sub> = 0.60 с21 н0 31 E <sub>Z</sub> = 0.61		K <sub>3</sub> = 300								

Ashkhabad  
Ашхабад

Таблица  
с и к индексов  
Суточные характеристики

10207 III

и.62  
Апрель 1964.

Дата	Амплитуды			Характер С	K-индекс								
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				1	0	0	1	2	3	5	6	6	23
2				1	5	5	4	4	4	5	4	3	34
3				1	3	3	3	3	4	4	3	3	26
4				0	3	2	1	1	2	2	1	3	15
5				0	1	1	1	3	2	3	3	3	17
6				0	1	0	1	1	0	1	1	1	6
7				0	1	0	2	1	2	2	3	2	13
8				0	2	2	3	4	3	2	3	3	22
9				0	2	2	2	2	2	2	2	1	15
10				0	1	1	1	2	2	1	1	1	10
11				1	0	2	2	3	4	4	3	1	19
12				0	0	0	1	0	0	1	1	2	5
13				0	0	1	1	1	0	1	1	1	6
14				0	0	0	0	0	1	0	0	0	1
15				0	0	1	2	2	2	2	1	3	13
16				0	1	1	1	2	3	3	1	1	13
17				0	2	2	3	3	2	3	2	3	20
18				1	0	1	2	3	3	3	3	2	17
19				1	2	2	1	4	3	3	3	4	22
20				1	2	1	3	1	1	3	2	3	16
21				0	3	1	2	1	2	1	3	3	16
22				0	0	0	0	0	0	1	1	1	3
23				0	0	0	1	0	1	0	1	1	4
24				0	0	0	1	1	1	1	1	2	7
25				0	2	1	3	3	2	2	3	3	19
26				0	1	1	1	1	1	2	3	1	11
27				1	1	1	3	2	3	5	5	3	23
28				1	4	5	5	5	4	3	3	2	31
29				0	3	2	2	2	2	2	3	1	17
30				1	1	0	0	1	1	3	4	4	14
31													
Среднее	$\bar{\epsilon}_D = 3.39$	$\bar{\epsilon}_H = 1.50$	$\bar{\epsilon}_Z = 0.61$		$K_g = 300.$								

Ashkhabad  
Ашхабад

Таблица  
с к индексом  
Суточные характеристики

№ 10341-III

н. 62

май 1964г.

Дата	Амплитуды			Характер С	К-индекс								
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	$\Sigma K$
1				1	4	3	3	4	3	3	2	2	24
2				0	2	1	3	2	2	1	1	2	14
3				0	1	1	0	1	1	1	1	1	7
4				0	0	0	0	1	0	0	1	1	3
5				0	3	4	2	2	2	1	1	1	16
6				0	0	0	2	2	2	1	1	0	8
7				0	0	0	1	1	0	0	0	0	2
8				0	0	0	0	0	0	0	0	0	0
9				0	0	0	0	1	0	1	0	0	2
10				1	3	2	3	3	4	4	4	4	27
11				0	4	5	3	1	1	1	1	1	17
12				0	0	0	1	0	0	0	0	0	1
13				1	0	0	3	4	5	4	2	2	20
14				1	2	3	4	4	4	3	2	2	24
15				1	2	4	3	3	2	2	2	3	21
16				1	3	2	4	4	2	2	3	2	22
17				0	1	0	2	2	2	2	1	3	13
18				0	1	2	2	2	2	1	1	1	12
19				0	2	0	1	1	0	1	1	0	6
20				0	0	0	1	0	1	1	1	0	4
21				0	0	0	1	2	2	1	1	1	8
22				0	0	1	2	2	3	1	1	1	11
23				0	2	1	1	2	2	1	1	4	14
24				1	3	4	3	4	3	3	4	3	27
25				1	1	2	5	5	4	3	3	2	25
26				0	1	1	1	1	2	2	1	0	9
27				0	1	1	2	2	2	1	1	1	11
28				0	2	0	0	1	1	2	1	2	9
29				0	1	0	1	0	1	0	1	1	5
30				0	1	0	0	0	2	0	1	3	7
31				0	0	1	1	1	1	0	0	0	4
Среднее	$E_D = 3.39$	$E_H = 1.50$	$E_Z = 0.61$		$K_g = 300.$								

Ashkhabad  
Ашхабад

Таблица  
с к индексом

№ 62  
10811-III

Суточные характеристики июнь 1964.

Дата	Амплитуды			Характер С	К-индекс								
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	$\Sigma K$
1				0	1	1	1	2	3	2	1	1	12
2				0	1	1	1	2	3	2	2	1	13
3				0	1	1	2	1	2	1	1	1	10
4				0	1	0	1	2	1	2	0	1	8
5				0	0	0	1	1	0	0	1	1	4
6				0	0	0	1	2	1	0	1	0	5
7				0	1	0	1	1	2	1	2	3	11
8				0	3	3	1	3	2	1	1	1	15
9				0	1	1	1	2	3	3	2	2	15
10				1	4	6	6	6	5	4	3	3	37
11				1	2	2	2	3	3	3	2	4	21
12				0	1	1	2	3	2	2	2	2	15
13				0	2	2	2	1	1	2	1	2	13
14				0	0	0	1	1	1	1	1	1	6
15				0	1	1	1	1	1	1	1	1	8
16				0	0	0	0	0	0	1	1	0	2
17				0	0	1	1	1	1	0	0	0	4
18				0	0	0	0	2	3	1	3	1	10
19				0	0	0	0	2	0	1	1	2	6
20				1	1	0	2	1	5	4	3	1	17
21				0	3	1	3	3	2	2	3	0	17
22				0	0	1	1	2	3	3	2	2	14
23				0	1	1	1	3	2	1	1	2	12
24				0	1	1	1	1	2	2	3	2	13
25				0	2	2	3	3	3	2	1	0	16
26				0	0	1	1	2	2	2	1	1	10
27				0	0	0	0	2	3	3	2	1	11
28				0	0	1	2	3	4	2	2	1	15
29				0	0	0	2	2	2	3	1	0	10
30				0	0	1	1	1	0	0	1	1	5
31													
Среднее	$c1$ по 20 $E_D = 3.26$ $c21$ по 30 $E_D = 3.29$	$E_H = 1.50$	$E_Z = 0.61$		$K_g = 500$								

Ashkhabad  
Ашхабад

Таблица  
с к индексом  
Суточные характеристики июля 1964г

10847-III  
n.62

Дата	Амплитуды			Характер С	К - индекс								
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	1	1	2	2	1	1	1	1	10
2				0	1	1	1	1	1	2	2	3	12
3				1	3	2	3	2	3	3	2	2	20
4				0	2	1	1	1	1	1	1	1	9
5				0	1	1	2	1	1	1	2	2	11
6				0	1	1	1	1	1	2	2	2	11
7				1	2	2	2	3	3	3	3	3	21
8				1	3	3	3	3	2	2	3	3	22
9				0	2	1	2	2	1	2	3	3	16
10				0	2	2	3	2	2	1	1	1	14
11				0	1	0	0	1	2	1	2	1	8
12				0	1	1	1	1	2	2	1	1	10
13				0	1	1	1	2	2	0	1	1	9
14				0	0	1	1	1	0	0	1	1	5
15				0	0	0	1	1	1	1	1	0	5
16				0	1	1	1	1	2	3	2	1	12
17				1	2	2	2	2	2	3	3	2	18
18				1	3	4	3	4	3	3	2	1	23
19				1	2	3	4	4	1	1	2	3	20
20				0	1	1	2	2	2	1	2	0	11
21				0	1	1	1	2	2	2	2	2	13
22				0	1	1	2	2	3	3	3	2	17
23				0	1	0	1	1	1	1	2	1	8
24				0	1	0	1	2	1	1	1	1	8
25				0	1	1	1	2	2	2	1	2	12
26				0	1	1	2	2	2	2	1	1	12
27				0	0	0	1	0	1	1	1	0	4
28				0	0	0	0	1	0	0	1	1	3
29				1	0	1	2	4	3	3	4	2	19
30				1	2	2	3	3	4	2	3	1	20
31				0	2	2	2	1	2	2	2	1	14
Среднее	$\bar{\epsilon}_D=3.26$	$\bar{\epsilon}_H=1.50$	$\bar{\epsilon}_Z=0.61$										
													$K_0=300$

Ashkhabad  
Ашхабад

Таблица  
с к к индексом  
Суточные характеристики

август 1964  
11155-III n 62

Дата	Амплитуды			Характер С	К -- индекс									Дата
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	$\Sigma K$	
1				0	2	2	2	1	2	1	2	2	14	1
2				0	1	1	1	1	1	2	2	2	11	2
3				0	2	2	1	1	1	2	2	3	14	3
4				1	5	5	3	5	4	3	3	2	30	4
5				0	2	2	2	3	4	3	3	2	21	5
6				0	2	3	2	2	1	1	1	1	13	6
7				0	2	2	2	2	2	2	1	1	14	7
8				0	1	1	1	1	1	1	2	1	9	8
9				0	1	1	1	2	2	2	3	2	14	9
10				0	1	1	0	0	0	0	0	1	3	10
11				1	4	6	4	3	3	4	4	3	31	11
12				0	2	2	4	3	3	2	3	2	21	12
13				0	2	1	2	2	3	2	3	1	16	13
14				0	1	1	0	1	1	1	2	1	8	14
15				0	1	1	1	1	1	1	2	2	10	15
16				0	3	2	2	1	2	2	2	2	16	16
17				0	2	1	1	1	1	2	1	1	10	17
18				0	1	1	2	2	2	2	3	2	15	18
19				0	1	1	1	1	1	1	1	1	8	19
20				0	2	1	1	1	1	1	1	2	10	20
21				0	0	0	1	2	1	2	0	2	8	21
22				0	2	1	1	2	2	1	2	1	12	22
23				0	0	1	1	1	1	1	1	0	6	23
24				0	0	0	0	0	0	2	2	2	6	24
25				0	0	1	1	1	1	4	3	3	14	25
26				0	3	2	1	1	1	1	1	2	12	26
27				0	2	2	2	2	3	2	2	1	16	27
28				0	0	0	1	0	0	0	2	1	4	28
29				0	0	1	2	2	1	2	1	1	10	29
30				0	0	0	1	1	0	2	2	2	8	30
31				0	1	1	2	3	3	2	3	3	18	31
Среднее	$E_D = 3,26$	$E_H = 1,50$	$E_Z = 0,61$		$K_g = 300$									

Ashkhabad Таблица  
 Ашхабад с и к индексов  
 Суточные характеристики

№ 11294-III n 62  
 сентябрь 1964.

Дата	Амплитуды			Характер С	К — индекс									Дата
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	$\Sigma K$	
				1	2	2	2	2	3	4	3	3	21	1
2				0	2	2	2	2	2	2	3	1	16	2
3				0	2	1	0	1	2	3	3	2	14	3
4				0	1	1	3	3	2	1	2	3	16	4
5				0	2	2	0	0	1	0	0	0	5	5
6				1	0	0	0	1	2	1	3	6	13	6
7				1	2	3	3	4	3	3	5	4	27	7
8				1	2	2	3	3	3	3	2	2	20	8
9				1	1	2	2	2	3	3	3	2	18	9
10				0	3	2	0	0	1	2	2	2	12	10
11				0	1	1	1	1	1	0	1	1	7	11
12				0	1	0	1	1	1	0	1	0	5	12
13				0	0	0	1	0	0	0	1	1	3	13
14				0	0	0	0	0	0	0	1	1	2	14
15				0	0	0	2	2	1	1	1	1	8	15
16				1	2	3	2	3	5	4	4	3	26	16
17				0	2	1	2	2	3	2	2	2	16	17
18				0	2	2	2	2	2	1	2	2	15	18
19				0	1	1	0	2	2	1	1	2	10	19
20				0	0	0	0	0	0	1	1	1	3	20
21				0	1	1	1	2	2	2	3	3	15	21
22				1	5	6	4	4	3	3	3	2	30	22
23				0	1	1	3	2	1	0	1	2	11	23
24				0	0	0	2	3	2	3	4	2	16	24
25				0	1	1	1	1	1	0	1	0	6	25
26				0	1	0	1	1	0	0	0	1	4	26
27				0	1	1	2	1	1	2	2	4	14	27
28				1	3	2	3	4	5	6	4	2	29	28
29				0	1	1	1	2	2	1	1	2	11	29
30				1	2	3	4	4	4	4	3	2	26	30
31														31
Среднее	$\epsilon_D = 326$	$\epsilon_H = 150$	$\epsilon_Z = 061$		$K_g = 300$									





Ashkhabad Таблица с и к индексов  
 Ашхабад Суточные характеристики

11753-III  
 Декабрь 1964, п. 62

Дата	Амплитуды			Характер С	К-индекс									Дата
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	$\Sigma K$	
1				0	2	1	2	3	4	3	2	2	19	1
2				0	0	0	1	1	1	0	1	1	5	2
3				0	0	0	0	0	1	2	3	1	7	3
4				0	1	0	0	1	1	2	1	1	7	4
5				0	0	0	1	1	1	0	1	1	5	5
6				0	0	0	0	0	1	2	4	3	10	6
7				1	1	1	2	3	4	5	4	3	23	7
8				0	1	2	2	1	2	2	2	1	13	8
9				0	1	2	3	2	2	2	1	2	15	9
10				0	1	1	1	1	1	1	1	0	7	10
11				0	0	0	0	1	1	1	1	1	5	11
12				0	1	1	1	1	1	0	1	2	8	12
13				1	1	1	1	3	3	5	4	2	20	13
14				0	2	1	1	2	3	4	3	2	18	14
15				0	2	2	2	1	2	2	2	1	14	15
16				1	2	2	2	3	6	2	3	3	23	16
17				0	3	3	3	3	3	4	3	2	24	17
18				0	2	1	2	2	1	1	1	1	11	18
19				1	1	1	1	1	3	4	4	2	17	19
20				0	1	1	1	2	2	2	2	1	12	20
21				0	0	0	1	1	1	2	1	0	6	21
22				0	0	0	0	0	0	1	0	1	2	22
23				0	0	1	1	1	2	2	1	2	10	23
24				0	0	0	0	0	0	1	2	1	4	24
25				0	0	0	1	2	2	1	3	3	12	25
26				0	1	0	1	1	2	1	1	1	8	26
27				0	0	0	0	1	1	1	2	1	6	27
28				0	1	1	1	0	0	1	3	2	9	28
29				0	1	1	2	0	1	1	0	0	6	29
30				0	1	0	1	1	1	0	0	0	4	30
31				0	1	1	0	0	1	1	1	0	5	31
Среднее	$\varepsilon_D = 3,26$	$\varepsilon_H = 1,50$	$\varepsilon_Z = 0,61$		$K_g = 300$									