

Ashkhabad

Таблица СчК

20137-11

Ашхабад

Суточные характеристики

Январь 1968г

С126 Дата	Амплитуды			Характер С	К-индекс								Дата	
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		К
1				1	5	5	5	5	6	6	4	4	40	1
2				1	4	4	6	7	6	6	6	5	44	2
3				1	4	4	3	3	3	3	3	3	26	3
4				1	3	3	1	2	3	3	3	4	22	4
5				1	3	3	2	2	4	4	3	4	25	5
6				1	4	3	2	3	3	4	4	3	26	6
7				0	3	3	3	1	2	2	2	2	18	7
8				0	2	2	2	2	2	2	2	1	15	8
9				0	0	1	0	1	1	1	0	0	4	9
10				0	0	0	0	1	2	2	1	1	7	10
11				1	1	0	1	2	4	4	4	4	20	11
12				1	3	3	2	2	3	4	4	4	25	12
13				0	3	3	3	3	3	3	2	3	23	13
14				1	3	3	1	2	2	2	4	4	21	14
15				1	3	3	2	2	4	3	4	4	25	15
16				1	3	3	2	2	2	5	5	3	25	16
17				0	2	2	3	3	3	3	3	3	22	17
18				0	2	2	1	2	2	2	1	0	12	18
19				1	0	1	1	2	3	3	4	3	17	19
20				0	3	3	3	2	3	2	2	1	19	20
21				0	2	2	2	2	3	3	2	2	18	21
22				0	2	2	2	2	3	3	2	2	18	22
23				0	2	1	2	1	1	2	3	3	15	23
24				0	2	2	2	2	2	2	3	1	16	24
25				0	0	2	3	2	1	2	2	2	14	25
26				1	1	2	1	2	3	5	3	2	19	26
27				0	2	3	3	2	2	2	3	2	19	27
28				0	3	3	3	2	2	3	3	3	22	28
29				0	3	3	2	2	2	2	3	3	20	29
30				0	3	3	3	2	2	2	2	2	19	30
31				0	1	2	2	2	2	2	1	1	13	31
Средние	с1 no20 $E_D = 2.05$ с21 no31 $E_D = 2.02$	с1 no20 $E_H = 1.73$ с21 no31 $E_H = 1.71$	$E_2 = 1.00$						$K_9 = 300$					

н. 62

20353-10

Ashkhabad Таблица С и К-индексов  
 Ашхабад Суточные характеристики

Февраль 1968 г. 62

Дата С/26	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	3	2	2	1	0	1	1	11	1
2				0	2	1	1	3	4	3	3	2	19	2
3				0	3	2	2	4	4	4	2	2	23	3
4				0	2	2	2	5	4	3	2	2	22	4
5				0	2	2	2	3	3	1	2	2	17	5
6				0	2	1	0	1	2	1	0	0	7	6
7				0	0	0	0	0	0	1	3	2	6	7
8				0	2	2	1	3	3	2	2	3	18	8
9				1	3	4	5	5	4	3	3	2	29	9
10				1	2	1	1	3	1	4	5	4	21	10
11				1	6	6	6	7	7	6	5	5	48	11
12				1	5	4	4	4	4	3	2	2	28	12
13				1	2	1	3	4	5	4	2	2	23	13
14				0	2	1	2	3	2	2	2	2	16	14
15				1	2	3	3	5	5	5	3	2	28	15
16				1	2	2	2	4	4	4	2	2	22	16
17				1	2	1	2	3	4	2	4	4	22	17
18				1	2	1	4	5	5	4	4	3	28	18
19				0	3	3	3	3	3	3	0	1	19	19
20				1	2	1	4	5	6	5	4	3	30	20
21				1	3	3	2	4	4	4	3	3	26	21
22				0	3	3	2	3	3	2	2	0	18	22
23				0	0	1	1	1	1	1	2	1	8	23
24				0	1	2	2	1	1	1	1	0	9	24
25				0	0	1	1	0	0	0	3	1	6	25
26				0	1	1	0	0	0	0	2	2	6	26
27				0	1	1	1	1	2	2	3	4	15	27
28				1	3	3	2	3	6	5	6	5	33	28
29				1	5	4	4	5	5	4	3	3	33	29
30														30
31														31

едные  
 С/1010  $\epsilon_D=2,02$   $\epsilon_H=1,71$   
 С/11029  $\epsilon_2=2,00$   
 С/11010  $\epsilon_2=1,00$   
 С/11029  $\epsilon_2=0,99$

$K_9=300$

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
126														
1				1	3	2	3	4	4	5	3	2	26	1
2				0	2	2	3	4	3	3	2	3	22	2
3				1	3	2	2	3	4	4	4	3	25	3
4				1	3	3	3	4	4	5	3	3	28	4
5				1	3	2	3	5	5	4	3	3	28	5
6				0	3	2	2	3	3	2	2	2	19	6
7				0	2	2	2	2	3	2	1	1	15	7
8				0	0	1	0	0	0	1	0	2	4	8
9				0	0	0	0	0	0	1	2	2	5	9
10				1	2	2	1	2	3	4	2	1	17	10
11				0	2	3	2	1	1	1	2	3	15	11
12				1	2	2	3	4	4	4	3	3	25	12
13				0	2	2	2	2	1	1	1	2	13	13
14				1	3	4	5	3	4	4	4	5	32	14
15				1	2	2	5	4	5	3	4	3	28	15
16				1	3	3	3	4	6	3	3	3	28	16
17				0	2	3	3	2	2	1	1	3	17	17
18				0	3	3	2	1	2	3	3	2	19	18
19				0	2	3	3	2	2	2	3	2	19	19
20				1	2	3	2	4	4	3	3	3	24	20
21				0	0	1	2	3	3	3	4	2	18	21
22				0	1	2	3	3	3	3	2	2	19	22
23				1	1	1	2	2	3	4	4	5	22	23
24				1	3	3	4	4	4	4	4	4	30	24
25				1	2	3	5	4	4	3	3	3	27	25
26				1	2	2	4	4	3	4	3	2	24	26
27				1	3	4	4	3	3	4	2	3	26	27
28				0	2	2	3	2	3	2	2	3	19	28
29				1	1	3	3	4	4	4	2	4	25	29
30				1	2	4	5	3	3	5	5	4	31	30
31				1	3	3	4	3	4	4	4	4	29	31
Средние	$E_0 = 2.00$	$E_H = 1.71$	С/10010 $E_z = 0.99$ С/11031 $E_z = 0.98$		$K_0 = 300$									

Ashkhabad  
Ашхабад

Таблица Су К  
Суточные характеристики

20748-III  
Апрель 1968г. и.62

С 126 Дата	Амплитуды			Характер С	К-индекс								Дата	
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		К
1				1	3	3	4	4	4	3	3	3	27	1
2				0	2	3	3	2	2	3	2	2	19	2
3				0	1	2	1	2	3	3	1	1	14	3
4				0	1	2	2	2	2	2	2	1	14	4
5				1	1	2	1	2	2	3	6	6	23	5
6				1	5	4	6	6	5	5	4	3	38	6
7				0	3	2	2	2	2	2	1	1	15	7
8				0	0	1	1	1	0	0	0	1	4	8
9				0	0	0	0	2	2	2	3	2	11	9
10				0	1	1	0	0	0	2	2	1	7	10
11				0	2	1	2	2	3	3	3	2	18	11
12				1	1	3	3	2	3	3	4	3	22	12
13				1	2	2	3	4	4	4	4	2	25	13
14				1	3	2	2	3	5	5	3	2	25	14
15				0	2	3	2	3	2	3	3	2	20	15
16				0	2	1	2	3	2	2	1	3	16	16
17				0	2	2	3	3	2	3	3	2	20	17
18				0	2	2	2	3	2	2	1	2	16	18
19				0	1	1	0	0	0	0	0	0	2	19
20				0	0	0	0	0	0	0	1	0	1	20
21				0	0	2	3	2	0	2	3	3	15	21
22				0	2	2	2	2	1	1	2	3	15	22
23				0	3	2	2	3	3	3	3	2	21	23
24				0	3	2	2	3	2	2	1	1	16	24
25				0	0	0	0	1	1	1	2	3	8	25
26				1	2	3	3	3	4	4	4	4	27	26
27				1	4	4	5	5	3	3	3	3	30	27
28				1	3	4	3	3	3	3	3	3	25	28
29				0	3	2	2	2	2	2	2	2	17	29
30				0	2	3	3	3	1	2	1	1	16	30
31														31
Средние	$\epsilon_D = 2.0$	с I по 10 $\epsilon_H = 1.71$ с II по 30 $\epsilon_H = 1.70$	с I по 10 $\epsilon_2 = 0.98$ с II по 30 $\epsilon_2 = 1.00$					$K_D = 300$						

126 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	0	0	0	1	2	2	3	3	11	1
2				0	3	3	2	3	3	3	2	2	21	2
3				0	2	3	2	2	3	1	1	1	15	3
4				0	1	0	1	1	0	1	0	0	4	4
5				0	0	0	1	1	0	0	1	1	4	5
6				0	1	3	3	2	2	3	3	1	18	6
7				1	4	6	6	6	6	6	4	3	41	7
8				0	3	2	2	2	1	2	2	2	16	8
9				1	3	2	1	3	4	4	4	4	25	9
10				0	3	2	1	2	2	3	2	3	18	10
11				0	3	2	3	2	2	1	2	2	17	11
12				1	2	4	3	4	4	2	2	2	23	12
13				0	2	4	2	3	3	2	1	1	18	13
14				0	3	3	2	3	2	1	2	1	17	14
15				0	2	2	3	2	2	1	2	1	15	15
16				0	2	2	3	3	4	4	3	2	23	16
17				0	3	4	1	2	3	3	2	2	20	17
18				0	1	2	1	2	2	4	3	2	17	18
19				0	2	2	2	2	1	2	3	3	17	19
20				0	3	4	4	4	3	2	1	2	23	20
21				1	1	1	2	2	3	3	4	3	19	21
22				1	2	4	3	3	3	2	2	1	20	22
23				0	2	2	3	2	2	0	1	1	13	23
24				1	2	3	4	3	2	2	1	2	19	24
25				0	2	2	2	1	0	1	0	1	9	25
26				0	2	2	1	0	0	0	0	0	5	26
27				0	0	1	1	1	1	2	2	2	10	27
28				0	2	2	3	2	2	2	2	0	15	28
29				0	1	1	0	1	1	1	1	1	7	29
30				0	2	1	1	0	0	0	0	0	4	30
31				0	1	1	0	2	2	1	1	1	9	31
Средние	$\epsilon_D = 2.0$	с I по 10 $\epsilon_H = 1.70$ с II по 31 $\epsilon_H = 1.71$	$\epsilon_2 = 1.00$					$K_9 = 300$						

Ashhabad  
Ашхабад

Таблица Сик  
Суточные характеристивки Июнь 1968

20826-Ш  
4.62

6	Амплитуды			Характер С	К-индекс								Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	
			0	2	1	2	3	2	2	2	2	16	1
			0	2	2	2	2	2	2	1	1	14	2
			0	1	0	1	2	2	1	1	1	9	3
			0	1	2	1	1	0	0	1	1	7	4
			0	1	1	1	1	1	1	0	0	6	5
			0	1	1	1	1	1	1	1	1	8	6
			0	1	2	2	2	2	2	1	1	13	7
			0	2	2	2	2	1	2	2	2	15	8
			0	2	1	2	2	2	1	1	1	12	9
			1	1	1	3	3	4	3	1	4	20	10
			1	4	6	6	7	6	5	4	5	43	11
			1	4	5	5	6	6	5	4	4	39	12
			1	4	5	5	6	5	5	4	4	38	13
			1	4	3	5	5	5	4	3	3	32	14
			0	3	3	3	3	3	2	2	2	21	15
			-	-	-	-	-	-	-	-	-	-	16
			0	-	3	4	4	3	2	2	3	-	17
			0	3	3	2	3	3	2	2	3	21	18
			0	3	3	3	3	3	2	2	2	21	19
			0	3	3	2	2	1	1	1	1	14	20
			0	0	1	1	0	0	1	1	0	4	21
			0	0	2	2	3	3	2	1	2	15	22
			0	1	2	2	1	1	1	0	0	8	23
			0	0	0	0	0	0	1	1	0	2	24
			0	0	0	1	1	1	2	2	2	9	25
			0	3	2	3	4	3	2	2	2	21	26
			0	2	2	1	3	2	2	2	1	15	27
			0	1	1	1	1	1	2	1	0	8	28
			0	0	1	1	0	1	2	2	3	10	29
			0	1	1	2	1	0	1	1	2	9	30
													31
112		$\epsilon_D = 2.0$	$\epsilon_H = 1.71$	$\epsilon_2 = 1.00$	$K_9 = 300$								

Дата	Амплитуды			Характер С	К-индекс								Дата	
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		К
				0	2	2	2	2	2	2	2	2	16	1
				0	2	1	1	1	1	2	2	2	12	2
				0	2	1	3	3	1	2	2	2	16	3
				0	2	1	2	2	2	1	1	2	13	4
				0	2	2	2	1	1	0	0	1	9	5
				0	0	1	1	1	1	1	1	0	6	6
				0	0	0	1	1	1	1	0	0	4	7
				0	0	0	2	1	1	1	1	0	6	8
				0	0	0	2	2	1	2	2	3	12	9
				1	4	2	2	2	5	2	3	3	23	10
				0	2	2	1	1	1	1	1	2	11	11
				0	1	2	1	1	0	1	1	1	8	12
				0	1	1	0	1	0	4	3	3	13	13
				1	4	5	4	3	2	2	3	3	26	14
				0	3	2	2	3	1	0	1	2	14	15
				0	2	1	1	1	0	1	1	1	8	16
				0	1	0	1	1	1	0	0	0	4	17
				0	1	1	1	1	1	1	1	1	8	18
				0	1	1	1	1	1	1	1	2	9	19
				0	2	1	1	1	1	0	1	1	8	20
				0	0	0	3	3	2	1	2	2	13	21
				0	1	0	3	4	3	3	2	2	18	22
				0	2	4	4	2	2	2	1	1	18	23
				0	1	1	1	1	1	1	1	0	7	24
				0	1	2	3	3	3	2	2	2	18	25
				0	2	2	2	2	1	2	1	2	14	26
				0	2	3	2	3	2	1	1	1	15	27
				0	0	0	2	2	1	1	2	1	9	28
				0	0	0	1	0	2	0	0	0	3	29
				0	0	1	2	2	1	1	1	1	9	30
				0	0	0	1	1	0	1	1	1	5	31

средние

$\Sigma_D = 2.0$	c1 no 20 $E_H = 1.73$	c1 no 20 $E_2 = 1.0$
	c21 no 31 $E_H = 1.75$	c21 no 31 $E_2 = 1.02$

$K_0 = 300$

Ашхабад Таблица с и к индексов  
Станция Ашхабад Суточные характеристики

21020 м  
август 1968 г.

с 126 Дата	Амплитуды			Характер с	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				-	-	-	-	-	-	-	-	-	-	1
2				-	-	-	-	-	-	-	-	-	-	2
3				0	2	3	3	2	3	3	3	2	21	3
4				0	3	3	3	2	2	2	2	2	19	4
5				1	2	2	3	4	3	3	4	4	25	5
6				0	3	3	3	3	2	2	3	2	21	6
7				0	3	3	2	3	3	3	2	2	21	7
8				0	3	3	2	3	2	2	2	2	19	8
9				0	3	3	2	2	3	2	3	1	19	9
10				0	2	3	2	1	1	2	2	2	15	10
11				-	-	-	-	-	-	-	-	-	-	11
12				0	2	2	2	2	2	2	2	1	15	12
13				0	2	2	2	3	3	3	3	3	21	13
14				1	4	4	4	4	3	2	3	3	27	14
15				1	2	4	5	5	4	4	3	3	30	15
16				1	3	5	4	3	4	4	4	4	31	16
17				1	3	5	4	4	5	5	4	3	33	17
18				1	3	4	4	3	3	3	3	3	26	18
19				0	3	4	3	3	2	3	2	1	21	19
20				0	2	3	3	2	1	3	2	3	19	20
21				0	1	2	2	1	0	0	1	0	7	21
22				0	0	0	1	2	1	1	2	2	9	22
23				0	1	1	1	1	2	3	3	2	14	23
24				0	2	4	4	4	3	3	3	2	25	24
25				0	2	1	0	0	0	0	2	2	7	25
26				0	0	0	1	2	2	2	1	0	8	26
27				0	1	2	2	1	1	0	1	0	8	27
28				0	0	0	0	1	0	0	1	1	3	28
29				0	0	0	1	1	0	0	0	0	2	29
30				0	1	2	1	1	0	1	1	1	8	30
31				1	1	3	3	3	5	5	4	3	27	31
Средние	$\epsilon_D = 2,04$	$\epsilon_K = 1,75$	$\epsilon_Z = 1,02$											
					$K_0 = 300$									



Askhabad  
Ашхабад

Таблица С и К  
Суточные характеристики Сентябрь 1968

21278-III

h 62

Амплитуды			Характер С	К-индекс								Дата	
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		К
			0	1	2	1	2	2	2	1	0	11	1
			0	1	2	3	3	3	2	3	3	20	2
			1	3	3	3	3	3	3	4	4	26	3
			1	2	2	2	3	3	2	1	0	15	4
			1	1	2	2	3	3	2	2	2	17	5
			1	2	2	3	2	3	4	3	3	22	6
			1	2	2	3	3	3	3	3	3	22	7
			1	4	5	6	6	6	6	5	4	42	8
			0	3	3	3	3	3	2	2	2	21	9
			0	2	2	2	2	2	3	1	0	14	10
			0	1	0	1	1	0	0	1	1	5	11
			1	1	1	3	3	5	4	3	3	23	12
			1	4	4	4	5	5	5	4	3	34	13
			1	4	3	5	5	4	3	3	3	30	14
			0	3	3	3	2	3	3	3	3	23	15
			0	3	3	2	2	2	2	1	1	16	16
			0	2	1	2	1	2	0	0	0	8	17
			0	1	0	2	1	0	1	0	1	6	18
			0	3	3	2	2	2	1	0	1	14	19
			0	1	2	3	2	1	1	1	1	12	20
			0	1	3	3	3	3	2	1	0	16	21
			0	1	1	1	2	3	3	3	3	17	22
			1	2	3	4	5	4	5	3	3	29	23
			0	3	3	3	3	0	0	2	2	16	24
			0	1	0	2	3	0	0	1	1	8	25
			0	1	1	1	2	2	2	1	0	10	26
			0	0	0	0	1	2	2	2	2	9	27
			0	1	3	3	2	2	3	3	3	20	28
			0	3	3	3	3	2	2	3	3	22	29
			0	3	3	3	3	2	2	3	3	22	30
													31

$\epsilon_D = 2.04$   $\epsilon_H = 1.75$   $\epsilon_2 = 1.02$

$K_g = 300$

Ashkhabad Таблица с к индексов

21401-III  
н. 62

Таблица Ашхабад Суточные характеристики

октябрь 1968

Дата	Амплитуды			Характер С	К индекс									Дата
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	$\Sigma K$	
1				1	3	1	3	2	2	2	3	2	18	
2				1	2	3	4	5	5	4	4	3	30	
3				1	2	3	5	4	4	3	3	3	27	
4				0	3	3	2	1	3	2	2	3	19	
5				0	2	2	2	2	2	1	1	2	14	
6				1	2	1	4	2	1	1	2	1	14	
7				1	2	3	2	1	2	2	3	2	17	
8				0	2	2	1	2	2	1	1	2	13	
9				0	1	1	2	2	1	2	0	1	10	
10				0	1	1	2	0	0	1	1	1	7	
11				0	2	3	1	2	1	2	3	2	16	
12				1	2	3	4	5	5	4	5	4	32	
13				1	4	4	4	5	5	3	3	2	30	
14				0	3	4	4	4	4	3	2	2	26	
15				0	3	1	2	2	3	2	2	2	17	
16				0	2	1	1	1	2	2	2	1	12	
17				0	1	2	2	3	2	1	1	1	13	
18				0	2	2	3	1	2	1	1	1	13	
19				0	0	3	4	2	1	0	3	3	16	
20				0	2	0	1	2	3	3	2	3	16	
21				0	2	3	4	2	1	1	1	1	15	
22				0	2	3	4	2	1	0	0	0	12	
23				0	1	3	4	3	1	2	3	2	19	
24				0	3	4	3	3	1	2	4	3	23	
25				0	1	3	3	4	4	1	1	0	17	
26				1	1	4	2	1	1	0	3	1	13	
27				0	0	3	3	2	1	1	0	1	11	
28				1	1	2	2	2	2	1	1	3	14	
29				1	2	2	4	4	3	6	5	5	31	
30				1	5	3	2	5	5	4	3	3	30	
31				2	3	3	4	6	7	8	8	7	46	
Среднее	$\varepsilon_D = 2.04$	$\varepsilon_H = 1.75$	$\varepsilon_Z = 1.02$											
					$K_9 = 300$									

Ашхабад  
Ашхабад

Таблица с индексов  
Суточные характеристики

21460-III  
ноябрь 1968 и. 62

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				2	7	6	6	7	8	7	7	8	56	1
2				2	7	7	7	7	7	6	6	6	53	2
3				1	6	6	6	6	6	6	6	5	47	3
4				1	5	6	6	6	6	5	5	5	44	4
5				1	4	4	4	4	3	3	3	3	28	5
6				1	3	3	3	3	3	3	3	3	24	6
7				1	3	3	3	4	4	3	3	3	26	7
8				1	3	3	3	4	5	5	3	3	29	8
9				1	3	3	4	4	5	5	3	3	30	9
10				1	3	3	3	4	4	4	3	3	27	10
11				0	3	3	4	4	4	3	2	2	25	11
12				0	2	2	2	1	1	1	0	0	9	12
13				0	0	0	2	2	1	2	2	2	11	13
14				-	-	-	-	-	-	-	-	-	-	14
15				0	0	1	2	1	0	0	0	0	4	15
16				1	1	0	0	3	5	4	3	3	19	16
17				1	3	2	3	2	5	6	5	4	30	17
18				1	4	4	4	4	4	3	3	3	29	18
19				0	3	3	3	3	3	2	1	0	18	19
20				1	0	1	1	4	6	6	4	3	25	20
21				0	1	2	1	1	2	3	3	3	16	21
22				0	1	0	0	1	2	1	2	3	10	22
23				0	1	1	1	1	2	1	1	2	10	23
24				0	2	1	1	1	1	3	2	3	14	24
25				0	3	2	2	2	3	3	3	1	19	25
26				0	1	0	0	1	3	3	3	2	13	26
27				0	2	2	1	1	2	2	2	3	15	27
28				0	3	2	2	3	3	2	3	2	20	28
29				0	2	1	1	1	1	2	0	0	8	29
30				0	0	0	0	0	0	1	2	1	4	30
31														31
Данные	$\epsilon_D = 2,04$	с1 нo 10 $\epsilon_1 = 1,75$ с11 нo 30 $\epsilon_1 = 1,73$	с1 нo 10 $\epsilon_2 = 1,02$ с11 нo 30 $\epsilon_2 = 1,00$		$K_9 = 300$									

# Ashkhabad Таблица с и к индексов

21731-III

манчя Ашхабад Суточные характеристики

декабрь 1968 г. 62

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-8	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	1	2	3	3	3	2	0	15	1
2				0	0	1	2	2	2	3	2	1	13	2
3				1	1	3	2	3	4	4	4	3	24	3
4				1	3	1	2	4	4	4	3	2	23	4
5				1	2	2	4	4	4	3	3	3	25	5
6				0	3	3	3	2	2	1	1	1	16	6
7				0	0	3	3	2	2	3	1	0	14	7
8				0	1	2	2	2	3	2	2	2	16	8
9				0	1	2	2	2	1	1	2	2	13	9
10				0	2	3	3	3	3	0	2	2	18	10
11				0	2	1	0	0	1	3	3	2	12	11
12				0	2	2	1	1	3	3	3	0	15	12
13				0	1	1	0	1	2	3	3	2	13	13
14				0	1	2	2	2	2	1	1	0	11	14
15				0	1	0	1	0	3	2	3	3	13	15
16				0	2	2	1	2	2	2	3	2	16	16
17				0	2	1	0	0	1	0	1	1	6	17
18				0	1	1	1	2	3	3	3	3	17	18
19				0	3	2	2	3	3	2	3	2	20	19
20				0	1	1	1	1	0	0	1	0	5	20
21				0	1	2	3	3	3	4	3	3	22	21
22				0	3	3	2	2	2	3	2	0	17	22
23				1	1	1	2	2	4	4	3	3	20	23
24				0	2	3	3	2	3	2	1	4	20	24
25				1	4	4	4	4	3	3	2	2	26	25
26				0	1	3	3	3	2	1	2	2	17	26
27				0	1	3	4	4	4	3	3	2	24	27
28				0	1	3	3	3	2	3	2	2	19	28
29				0	1	2	3	2	2	3	3	2	18	29
30				0	0	2	3	3	3	2	3	2	18	30
31				0	2	2	2	1	2	3	3	3	18	31
Среднее	c1 no 20 E <sub>D</sub> = 2,04 c21 no 31 E <sub>D</sub> = 2,02	E <sub>N</sub> = 1,71	E <sub>Z</sub> = 1,0		K <sub>g</sub> = 300									