

Askhabad Таблица с к индексов

21821-III

Ашхабад Суточные характеристики

январь 1969. 4.62

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	2	1	4	3	3	2	1	18	1
2				0	1	3	3	3	3	1	1	0	15	2
3				0	1	2	2	0	1	1	0	0	7	3
4				0	1	2	2	2	3	1	1	1	13	4
5				0	1	2	2	2	1	1	1	1	11	5
6				0	1	2	1	1	0	1	1	1	8	6
7				0	2	3	3	3	4	2	3	3	23	7
8				0	3	2	2	2	1	1	2	2	15	8
9				0	2	1	3	3	2	1	1	2	15	9
10				0	1	2	3	2	2	1	0	0	11	10
11				0	0	1	3	3	2	1	2	1	13	11
12				0	0	2	2	4	4	4	3	2	21	12
13				0	1	1	3	3	1	0	0	0	9	13
14				0	1	3	3	3	2	1	2	2	17	14
15				0	3	3	1	2	2	3	3	3	20	15
16				0	2	3	3	3	3	3	1	1	19	16
17				0	3	3	4	4	3	3	3	3	26	17
18				0	3	3	4	4	3	3	2	3	25	18
19				0	3	3	4	3	3	3	3	2	24	19
20				0	2	3	3	3	3	3	3	2	22	20
21				0	3	3	2	3	1	2	2	1	17	21
22				0	1	1	1	2	1	1	1	1	9	22
23				0	0	2	2	1	2	1	2	3	13	23
24				1	2	2	2	2	4	5	5	5	27	24
25				1	4	2	5	5	6	5	5	4	36	25
26				1	3	3	5	5	5	4	3	3	31	26
27				1	3	3	4	5	4	4	4	3	30	27
28				0	3	3	3	3	3	2	2	2	21	28
29				0	2	2	2	2	2	2	1	1	14	29
30				0	1	2	2	4	2	2	1	0	14	30
31				0	0	1	2	3	4	4	3	2	19	31
Среднее	$E_0 = 2.02$	$E_u = 1.71$	$E_z = 1.0$		$K_3 = 300$									

Askhabad
Ашхабад

Таблица с к индексов

22059-И

Суточные характеристики

февраль 1969
н. 62

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	2	1	3	2	1	1	0	11	1
2				2	0	1	1	2	3	4	8	7	26	2
3				2	6	6	5	6	7	5	5	5	45	3
4				1	5	4	3	4	4	4	4	4	32	4
5				0	4	3	3	4	4	4	3	3	28	5
6				0	3	2	2	3	3	3	2	3	21	6
7				0	3	2	2	4	3	3	3	3	23	7
8				0	3	2	2	3	2	3	3	3	21	8
9				0	2	1	2	3	2	2	1	1	14	9
10				0	1	2	3	3	1	2	2	4	18	10
11				1	4	4	4	6	7	7	6	5	43	11
12				1	5	5	5	4	4	4	4	4	35	12
13				0	3	3	3	3	3	3	3	3	24	13
14				0	3	2	1	2	3	3	3	2	19	14
15				0	2	2	1	1	1	1	3	3	14	15
16				0	2	2	2	2	2	2	2	2	16	16
17				0	1	1	0	0	0	0	1	0	3	17
18				0	1	1	0	1	1	1	0	1	6	18
19				0	1	2	4	3	2	2	1	1	16	19
20				0	1	1	2	2	1	1	1	0	9	20
21				0	1	2	2	0	0	0	1	1	7	21
22				0	0	1	2	2	2	1	1	2	11	22
23				0	3	3	3	3	2	2	2	2	20	23
24				0	1	1	1	3	2	1	1	1	11	24
25				0	1	2	2	2	2	1	0	0	10	25
26				1	3	3	4	3	2	1	2	1	19	26
27				1	1	4	4	3	3	5	5	4	29	27
28				1	4	3	1	2	3	3	3	2	21	28
29														29
30														30
31														31
Среднее	$\varepsilon_D = 2.02$	$\varepsilon_n = 1.71$	$\varepsilon_2 = 1.0$		$K_9 = 300$									

22317-III

Askabad

Таблица с к индексов

Ашхабад

Суточные характеристики

март 1969 г. 62

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				1	3	3	3	2	1	3	3	2	20	1
2				0	3	3	3	2	3	2	2	2	20	2
3				0	2	2	3	3	0	1	1	0	12	3
4				1	1	2	3	3	1	1	3	4	18	4
5				1	2	3	4	4	2	2	1	1	19	5
6				1	1	1	3	3	1	3	3	1	16	6
7				1	2	2	3	3	4	3	3	3	23	7
8				1	2	3	2	3	2	1	2	2	17	8
9				1	1	1	1	1	3	3	2	1	13	9
10				0	0	3	3	1	0	1	1	0	9	10
11				1	1	3	3	3	3	1	4	2	20	11
12				1	4	4	4	5	4	4	3	3	31	12
13				0	3	3	3	3	2	2	2	3	21	13
14				0	1	2	2	1	1	1	1	2	11	14
15				1	2	2	2	3	4	4	3	3	23	15
16				1	2	2	3	3	1	2	2	1	16	16
17				1	3	3	2	2	4	4	4	3	25	17
18				0	3	3	3	2	2	1	1	1	16	18
19				1	1	2	2	3	2	3	4	5	22	19
20				1	3	3	2	1	2	4	4	3	22	20
21				0	3	2	2	2	1	0	0	2	12	21
22				0	1	2	2	1	2	2	1	1	12	22
23				1	1	1	1	4	3	3	5	7	25	23
24				2	7	6	6	7	6	6	6	5	49	24
25				1	5	5	4	4	5	5	4	4	36	25
26				0	4	4	3	3	3	3	2	2	24	26
27				0	2	2	1	1	1	1	0	0	8	27
28				0	1	1	2	2	0	1	0	1	8	28
29				0	1	1	2	1	1	2	1	1	10	29
30				1	2	2	2	2	0	1	2	3	14	30
31				1	2	1	3	3	2	4	3	0	18	31
Среднее	с1 no 10 E _D =2,02	с1 no 10 E _h =1,71	E _z =1,0		K _g =300									
	с11 no 31 E _D =2,0	с11 no 20 E _h =1,7												
		с21 no 31 E _h =1,72												

Ashkhabad

Таблица

Си К-индексов

22540-III

Ашхабад

Суточные характеристики Апрель 1969

н. 62

С 126 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				1	1	2	3	3	1	2	3	1	16	1
2				1	1	1	1	2	1	2	3	3	14	2
3				1	3	4	3	2	1	1	3	3	20	3
4				0	3	4	3	2	1	0	2	2	17	4
5				0	2	3	2	1	0	0	0	0	8	5
6				1	1	2	2	3	2	2	3	3	18	6
7				1	1	1	2	1	2	2	3	1	13	7
8				0	0	1	1	2	1	1	1	2	9	8
9				0	0	1	3	2	3	3	2	1	15	9
10				0	0	2	3	1	1	2	1	1	11	10
11				0	1	1	2	2	2	1	1	1	11	11
12				0	0	1	2	3	2	2	4	4	18	12
13				1	3	2	4	4	3	3	4	3	26	13
14				0	3	3	3	2	1	1	1	2	16	14
15				0	2	2	2	2	2	1	1	0	12	15
16				1	0	1	3	3	2	2	1	2	14	16
17				1	2	2	2	3	4	3	3	2	21	17
18				0	2	2	3	3	1	0	0	1	12	18
19				0	1	1	3	3	2	1	1	1	13	19
20				0	1	1	3	3	2	2	2	1	15	20
21				0	2	2	1	2	1	1	1	3	13	21
22				1	4	4	4	2	2	2	1	1	20	22
23				0	1	1	1	1	1	1	1	1	8	23
24				0	1	1	1	1	2	2	1	1	10	24
25				0	1	1	1	0	1	1	1	1	7	25
26				0	1	2	2	1	0	1	2	2	11	26
27				0	2	2	2	2	2	2	4	3	19	27
28				1	3	4	5	5	6	6	5	5	39	28
29				1	4	4	4	3	2	3	3	3	26	29
30				1	4	4	4	3	4	4	4	4	31	30
31														31
Среднее	$\epsilon 1 no 10$ $E_D = 2.02$ $\epsilon 1 no 30$ $E_D = 2.04$	$\epsilon 1 no 20$ $E_H = 1.72$ $\epsilon 21 no 30$ $E_H = 1.71$	$E = 1.0$						$K_9 = 300$					

Ashkhabad

Таблица

22676-III

С и К - индекс
Суточные характеристики

n. 62

Май 1969

Ашхабад

с 126

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	4	4	4	4	3	2	2	2	25	1
2				0	3	3	2	2	3	4	5	3	25	2
3				0	3	4	3	3	3	2	2	2	22	3
4				0	2	2	2	2	1	1	1	1	12	4
5				0	1	1	1	1	2	1	1	2	10	5
6				0	1	1	2	2	1	0	1	1	9	6
7				0	1	0	2	2	1	1	1	1	9	7
8				0	0	1	1	1	1	1	1	2	8	8
9				0	1	1	1	2	0	1	1	3	10	9
10				0	2	2	2	1	1	1	1	1	11	10
11				0	1	1	1	0	1	1	1	1	7	11
12				0	1	1	1	1	2	2	3	4	15	12
13				1	3	3	5	5	5	4	4	4	33	13
14				1	4	5	5	4	3	3	6	5	35	14
15				1	5	6	6	6	6	6	5	5	45	15
16				1	5	6	6	6	5	4	4	4	40	16
17				1	3	4	5	5	4	3	3	3	30	17
18				1	3	3	4	4	2	4	3	3	26	18
19				0	2	2	3	3	3	3	2	2	20	19
20				0	2	2	2	2	1	1	1	1	12	20
21				0	1	2	3	3	3	2	1	2	17	21
22				0	2	1	2	3	3	2	1	1	15	22
23				0	1	1	2	2	2	2	1	1	12	23
24				0	1	3	3	2	2	2	1	1	15	24
25				0	2	1	1	1	1	1	1	1	9	25
26				0	0	1	1	0	1	1	1	1	6	26
27				0	1	2	2	2	2	2	2	2	15	27
28				0	2	2	2	2	1	1	1	0	11	28
29				0	0	1	1	2	2	2	2	1	11	29
30				0	1	2	3	3	2	2	1	2	16	30
31				0	1	3	2	2	2	1	2	2	15	31
Среднее	С 1 no 10 ΣD=2.04	С 1 no 10 ΣH=1.72	С 1 no 10 ΣZ=1.02		K _g = 300									
	С 11 no 20 ΣD=2.04	С 11 no 20 ΣH=1.74	С 11 no 20 ΣZ=1.01											
	С 21 no 31 ΣD=2.04	С 21 no 31 ΣH=1.74	С 21 no 31 ΣZ=1.02											

Ашкхабад

Таблица

23258 И

Ашкхабад

С и К-индексов

Суточные характеристики

Июнь 1969

н.62

C 126 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	3	2	1	1	1	1	0	11	1
2				0	1	2	1	1	2	1	1	1	10	2
3				0	1	3	1	1	1	1	1	1	10	3
4				0	1	2	2	3	2	1	0	1	12	4
5				0	0	0	1	1	2	1	1	1	7	5
6				0	2	3	3	3	2	2	2	1	18	6
7				0	1	1	2	3	3	2	1	0	13	7
8				0	1	3	4	3	3	3	2	1	20	8
9				0	1	1	1	2	2	3	4	3	17	9
10				0	3	3	3	3	3	2	1	1	19	10
11				0	1	1	2	3	1	1	1	2	12	11
12				0	1	3	3	4	3	3	2	1	20	12
13				0	1	3	2	2	2	3	3	3	19	13
14				1	3	3	3	2	4	4	3	3	25	14
15				0	2	2	2	2	2	2	1	1	14	15
16				1	2	2	4	4	2	2	1	1	18	16
17				0	2	2	3	1	1	1	3	1	14	17
18				0	1	3	2	2	1	1	0	0	10	18
19				0	3	3	3	1	1	1	2	2	16	19
20				0	2	1	3	2	1	1	1	0	11	20
21				0	1	2	1	1	1	1	1	0	8	21
22				0	1	1	1	1	0	1	2	3	10	22
23				0	3	4	4	3	3	2	1	1	21	23
24				0	1	2	2	2	2	1	1	1	12	24
25				0	0	1	2	2	1	2	3	1	12	25
26				0	1	2	2	2	2	1	0	1	11	26
27				0	1	0	1	1	1	1	2	2	9	27
28				0	2	1	2	3	3	2	2	3	18	28
29				0	3	2	2	3	3	2	2	1	18	29
30				0	2	1	3	4	3	3	3	3	22	30
31														31
Среднее	с I по 10 E _D = 2.04	с I по 10 E _H = 1.74	с I по 10 E _Σ = 1.02											
	с II по 20	с II по 20	с II по 20											
	E _D = 2.05	E _H = 1.71	E _Σ = 1.00											
	с 21 по 30	с 21 по 30	с 21 по 30											
	E _D = 2.06	E _H = 1.73	E _Σ = 1.01											

K₉ = 300

Ashkhabad
Ашхабад

Таблица
Сик-индексов

23379-14

Суточные характеристики

Июль 1969

ч. 62

С 126 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	3	4	2	3	3	3	2	22	1
2				0	2	3	2	1	2	2	1	1	14	2
3				0	1	1	2	1	1	0	1	1	8	3
4				0	0	1	1	1	1	0	0	0	4	4
5				0	0	2	2	1	1	1	0	1	8	5
6				0	1	1	3	2	2	1	2	3	15	6
7				0	2	2	1	1	1	1	0	1	9	7
8				0	0	1	0	1	0	0	1	1	4	8
9				0	1	0	1	1	1	1	2	2	9	9
10				0	1	2	3	2	2	2	1	2	15	10
11				0	1	2	3	3	2	1	2	2	16	11
12				0	2	2	1	1	2	2	2	2	14	12
13				0	1	3	3	3	1	1	3	2	17	13
14				0	2	3	3	2	2	2	2	1	17	14
15				0	2	1	2	2	2	1	1	1	12	15
16				0	1	3	2	2	2	3	2	1	16	16
17				0	1	1	1	2	2	2	1	1	11	17
18				0	0	0	1	2	2	1	1	0	7	18
19				0	0	1	2	2	1	0	0	0	6	19
20				0	0	1	3	2	2	1	1	1	11	20
21				-0	3	2	3	4	3	1	1	2	19	21
22				0	2	2	2	1	2	1	3	1	14	22
23				0	1	1	1	1	1	1	1	1	8	23
24				0	1	1	1	2	2	1	1	1	10	24
25				0	1	0	1	1	1	1	1	1	7	25
26				1	1	3	4	4	5	2	2	3	24	26
27				1	4	4	5	5	5	4	3	3	33	27
28				0	3	3	2	2	2	2	1	1	16	28
29				0	1	0	1	0	0	0	1	0	3	29
30				0	1	2	3	3	3	3	1	1	17	30
31				0	1	1	1	1	1	0	1	1	7	31
Среднее	С1 н0 10 ЕД=2.06	С1 н0 10 Ен=1.73	С1 н0 10 Е2=1.01											
	С11 н020 ЕД=2.07	С11 н020 Ен=1.73	С11 н020 Е2=1.0											
	С21 н031 ЕД=2.07	С21 н031 Ен=1.74	С21 н031 Е2=1.0											

К₉ = 300

Ashkhabad

Сик-индексов

и 62

Ашхабад

Суточные характеристики

Август 1969

С126 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	1	1	0	0	0	1	1	5	1
2				0	1	3	3	2	2	3	3	3	20	2
3				1	2	4	4	2	1	1	2	3	19	3
4				0	2	2	2	3	1	2	2	1	15	4
5				0	1	2	2	2	1	1	1	0	10	5
6				0	1	1	2	2	0	0	0	1	7	6
7				1	2	2	3	4	3	2	2	1	19	7
8				0	1	2	2	2	2	1	1	1	12	8
9				0	1	1	2	2	2	2	1	1	12	9
10				0	0	0	2	2	2	2	0	0	8	10
11				0	0	1	0	1	1	2	3	3	11	11
12				0	2	2	2	4	3	2	2	1	18	12
13				0	1	3	3	2	1	1	1	1	13	13
14				0	1	2	3	3	2	2	1	0	14	14
15				0	0	1	2	1	1	2	2	3	12	15
16				0	0	1	2	1	1	1	1	1	8	16
17				0	1	1	1	1	0	0	0	0	4	17
18				0	1	1	0	1	1	1	1	1	7	18
19				0	1	1	2	2	2	2	2	2	14	19
20				0	3	3	3	3	2	1	1	1	17	20
21				0	1	1	1	1	1	2	1	0	8	21
22				0	0	1	1	1	1	2	2	1	9	22
23				0	3	3	2	2	2	2	2	1	17	23
24				0	1	1	2	2	2	1	1	1	11	24
25				0	1	1	0	0	0	0	0	0	2	25
26				1	1	2	3	4	4	2	2	3	21	26
27				1	4	5	5	5	4	3	2	2	30	27
28				0	3	4	4	3	2	1	1	1	19	28
29				0	1	2	2	2	1	1	0	0	9	29
30				0	1	2	3	1	2	1	1	1	12	30
31				0	0	1	2	2	1	0	1	0	7	31
Среднее	С11но3 E _D = 2.07	С11но15 E _H = 1.75	С11но15 E _Z = 1.0											
	С4но20 E _D = 0.69	С16но20 E _H = 0.69	С16но20 E _Z = 0.13											
	С21но23 E _D = 2.07	С21но23 E _H = 1.75	С21но23 E _Z = 1.0											
	С24но31 E _D = 0.65	С24но29 E _H = 0.70	С24но29 E _Z = 0.15											
		С30но31 E _H = 1.75	С30но31 E _Z = 1.0											

K_g = 300

Ashkhabad

Таблица
С и К-индексов

24319-III

Ашхабад

Суточные характеристики

Сентябрь 1969

н. 62

С126 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	2	2	1	1	1	0	0	8	1
2				0	0	1	0	0	0	0	1	1	3	2
3				0	2	2	3	2	2	2	3	1	17	3
4				0	0	1	1	1	1	1	2	1	8	4
5				1	1	1	1	2	5	5	4	4	23	5
6				1	4	5	4	5	4	3	3	3	31	6
7				1	3	3	4	4	4	3	3	3	27	7
8				1	3	5	5	5	4	4	3	3	32	8
9				0	3	2	3	3	4	3	2	2	22	9
10				0	2	2	0	1	2	2	1	2	12	10
11				0	2	3	3	3	3	2	2	2	20	11
12				0	2	3	3	3	2	1	0	1	15	12
13				0	0	0	1	3	2	0	0	1	7	13
14				0	0	1	2	2	2	2	3	4	16	14
15				1	4	4	4	5	5	6	4	4	36	15
16				1	4	4	4	4	3	3	2	2	26	16
17				0	2	2	2	3	3	2	3	2	19	17
18				0	2	4	3	3	3	3	3	3	24	18
19				0	3	4	3	3	3	2	1	1	20	19
20				0	1	3	4	4	3	3	2	1	21	20
21				0	1	1	1	1	0	1	0	1	6	21
22				0	0	1	1	1	0	0	1	0	4	22
23				0	0	0	2	2	2	2	2	3	13	23
24				0	2	1	1	2	2	1	1	1	11	24
25				0	2	4	3	2	1	3	2	1	18	25
26				0	1	2	2	2	1	0	0	0	8	26
27				0	0	0	0	1	1	0	1	4	7	27
28				1	3	4	4	6	6	5	5	5	38	28
29				1	4	3	4	6	5	5	5	5	37	29
30				1	6	6	6	6	6	5	5	4	44	30
31														31
Среднее	С1 по 10 ΣD = 2.1 С11 по 20 ΣD = 2.05 С21 по 30 ΣD = 2.07	С1 по 20 ΣH = 1.75 С21 по 30 ΣH = 1.74	ΣZ = 1.0						К ₉ = 300					

Ashkhabad
Ашхабад

Таблицо
С и К-индексов
Суточные характеристики Октябрь 1969

24361-11
н.62

С 126 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				1	4	5	5	5	5	4	4	4	36	1
2				1	4	4	5	6	6	5	5	4	39	2
3				1	4	4	5	5	5	5	4	4	36	3
4				1	4	4	4	4	4	4	3	3	30	4
5				0	3	3	3	4	4	3	3	3	26	5
6				0	3	3	4	4	4	4	4	3	29	6
7				0	3	2	3	4	3	3	3	3	24	7
8					2	1	-	-	-	-	-	-	-	8
9				0	-	-	1	3	3	2	2	3	-	9
10				1	1	2	2	5	5	4	4	4	27	10
11				0	3	2	2	3	5	3	2	2	22	11
12				0	3	2	3	3	5	4	3	2	25	12
13				0	2	3	3	3	3	3	3	2	22	13
14				0	1	2	3	2	2	1	1	1	13	14
15				0	1	1	2	2	1	1	1	0	9	15
16				0	0	1	2	2	1	3	3	3	15	16
17				0	1	1	1	1	0	0	1	2	7	17
18				0	3	1	1	1	1	1	2	1	11	18
19				1	1	3	3	3	4	3	2	2	21	19
20				0	2	1	2	2	1	1	1	2	12	20
21				0	1	1	1	2	2	3	2	2	14	21
22				0	1	1	2	2	2	2	1	1	12	22
23				0	1	1	1	1	1	1	1	3	10	23
24				0	3	3	3	2	3	2	2	3	21	24
25				0	2	1	1	0	0	1	1	2	8	25
26				0	1	2	3	1	2	1	2	1	13	26
27				0	1	1	2	1	2	2	3	3	15	27
28				0	3	2	1	1	2	3	3	3	18	28
29				0	2	2	2	1	1	1	2	1	12	29
30				0	1	1	1	2	1	1	0	0	7	30
31				0	0	1	2	3	3	3	2	2	16	31
Среднее	С1 по 10 ΣD: 2.05	С1 по 10 ΣH: 1.73	ΣZ: 1.0						К ₉ = 300					
	С11 по 20 ΣD: 2.13	С11 по 20 ΣH: 1.79												
		С21 по 31 ΣH: 1.83												

Ashkhabad

Ашхабад

Таблица

С и К-индексов

Суточные характеристики

Ноябрь 1969

н.б.2

22649-III

126 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				0	1	1	1	1	1	2	1	1	9	1
				0	1	1	1	2	2	3	3	2	15	2
				0	2	2	2	2	2	2	3	2	17	3
				0	2	2	3	3	2	1	2	2	17	4
				0	2	1	2	2	1	2	1	1	12	5
				0	1	1	2	2	1	1	2	2	12	6
				0	3	1	2	4	3	2	3	1	19	7
				0	1	1	1	2	2	3	4	3	17	8
				1	3	3	4	5	5	5	4	3	32	9
				1	3	3	4	4	5	5	4	3	31	10
				0	2	2	3	3	3	3	2	2	20	11
				0	2	1	1	2	2	2	2	2	14	12
				0	2	1	1	1	2	3	2	2	14	13
				0	2	1	0	1	1	0	0	0	5	14
				0	1	0	0	1	0	0	1	0	3	15
				0	0	0	0	0	0	1	1	0	2	16
				0	1	0	0	0	1	1	1	1	5	17
				0	1	0	1	0	0	2	1	1	6	18
				0	0	0	1	1	1	1	2	2	8	19
				0	2	1	0	1	1	0	1	1	7	20
				0	0	3	2	1	2	1	1	1	11	21
				0	1	3	3	2	2	1	3	2	17	22
				0	2	2	3	2	1	2	2	2	16	23
				0	2	3	3	1	2	2	2	2	17	24
				0	2	1	2	2	2	3	3	2	17	25
				0	3	3	3	2	2	4	4	3	24	26
				1	2	2	3	4	5	4	4	3	27	27
				1	4	4	4	4	4	3	3	3	29	28
				1	4	3	4	3	4	4	4	3	29	29
				1	3	3	4	4	4	4	4	3	29	30
														31

Средние

С1 no 10
 $\Sigma Q = 2.13$
 С11 no 20
 $\Sigma Q = 1.97$
 С21 no 30
 $\Sigma Q = 2.04$

С1 no 10
 $\Sigma H = 1.33$
 С11 no 20
 $\Sigma H = 1.67$
 С21 no 30
 $\Sigma H = 1.73$

 $\Sigma z = 1.0$ $K_p = 300$

