

Саре Wellen
Уэллен

Таблица
с к индексов
Суточные характеристики Анварь 1964

9662-III
м. 47

Дата	Амплитуды			Характер Г	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	1	1	1	0	1	3	3	2	12
2				2	1	6	7	7	7	6	6	3	43
3				1	3	3	2	6	6	5	3	2	30
4				1	3	3	4	3	5	5	3	3	29
5				0	3	1	3	2	3	2	2	1	17
6				0	1	1	1	3	2	1	1	1	11
7				0	1	1	1	4	6	2	2	1	18
8				0	1	1	1	3	2	2	2	2	14
9				1	3	2	3	2	3	5	3	4	25
10				1	3	4	4	3	4	3	2	2	25
11				0	1	2	2	4	4	1	2	1	17
12				0	2	2	1	0	1	2	1	1	10
13				0	1	1	1	1	2	1	1	1	9
14				0	0	0	0	2	2	1	1	0	6
15				0	0	0	0	0	2	1	1	1	5
16				1	2	2	3	7	5	7	4	3	33
17				1	3	2	4	5	3	3	2	2	24
18				0	1	1	3	2	2	1	2	1	13
19				0	0	0	1	2	4	3	3	2	15
20				0	2	1	1	4	2	2	1	1	14
21				0	1	1	0	0	0	0	0	1	3
22				0	1	1	1	1	1	1	1	1	8
23				0	0	0	0	0	1	2	2	1	6
24				1	1	2	1	4	5	3	2	2	20
25				1	2	1	2	3	2	2	4	4	20
26				0	2	1	1	2	3	1	2	2	14
27				0	1	1	0	0	0	1	1	1	5
28				0	1	1	2	3	2	1	3	3	16
29				1	2	2	4	5	6	6	3	2	30
30				1	2	1	3	4	3	3	2	2	20
31				1	1	0	1	6	7	7	6	2	30
Среднее	$\varepsilon_0 = 1.2$	$\varepsilon_1 = 6.7$	$\varepsilon_2 = 9.1$		$K_g = 1250$								

Саре Wellen

Уэллен

Таблица
с и к индексов, № 47

КНВ. № 9937-111

Суточные характеристики февраля 1964

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	2	2	2	3	2	2	2	2	17
2				0	2	1	2	3	4	4	1	1	18
3				0	0	1	1	2	2	1	1	1	9
4				0	1	2	4	4	4	2	1	1	19
5				0	1	1	1	1	1	2	2	4	13
6				1	3	3	5	5	6	5	2	2	31
7				1	2	2	4	5	3	5	3	2	26
8				1	2	2	1	2	1	6	4	3	21
9				1	3	3	3	4	4	3	3	2	25
10				0	1	1	1	3	3	2	1	2	14
11				0	2	1	1	2	3	1	0	1	11
12				1	0	1	2	5	5	4	2	2	21
13				1	2	3	5	7	7	6	5	2	37
14				0	1	2	2	4	4	2	2	1	18
15				0	1	1	3	2	4	1	3	2	17
16				0	1	1	1	4	2	2	2	2	15
17				0	1	1	2	3	3	2	3	2	17
18				0	1	1	1	2	2	3	2	1	13
19				0	1	1	1	1	0	0	1	1	6
20				1	0	1	1	1	4	6	3	5	21
21				1	4	3	3	5	5	2	2	2	26
22				0	1	1	2	2	4	2	2	1	15
23				0	1	1	1	2	2	3	4	1	15
24				0	1	1	1	1	3	2	2	2	13
25				1	2	2	1	4	2	7	5	3	26
26				1	2	4	3	5	6	3	1	2	26
27				1	2	2	1	3	3	5	5	2	23
28				1	2	3	3	4	5	5	2	1	25
29				0	1	3	3	3	2	1	2	1	16
30													
31													
Среднее	$\varepsilon_D = 1.2$	$\varepsilon_H = 6.7$	$\varepsilon_Z = 9.1$		$K_0 = 1250$								

Саре Wellen
Уэллен

Таблица
с и к индексов
Суточные характеристики Март 1964

10248-III

н. 47

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	1	1	1	2	3	1	1	1	11
2				0	0	1	1	0	0	0	0	1	3
3				0	1	0	1	2	1	1	1	3	10
4				2	3	6	6	8	7	7	6	4	47
5				1	5	3	4	4	7	6	5	4	38
6				1	2	2	4	5	5	6	2	2	28
7				1	3	2	2	5	3	2	2	3	22
8				1	2	3	5	4	6	3	2	2	27
9				0	2	3	4	3	3	2	1	1	19
10				0	1	2	1	2	2	2	2	1	13
11				0	1	2	3	4	3	1	2	1	17
12				1	2	4	4	4	3	4	1	1	23
13				0	1	2	3	4	3	1	1	2	17
14				0	1	1	2	3	2	3	3	3	18
15				1	2	2	2	3	3	5	3	2	22
16				0	2	2	2	3	2	2	2	2	17
17				1	2	2	4	5	3	3	1	2	22
18				0	1	1	1	3	1	1	0	1	9
19				0	1	1	2	1	2	1	1	1	10
20				0	1	1	1	3	3	3	3	2	17
21				1	2	3	2	2	1	1	3	3	17
22				1	1	2	2	6	7	7	5	4	34
23				1	2	4	4	7	5	5	3	2	32
24				1	2	3	4	5	5	6	3	2	30
25				1	2	3	4	2	4	2	3	2	22
26				0	3	3	2	2	3	1	1	1	16
27				0	1	1	2	1	1	1	1	2	10
28				0	1	1	1	0	1	1	1	1	7
29				0	0	1	0	1	1	2	1	2	8
30				2	2	4	6	7	5	8	4	2	38
31				0	1	1	1	3	1	1	1	1	10
Среднее	$\varepsilon_D = 1.2$	$\varepsilon_H = 6.7$	$\varepsilon_Z = 9.1$		$K_9 = 1250$								

Саре Wellen
Уэллен

Таблица
с к индексом
Суточные характеристики Апреля 1964_г

10284-III
и.ч.7

Дата	Амплитуды			Характер σ	K-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				1	1	2	0	2	6	7	7	6	31
2				1	4	4	4	6	4	5	3	3	33
3				1	3	4	3	6	5	2	2	2	27
4				1	2	3	3	3	3	4	2	2	22
5				0	2	2	2	4	2	2	2	3	19
6				0	2	2	1	2	1	1	1	2	12
7				1	2	2	3	2	3	4	3	2	21
8				1	1	2	3	6	6	2	2	2	24
9				0	3	2	2	4	2	1	1	1	16
10				0	0	1	1	4	2	0	0	1	9
11				1	1	2	2	6	6	4	2	2	25
12				0	1	1	1	2	1	1	1	2	10
13				0	1	2	1	1	0	2	2	2	11
14				0	2	2	1	2	3	1	1	1	13
15				0	1	2	1	3	2	3	3	2	17
16				0	2	2	3	2	3	3	2	2	19
17				1	3	4	5	3	5	5	2	2	29
18				1	1	2	2	6	5	7	3	2	28
19				1	3	2	3	5	4	5	3	3	28
20				1	2	3	4	3	1	3	2	3	21
21				0	3	2	2	5	3	1	2	2	18
22				0	1	2	1	2	1	1	1	1	10
23				0	1	2	1	0	1	1	1	1	8
24				0	1	2	2	3	1	2	2	1	14
25				1	2	2	2	5	4	3	3	3	24
26				0	2	4	3	3	1	2	2	2	19
27				1	2	3	3	6	6	7	5	3	35
28				2	5	5	6	6	7	3	2	3	37
29				1	4	3	3	3	4	3	3	2	25
30				0	1	1	1	1	1	2	3	3	13
31													
Среднее	$\epsilon_D = 1.2$	$\epsilon_H = 6.7$	$\epsilon_Z = 9.1$		$K_9 = 1250$								

Sare Wellen
Уэллен

Таблица
с и к индексов

10323-III

Суточные характеристики май 1964_{г.}

Дата	Амплитуды			Характер σ	K-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				1	5	3	3	5	6	4	2	2	30
2				1	2	3	4	4	3	3	2	2	23
3				0	2	2	1	2	1	1	1	1	11
4				0	2	2	2	1	1	1	1	1	11
5				1	2	3	2	5	6	3	1	1	23
6				0	0	1	1	1	2	2	2	1	10
7				0	2	2	2	1	1	1	1	1	11
8				0	1	1	1	1	1	1	1	1	8
9				0	1	1	1	1	1	2	2	2	11
10				1	3	2	3	2	5	7	4	4	30
11				1	5	4	5	2	1	2	2	2	23
12				0	1	2	1	2	1	2	1	1	11
13				1	1	1	1	1	6	6	4	2	22
14				2	2	3	5	3	8	8	4	3	36
15				1	4	5	7	4	4	4	3	3	34
16				1	3	3	5	6	6	2	3	2	30
17				1	1	2	4	4	5	3	2	2	23
18				0	2	3	2	3	1	1	1	2	15
19				0	2	2	3	2	1	2	2	2	16
20				0	1	2	1	2	1	3	2	1	13
21				0	2	2	1	3	2	2	2	2	16
22				0	1	2	2	1	3	1	2	2	14
23				0	2	2	2	1	2	1	1	2	13
24				1	4	5	6	5	5	3	3	3	34
25				1	2	2	5	6	5	5	4	3	32
26				0	3	2	2	1	2	2	1	2	15
27				1	2	3	4	5	4	3	1	3	25
28				1	2	2	2	3	3	3	3	2	20
29				0	3	2	2	2	2	1	1	2	15
30				0	2	2	2	2	3	1	1	3	16
31				0	2	2	1	1	1	2	1	1	11
Среднее	$\varepsilon_D = 1.2$	$\varepsilon_H = 6.7$	$\varepsilon_Z = 9.1$		$K_g = 1250$								

Таблица
с и к индексов
Суточные характеристики июнь 1964

Sare Wellen
Уэлен

Дата	Амплитуды			Характер Г	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	2	2	2	1	3	2	2	2	16
2				0	1	2	1	1	2	2	2	2	13
3				0	2	2	1	1	1	1	1	2	11
4				0	1	2	2	1	1	2	2	1	12
5				0	1	1	1	1	1	2	2	1	10
6				0	1	1	2	2	3	1	1	2	13
7				0	1	1	1	1	1	2	2	3	12
8				1	2	3	4	3	2	2	2	2	20
9				1	2	3	2	2	3	3	2	3	20
10				2	2	6	7	7	6	3	3	3	37
11				1	3	3	3	5	3	4	3	3	27
12				1	3	3	3	4	4	4	3	3	27
13				1	3	3	3	4	2	2	2	2	21
14				0	2	3	3	2	2	2	2	2	18
15				0	3	2	2	2	2	2	2	2	17
16				0	2	3	1	1	2	2	2	2	15
17				0	2	2	2	1	2	2	2	2	15
18				0	1	2	1	2	3	2	3	2	16
19				0	2	2	1	1	2	2	2	3	15
20				1	3	3	2	4	6	5	3	2	28
21				1	3	3	3	3	2	2	2	2	20
22				0	2	2	1	2	2	3	3	2	17
23				0	2	3	2	2	2	2	2	3	18
24				0	2	2	2	1	2	2	3	3	17
25				1	2	3	5	3	3	2	2	3	23
26				1	2	3	3	3	3	2	2	2	20
27				0	1	2	1	2	3	3	2	2	16
28				1	2	2	2	3	4	5	3	2	23
29				1	2	2	2	4	3	4	2	2	21
30				0	1	2	1	1	1	2	1	2	11
31													
Среднее	$\epsilon_D=1.2$	$\epsilon_H=6.7$	$\epsilon_Z=9.1$		$K_3=1250$								

Саре Wellen
Уэлен

Таблица
с к индексом
Суточные характеристики июль 1964.

и.ч.7
10824-111

Дата	Амплитуды			Характер ζ	K-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	1	2	1	2	1	1	1	2	11
2				0	2	1	1	1	1	2	2	2	12
3				1	3	3	4	3	5	2	3	4	27
4				0	3	3	3	2	2	1	1	2	17
5				0	2	2	1	2	1	1	1	2	12
6				0	1	2	2	2	2	1	2	2	14
7				1	2	2	3	3	7	3	3	4	27
8				1	4	4	4	5	3	3	3	3	29
9				1	3	3	3	3	2	3	3	2	22
10				1	3	3	6	4	4	1	2	2	25
11				0	2	1	1	3	1	2	2	2	14
12				0	2	2	3	3	2	2	1	2	17
13				0	2	2	2	3	3	1	1	2	16
14				0	1	2	2	2	1	1	1	2	12
15				0	1	0	1	1	1	0	1	1	6
16				0	2	2	2	2	2	2	2	2	16
17				1	1	3	2	3	4	6	4	2	25
18				2	4	4	4	6	5	5	3	3	34
19				1	2	3	4	4	2	2	2	2	21
20				1	3	2	3	5	2	2	2	2	21
21				0	2	2	2	2	1	2	3	2	16
22				1	2	2	4	3	3	2	3	2	21
23				0	2	2	2	3	1	1	2	2	15
24				0	1	1	1	3	1	1	1	1	10
25				0	1	2	2	2	3	1	2	3	16
26				0	2	2	1	2	2	2	1	2	14
27				0	2	1	1	2	1	1	1	1	10
28				0	2	1	1	1	1	1	1	2	10
29				1	2	2	3	4	6	3	4	3	27
30				1	3	4	4	2	4	2	2	3	24
31				1	3	3	4	3	3	2	2	2	22
реднее	$\varepsilon_D = 1.2$	$\varepsilon_H = 6.7$	$\varepsilon_Z = 9.1$		$K_9 = 1250$								

Саре Wellen
Уэллен

Таблица
с и к индексов
Суточные характеристики

Лит. № 11235-н
август 1964.

Амплитуды			Характер С	K-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ K	
			0	2	2	2	2	2	1	2	2	15	1
			0	2	1	1	1	1	2	2	2	12	2
			0	2	2	2	2	2	1	2	2	15	3
			2	3	6	7	5	6	6	2	2	37	4
			1	2	2	3	3	4	5	3	3	25	5
			0	2	3	2	2	2	1	1	1	14	6
			1	2	3	3	5	5	3	2	2	25	7
			0	1	1	2	2	2	2	2	2	14	8
			0	1	2	1	2	3	2	2	2	15	9
			0	1	1	2	2	1	1	1	1	10	10
			2	3	4	5	3	4	5	4	4	32	11
			1	3	3	4	3	2	2	3	3	23	12
			0	2	2	3	2	1	2	2	2	16	13
			0	1	2	1	3	2	2	2	2	15	14
			0	2	1	1	1	2	1	1	2	11	15
			0	2	3	2	2	2	2	2	2	17	16
			0	2	1	1	1	1	2	2	2	12	17
			0	1	2	2	2	4	2	2	1	16	18
			0	1	1	2	3	3	2	2	2	16	19
			0	2	2	1	0	1	2	2	2	12	20
			0	1	1	1	2	3	2	1	2	13	21
			0	1	2	2	1	4	2	1	2	15	22
			0	1	1	1	3	2	1	1	2	12	23
			0	1	1	1	1	1	1	2	2	10	24
			0	1	1	2	1	2	3	3	3	16	25
			0	2	3	3	2	2	2	2	3	19	26
			0	2	2	2	3	3	2	2	3	19	27
			0	1	1	1	1	1	1	1	2	9	28
			0	1	1	1	2	1	1	1	2	10	29
			0	1	2	1	2	1	1	1	2	11	30
			1	1	3	3	4	5	2	2	3	23	31

еднее

$E_D = 1,2$ $E_H = 6,7$ $E_Z = 9,1$

$K_g = 1250$

Саре Wellen
Уэллен

Таблица
с к индексом
Суточные характеристики

ИНВ. № 11272-III п 47
сентябрь 1964г

Амплитуды			Характер С	K — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	2	4	6	3	2	3	3	3	26	1
			0	3	2	3	3	2	1	2	2	18	2
			0	2	3	2	3	2	2	2	3	19	3
			1	1	2	3	5	3	2	2	3	21	4
			0	2	2	2	3	2	2	1	2	16	5
			0	1	1	2	2	2	2	2	3	15	6
			1	3	2	4	8	5	5	3	3	33	7
			1	3	3	5	5	4	4	3	3	30	8
			1	2	2	3	4	5	3	3	3	25	9
			0	3	2	1	2	1	2	2	2	15	10
			0	2	2	2	1	1	1	2	2	13	11
			0	1	1	2	1	1	1	1	2	10	12
			0	1	0	1	2	1	1	1	2	9	13
			0	1	1	1	1	1	1	1	2	9	14
			0	1	1	1	1	1	1	1	2	9	15
			1	1	2	2	3	6	4	4	4	26	16
			0	2	2	2	3	3	3	1	2	18	17
			0	2	2	2	3	1	2	2	2	16	18
			0	1	1	2	2	2	2	1	3	14	19
			0	1	1	1	2	1	1	2	3	12	20
			0	1	1	2	1	1	1	2	3	12	21
			1	3	6	4	2	2	2	2	2	23	22
			0	2	2	4	4	2	1	2	2	19	23
			0	1	1	3	3	2	3	3	2	18	24
			0	2	2	3	3	1	1	1	2	15	25
			0	2	1	3	2	2	1	2	2	15	26
			0	1	1	2	1	1	2	2	3	13	27
			2	3	4	5	7	7	7	3	3	39	28
			0	1	2	3	2	2	2	1	2	15	29
			1	2	3	5	4	6	3	4	3	30	30
													31

f₁₂ ε_H = 6,7 ε_Z = 9,1

k_g = 1250

Саре Wellen
Узмен

Таблица
с к индексом
Суточные характеристики октябрь 1964

Инд. № 11334-III

№ 47

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	2	2	4	3	3	3	1	1	19	1
			0	1	1	1	1	1	2	2	1	10	2
			1	1	1	1	2	6	6	3	3	23	3
			1	3	4	3	4	3	7	5	3	32	4
			1	4	3	3	4	5	4	3	3	29	5
			1	3	1	2	2	3	5	2	3	21	6
			0	3	3	2	4	2	1	2	2	19	7
			1	2	2	5	4	5	4	4	2	28	8
			1	2	2	6	5	3	2	2	2	24	9
			0	2	1	1	3	3	2	1	1	14	10
			0	0	1	0	0	1	2	1	1	6	11
			1	1	1	4	7	6	5	2	2	28	12
			1	1	2	2	2	5	4	1	2	19	13
			0	2	2	2	3	2	1	1	1	14	14
			0	1	1	3	3	3	3	2	2	18	15
			0	1	1	1	1	1	2	1	1	9	16
			1	1	2	2	3	3	3	2	1	17	17
			1	2	2	2	2	5	4	3	3	23	18
			1	2	3	3	3	7	6	4	3	31	19
			1	3	2	3	4	4	2	2	2	22	20
			1	2	2	2	4	4	4	4	2	24	21
			0	2	2	3	2	1	1	1	1	13	22
			0	1	1	0	1	1	1	1	1	7	23
			0	1	2	1	1	1	1	2	2	11	24
			0	2	1	1	1	3	1	1	1	11	25
			1	2	2	7	7	5	2	2	1	28	26
			1	1	1	2	5	5	2	2	1	19	27
			0	1	1	1	2	2	3	1	1	12	28
			1	2	2	3	3	3	2	2	1	18	29
			0	1	1	1	3	2	2	1	1	12	30
			0	1	1	1	1	1	1	2	2	11	31

$\epsilon_D = 1.2$ $\epsilon_H = 6.7$ $\epsilon_Z = 9.1$

$K_0 = 1250$

Амплитуды			Характер С	К-индекс									Лата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			1	1	1	1	3	3	5	3	4	21	1
			1	3	3	3	3	3	2	2	2	21	2
			0	1	2	1	1	1	1	1	1	9	3
			0	0	1	1	1	4	2	2	2	13	4
			0	2	1	1	1	3	3	3	2	16	5
			0	1	1	1	2	2	1	1	1	10	6
			0	1	0	0	0	1	0	1	1	4	7
			0	2	2	2	2	3	2	2	2	17	8
			1	3	3	3	5	3	3	3	2	25	9
			0	2	2	3	2	2	1	1	1	14	10
			0	1	1	3	3	1	1	1	2	13	11
			0	1	3	3	2	1	3	2	1	16	12
			0	1	1	3	3	3	2	0	1	14	13
			0	0	0	1	1	1	1	0	1	5	14
			1	0	0	1	2	6	4	3	3	19	15
			1	2	2	4	3	2	3	2	2	20	16
			0	1	1	1	2	3	3	2	1	14	17
			0	1	1	1	1	1	2	2	2	11	18
			0	1	1	0	0	1	0	1	1	5	19
			0	0	0	1	4	1	0	0	1	7	20
			0	1	1	1	1	0	0	1	1	6	21
			0	1	1	2	3	2	3	2	2	16	22
			1	2	3	3	7	7	7	2	1	32	23
			0	1	1	2	3	0	0	0	1	8	24
			0	0	0	0	0	0	1	1	1	3	25
			1	0	1	2	4	5	5	2	1	20	26
			0	1	1	0	0	1	0	2	3	8	27
			1	2	2	2	3	3	4	4	2	22	28
			0	0	0	0	2	1	1	1	2	7	29
			0	3	2	1	3	1	1	1	2	14	30
													31

$E_D=1.2$ $E_H=6.7$ $E_Z=9.1$ $K_9=1250$

Саре Wellen Таблица с к индексов
Узелен Суточные характеристики

№№. № 11734-III
Декабрь 1964. и. 47

Амплитуды			Характер С	К — индекс									Лата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	2	3	4	3	3	1	1	18	1
			0	0	0	2	2	1	0	1	1	7	2
			0	0	0	1	3	2	1	2	2	11	3
			0	1	0	0	2	2	1	2	1	9	4
			0	1	1	0	1	0	0	1	1	5	5
			0	0	0	0	1	2	1	1	1	6	6
			0	1	1	0	3	4	4	3	2	18	7
			0	1	1	1	0	2	2	1	1	9	8
			0	1	1	2	2	3	1	1	2	13	9
			0	1	1	1	1	2	1	0	0	7	10
			0	0	0	1	2	2	1	1	1	8	11
			0	1	1	0	1	2	0	1	1	7	12
			0	0	1	1	2	1	4	3	2	14	13
			0	1	1	2	3	3	2	1	1	14	14
			0	1	2	1	2	2	1	1	1	11	15
			1	1	2	1	4	7	4	2	2	23	16
			1	3	3	4	4	3	3	2	2	24	17
			0	1	1	2	0	3	1	1	1	10	18
			0	0	1	1	2	3	3	3	2	15	19
			0	1	1	0	3	1	0	2	2	10	20
			0	1	1	1	2	2	3	1	1	12	21
			0	1	1	0	2	3	1	1	1	10	22
			0	0	2	1	2	3	1	0	1	10	23
			0	1	0	0	0	2	2	0	1	6	24
			0	0	1	1	1	3	2	1	2	11	25
			0	2	0	1	2	2	1	1	1	10	26
			0	0	0	0	1	1	0	1	1	4	27
			0	0	1	1	0	0	1	1	2	6	28
			0	1	1	2	1	2	1	1	1	10	29
			0	1	0	0	1	1	1	1	1	6	30
			0	1	1	1	0	1	1	1	1	7	31

$\epsilon_D = 4.2$ $\epsilon_M = 6.7$ $\epsilon_Z = 0.1$

$K_g = 1250$