

Саре Wellen
Уэллен

Таблица сик индексов
Суточные характеристики

14649-III
п.47-
Январь 1966.

Амплитуды			Характер С	К-индекс								Лата	
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		ΣK
			0	1	1	2	2	1	1	1	1	10	1
			0	2	1	2	2	2	3	2	2	16	2
			0	1	1	2	1	1	3	2	2	13	3
			0	1	1	1	3	1	2	3	3	15	4
			0	2	1	1	2	2	1	1	1	11	5
			0	1	1	1	1	1	1	1	1	8	6
			0	1	1	2	2	2	2	2	2	14	7
			0	2	1	2	2	3	3	1	2	16	8
			0	2	1	1	1	1	2	3	3	14	9
			0	2	2	3	3	2	2	2	1	17	10
			0	1	1	1	2	1	2	1	1	10	11
			0	1	1	1	1	1	1	1	1	8	12
			0	1	0	1	2	2	1	1	1	9	13
			0	1	1	1	2	2	3	1	2	13	14
			0	1	1	1	2	2	3	1	1	12	15
			0	1	1	0	1	0	1	1	1	6	16
			0	1	1	2	1	2	1	1	1	10	17
			0	1	1	1	1	3	2	3	1	13	18
			0	1	1	1	5	2	2	1	1	14	19
			1	2	1	2	4	6	6	4	2	27	20
			1	2	3	2	4	7	5	5	3	31	21
			1	2	3	5	5	8	6	3	3	35	22
			1	2	1	3	4	5	4	2	2	23	23
			1	2	2	4	4	3	5	3	2	25	24
			1	2	2	4	2	4	6	3	1	24	25
			1	1	1	3	3	4	4	4	2	22	26
			0	2	2	1	1	1	1	1	1	10	27
			0	1	1	1	2	2	1	2	3	13	28
			0	1	1	2	3	3	3	2	1	16	29
			0	1	0	0	1	3	3	2	1	11	30
			0	0	1	1	2	1	1	1	1	8	31
$\epsilon_0 = 1.2$	$\epsilon_1 = 6.7$	$\epsilon_2 = 9.7$					$K_0 = 1250$						

Саре Wellen
Уэллен

Таблица с к индексов

15285-III
n, 47

Суточные характеристики март 1966.

Амплитуды			Характер С	К — индекс								Дата	
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		ΣK
			0	1	1	1	3	1	1	2	1	11	1
			0	1	1	1	1	2	2	2	2	12	2
			0	2	2	1	4	1	1	2	3	16	3
			1	2	2	2	2	2	3	2	3	18	4
			0	2	2	3	2	1	1	1	1	13	5
			0	1	1	1	4	2	2	1	2	14	6
			0	1	1	1	2	3	1	1	1	11	7
			0	1	1	2	3	2	1	2	1	13	8
			0	1	1	0	1	2	1	2	2	10	9
			1	3	2	1	2	4	3	2	2	19	10
			0	2	2	1	1	1	1	3	3	14	11
			1	2	1	2	3	4	2	2	2	18	12
			1	2	2	1	2	3	3	3	4	20	13
			2	5	5	7	8	7	7	2	2	43	14
			1	1	2	2	4	2	3	3	2	19	15
			0	1	2	1	3	2	2	2	2	15	16
			0	2	1	1	2	2	2	2	3	15	17
			0	2	2	1	2	2	1	1	1	12	18
			1	2	3	2	5	4	3	4	4	27	19
			1	3	2	2	2	3	4	2	2	20	20
			0	3	2	1	1	1	2	2	3	15	21
			0	2	2	2	1	2	2	2	3	16	22
			2	3	2	5	9	8	9	8	5	49	23
			0	2	2	1	1	1	1	1	3	12	24
			1	3	3	2	2	3	3	3	3	22	25
			1	2	2	2	4	6	3	4	3	26	26
			1	3	3	4	3	4	4	2	2	25	27
			2	2	2	3	7	7	7	6	6	40	28
			1	3	4	2	3	3	1	2	2	20	29
			1	2	3	2	2	4	2	1	2	18	30
			0	2	2	2	3	2	0	1	2	14	31
$\epsilon_D = 1.2$	$\epsilon_H = 6.7$	$\epsilon_Z = 9.7$		$K_B = 1250$									

Суточные характеристики

Апрель 1966.

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	2	1	1	1	7	7	6	4	29	1
			1	3	4	3	3	2	1	2	3	21	2
			1	2	2	1	2	3	4	2	2	18	3
			0	1	2	3	3	1	2	2	2	16	4
			0	2	2	3	2	1	1	2	2	15	5
			1	2	2	2	3	3	2	2	2	18	6
			0	3	3	2	2	1	2	2	2	17	7
			1	3	3	3	3	2	1	2	2	19	8
			0	2	2	1	3	2	2	1	1	14	9
			0	2	2	2	1	3	2	3	2	17	10
			0	1	1	1	1	1	1	1	2	9	11
			0	2	1	2	3	1	1	1	1	12	12
			1	2	2	2	6	6	5	4	3	30	13
			1	2	2	3	4	4	3	2	2	22	14
			0	2	2	3	1	1	1	1	1	12	15
			0	1	1	1	1	2	1	1	2	10	16
			0	1	2	2	3	2	1	1	2	14	17
			0	1	1	1	1	1	1	1	1	8	18
			0	1	2	1	0	0	2	1	1	8	19
			0	1	1	3	2	5	3	2	2	19	20
			0	2	1	1	1	1	2	1	2	11	21
			1	3	2	3	2	6	5	2	2	25	22
			1	3	3	4	2	2	2	1	2	19	23
			1	2	2	1	2	2	1	2	2	14	24
			0	1	2	1	1	1	2	1	2	11	25
			0	2	3	1	1	1	1	2	1	12	26
			0	2	2	1	1	1	1	1	2	11	27
			0	2	2	2	2	1	1	2	1	13	28
			0	2	2	2	1	3	2	3	2	17	29
			1	1	3	2	2	6	5	3	2	24	30
													31

$\epsilon_0 = 1.2$ $\epsilon_n = 6.7$ $\epsilon_z = 9.7$

$K_0 = 1250$

Суточные характеристики

июнь 1966г

Амплитуды			Характер С	K-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	3	4	4	2	1	2	1	1	18	1
			1	2	2	3	4	5	4	2	2	24	2
			1	2	2	2	2	2	3	3	2	18	3
			0	2	2	1	1	1	2	1	3	13	4
			1	4	2	2	2	2	2	2	2	18	5
			0	2	2	1	1	2	2	1	2	13	6
			1	2	2	2	4	5	2	2	2	21	7
			0	2	2	2	3	3	2	2	1	17	8
			0	1	1	1	2	1	1	2	2	11	9
			0	2	2	1	0	1	2	2	1	11	10
			0	2	1	2	2	2	2	2	1	14	11
			0	2	2	2	1	3	1	1	2	14	12
			0	2	2	3	1	2	1	2	2	15	13
			0	2	3	2	2	2	1	2	3	17	14
			1	2	2	1	2	3	2	3	3	18	15
			1	2	2	3	2	1	3	2	3	18	16
			0	2	2	1	1	1	2	2	3	14	17
			0	2	2	1	1	1	1	1	2	11	18
			1	2	2	2	2	3	2	3	2	18	19
			1	2	3	2	2	2	3	2	2	18	20
			0	3	2	2	2	3	2	1	2	17	21
			0	2	2	2	1	1	2	1	2	13	22
			1	2	2	2	3	4	4	5	3	25	23
			1	1	2	2	3	3	3	3	3	20	24
			1	4	3	4	5	2	5	2	3	28	25
			0	1	2	2	2	3	2	1	3	16	26
			0	2	2	1	1	2	2	2	2	14	27
			0	2	2	1	1	1	2	2	3	14	28
			0	2	2	2	1	2	2	2	3	16	29
			1	3	2	3	3	1	2	2	3	19	30
													31
$E_D=1.2$	$E_H=6.7$	$E_Z=9.7$		$K_0=1250$									

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	2	3	2	3	3	2	2	3	20	1
			0	3	1	2	1	1	2	2	3	15	2
			0	2	3	2	2	2	2	2	2	17	3
			1	2	2	2	3	3	4	3	4	23	4
			0	3	2	2	1	1	2	3	2	16	5
			0	2	2	2	2	2	2	1	2	15	6
			0	2	2	1	2	1	2	1	3	14	7
			1	2	4	5	6	2	3	3	5	30	8
			2	4	7	7	7	6	5	3	4	43	9
			1	3	5	6	7	4	2	2	3	32	10
			0	3	3	3	1	1	2	2	3	18	11
			1	4	4	7	6	5	1	2	2	31	12
			0	2	2	1	1	1	2	2	2	13	13
			0	2	2	2	2	2	2	2	2	16	14
			0	2	1	1	1	1	3	3	3	15	15
			0	2	3	2	1	1	2	2	3	16	16
			1	3	3	4	4	2	2	2	2	22	17
			0	2	3	2	3	1	-	-	2	-	18
			0	2	2	3	2	1	3	2	2	17	19
			0	2	2	3	2	1	2	2	3	17	20
			1	3	3	2	2	5	3	3	3	24	21
			0	3	3	1	1	2	2	2	3	17	22
			0	2	3	2	2	2	2	2	2	17	23
			1	3	3	2	2	2	2	2	3	19	24
			0	3	2	1	1	1	2	1	2	13	25
			0	2	2	2	2	2	2	2	2	16	26
			1	2	2	3	3	5	3	2	2	22	27
			1	4	3	3	5	3	2	2	2	24	28
			0	2	2	3	3	1	2	2	2	17	29
			0	2	3	4	1	1	2	2	2	17	30
			1	2	2	3	2	2	3	2	3	19	31

$\epsilon_0 = 1.2$ $\epsilon_H = 6.7$ $\epsilon_z = 9.7$

$K_0 = 1250$

Саре Wellen
Уэллен

Таблица с к индексов
Суточные характеристики

16313 III
Август 1966

Дата	Амплитуды			Характер С	К - индекс									Дата
	10	14	17		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ К	
1				1	3	2	2	2	2	2	2	3	18	1
2				0	2	2	0	0	0	1	1	1	7	2
3				1	2	2	2	2	4	4	2	3	21	3
4				1	2	2	2	4	4	3	3	3	23	4
5				1	2	3	4	4	4	4	2	3	26	5
6				0	3	2	2	1	2	3	2	2	17	6
7				0	2	2	1	1	1	2	2	2	13	7
8				0	2	2	2	1	2	2	2	3	16	8
9				1	3	2	2	4	2	3	4	2	22	9
10				1	3	2	2	4	4	3	2	3	23	10
11				1	2	3	5	4	4	4	3	4	29	11
12				1	3	3	4	4	3	2	2	3	24	12
13				0	2	3	2	2	2	2	2	2	17	13
14				1	3	3	3	3	2	2	2	2	20	14
15				1	2	2	3	4	2	2	2	3	20	15
16				0	2	2	4	1	1	2	1	2	15	16
17				0	1	1	1	0	1	2	1	2	9	17
18				1	1	1	2	3	4	3	3	3	20	18
19				1	3	3	2	7	6	5	4	3	33	19
20				0	3	2	2	1	1	2	2	2	15	20
21				0	3	3	1	1	1	2	1	3	15	21
22				0	2	2	1	0	0	2	2	3	12	22
23				2	3	3	3	6	5	5	5	3	33	23
24				1	3	3	3	4	4	3	3	3	26	24
25				1	3	2	2	5	4	3	2	3	24	25
26				1	2	3	3	2	2	2	2	3	19	26
27				1	2	2	3	3	2	3	2	3	20	27
28				0	2	1	1	0	1	3	1	2	11	28
29				1	2	1	0	2	3	3	3	4	18	29
30				2	6	5	4	5	5	6	7	7	45	30
31				1	4	4	4	2	4	3	3	3	27	31

$\epsilon_D = 1.2$ $\epsilon_n = 6.7$ $\epsilon_2 = 9.7$

$K_g = 1250$

Саре WeIen
Уэлен

Таблица с к индексом 16388 III
Суточные характеристики
Сентябрь 1966

Дата	Амплитуды			Характер С	К - индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				2	3	3	3	7	5	5	6	3	35	1
2				1	2	2	2	1	3	4	4	3	21	2
3				2	2	3	6	7	8	7	8	8	49	3
4				2	7	8	7	8	8	6	4	3	51	4
5				1	2	-	-	3	7	5	2	2	21	5
6				2	3	4	5	6	7	6	2	2	35	6
7				1	2	4	3	4	6	6	3	3	31	7
8				2	3	4	6	7	7	7	4	3	41	8
9				1	3	3	5	5	5	5	3	3	32	9
10				1	3	4	2	5	5	5	2	3	29	10
11				0	2	2	2	3	2	2	1	2	16	11
12				0	0	0	2	2	1	2	2	2	11	12
13				0	1	2	1	1	1	2	1	1	10	13
14				0	1	1	1	1	1	3	3	3	14	14
15				1	3	3	4	4	3	2	3	2	24	15
16				0	3	2	1	1	3	2	3	2	17	16
17				0	2	3	2	1	1	2	2	2	15	17
18				0	1	0	1	2	2	2	1	2	11	18
19				0	3	3	2	1	2	2	2	2	17	19
20				1	3	2	4	3	6	3	4	3	28	20
21				1	3	2	1	3	6	1	2	2	20	21
22				0	2	2	2	2	1	3	3	2	17	22
23				1	2	2	3	2	3	5	5	3	25	23
24				0	2	2	2	3	2	2	2	1	16	24
25				1	3	3	4	1	1	1	2	3	18	25
26				2	3	3	4	5	5	7	4	3	34	26
27				1	3	3	3	3	4	3	2	3	24	27
28				1	3	5	2	3	5	5	2	3	28	28
29				1	2	3	4	3	3	4	4	2	25	29
30				1	1	3	6	3	4	4	2	3	26	30
														31
Σ	ε _D = 1.2	ε _H = 6.7	ε _Z = 9.7											
					K _g = 1250									

Дата	Амплитуда			Характер С	К-индекс									ΣК
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		
1				1	2	3	4	2	5	2	2	2	22	
2				0	1	1	1	2	3	3	2	1	14	
3				0	1	1	0	3	1	1	1	1	9	
4				1	1	1	5	5	4	3	3	3	25	
5				1	2	3	4	4	1	5	6	3	28	
6				0	2	-	1	2	3	2	1	1	12	
7				0	0	1	0	0	1	1	1	1	5	
8				0	1	2	0	2	2	1	1	1	10	
9				0	1	1	1	1	1	2	1	1	9	
10				0	1	0	2	4	1	1	1	1	11	
11				0	1	0	0	2	1	1	2	1	8	
12				0	0	0	0	0	0	1	1	1	3	
13				1	2	3	4	3	6	6	3	2	29	
14				2	1	2	3	3	7	8	6	4	34	
15				1	4	4	2	4	4	5	4	2	29	
16				0	1	1	2	2	3	2	1	1	13	
17				0	2	2	1	3	3	3	2	2	18	
18				0	1	1	2	2	1	1	2	1	11	
19				0	1	0	1	1	1	1	1	1	7	
20				0	1	0	1	0	3	3	3	3	14	
21				1	1	2	2	3	3	5	3	3	22	
22				1	1	3	2	2	4	3	3	3	21	
23				0	2	1	1	2	2	3	3	2	16	
24				1	1	2	5	6	2	2	2	2	22	
25				1	1	1	3	6	5	3	3	2	24	
26				2	3	2	3	7	7	6	4	4	36	
27				2	4	5	6	5	7	5	5	3	40	
28				1	2	1	3	5	6	3	3	2	25	
29				0	2	1	3	4	2	1	1	1	15	
30				0	1	0	1	4	3	4	1	1	15	
31				0	1	0	1	1	2	3	0	1	9	
дней	$\epsilon_D = 1.2$	$\epsilon_H = 6.7$	$\epsilon_Z = 9.7$		$K_g = 1250$									

н. 47