

IRKUTSK Иркутск
 $\varphi 52^{\circ}28'N$
 $\lambda 104^{\circ}02'E$

ТАБЛИЦА
 С И К-ИНДЕКСОВ
 Суточные характеристики

55н ЯНВАРЬ 1959г.
 КИВ. 1604-III

Дата	Амплитуды			Характер C	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	2	2	0	0	0	0	0	05	1
2				0	1	2	1	1	2	0	0	0	07	2
3				0	2	3	2	2	2	1	2	0	14	3
4				0	1	3	2	2	2	4	3	1	18	4
5				1	2	3	2	3	4	3	3	3	23	5
6				1	2	3	3	3	5	4	4	3	27	6
7				1	3	3	3	3	1	2	4	5	24	7
8				1	3	2	3	2	2	3	3	4	22	8
9				1	3	3	3	2	3	6	5	4	29	9
10				1	4	3	2	4	3	4	4	4	28	10
11				0	3	2	2	1	2	2	3	4	19	11
12				0	2	3	3	1	3	3	3	2	20	12
13				0	3	3	3	2	3	3	3	1	21	13
14				0	2	2	3	2	3	3	2	2	19	14
15				0	2	2	3	2	1	2	1	1	14	15
16				1	2	2	2	4	4	4	4	2	24	16
17				0	3	3	3	3	4	4	3	2	25	17
18				0	4	2	2	2	3	4	4	3	24	18
19				0	3	2	2	2	2	2	3	2	18	19
20				0	3	2	2	1	1	1	1	1	12	20
21				0	3	3	1	1	1	1	2	0	12	21
22				0	2	2	3	2	1	3	2	1	16	22
23				1	3	2	2	2	3	2	2	1	17	23
24				0	3	2	1	0	0	1	1	1	09	24
25				1	2	1	1	4	5	4	5	2	24	25
26				1	2	3	2	4	5	4	2	2	24	26
27				0	1	3	2	2	3	3	3	1	18	27
28				0	1	1	2	1	2	2	2	3	14	28
29				0	2	3	3	3	3	3	3	3	23	29
30				0	3	3	2	2	2	2	3	1	18	30
31				0	2	3	2	3	3	3	1	1	18	31
Среднее	$\bar{C}_D = 5.63^{\circ}$	$\bar{C}_H = 6.33^{\circ}$ $\bar{C}_{H-20} = 6.04^{\circ}$ \bar{C}_{H-31}	$\bar{C}_Z = 3.44^{\circ}$ $\bar{C}_{Z-20} = 3.37^{\circ}$ \bar{C}_{Z-31}											

$K_9 = 350$

$\bar{C}_H = 6.33^{\circ}$ $\bar{C}_Z = 3.44^{\circ}$

ИРКУТСК
 $\varphi 52^{\circ}28'$
 $\lambda 104^{\circ}02'$

ТАБЛИЦА
 С И К-ИНДЕКСОВ
 Суточные характеристики

ФЕВРАЛЬ 1959г.
 55 №3. 1686-111

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	2	4	2	3	4	3	2	1	21	1
2				1	2	3	3	3	4	4	3	4	26	2
3				1	3	3	3	4	4	4	3	3	27	3
4				1	4	3	3	4	4	4	4	5	31	4
5				1	3	3	2	3	4	4	3	3	25	5
6				1	4	3	2	3	4	3	4	3	26	6
7				1	3	2	2	2	4	2	3	1	19	7
8				1	3	3	3	2	3	2	2	3	21	8
9				1	3	2	3	3	4	2	2	1	20	9
10				0	2	2	1	1	1	1	1	2	11	10
11				2	2	3	3	6	4	5	3	3	29	11
12				1	4	3	3	3	4	4	3	3	27	12
13				1	3	2	2	3	4	5	5	3	27	13
14				1	2	2	3	3	6	5	4	2	27	14
15				1	3	3	3	4	4	4	4	1	26	15
16				2	4	5	4	2	4	6	4	4	33	16
17				0	3	2	3	1	2	2	2	1	16	17
18				0	3	2	2	1	1	1	2	1	13	18
19				0	3	2	2	1	3	3	3	1	18	19
20				0	3	2	1	2	1	1	1	1	12	20
21				0	2	2	2	1	1	2	2	1	13	21
22				0	3	3	2	3	2	4	2	2	21	22
23				0	3	3	3	4	3	1	1	1	19	23
24				0	2	2	1	1	1	2	1	1	09	24
25				2	4	4	5	5	5	5	4	2	34	25
26				1	4	4	5	3	5	5	3	4	33	26
27				1	2	3	2	2	4	5	5	3	26	27
28				1	3	3	2	4	5	5	5	4	31	28
29														29
30														30
31														31
Среднее	$E_D = 5.63$	$E_H = 6.33$	$E_Z = 3.44$						$K_9 = 350$					

ИРКУТСК
 $\varphi 52^{\circ}28'$
 $\lambda 104^{\circ}02'$

ТАБЛИЦА
 С И К-ИНДЕКСОВ
 Суточные характеристики

МАРТ 1959 г.

1941-III

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				2	4	4	3	4	5	5	4	3	32	1
2				1	3	4	3	4	5	4	4	4	31	2
3				1	3	3	3	3	3	4	3	3	25	3
4				0	2	3	1	3	3	3	3	1	19	4
5				0	2	3	2	2	2	2	3	2	18	5
6				0	3	3	2	1	1	1	1	1	13	6
7				0	1	3	1	2	2	2	1	3	15	7
8				0	3	2	3	1	1	2	1	1	14	8
9				0	2	3	2	1	1	3	1	1	14	9
10				0	3	3	3	1	1	1	1	1	14	10
11				0	3	4	2	1	1	1	2	1	15	11
12				1	3	3	3	4	3	3	3	1	23	12
13				0	3	3	2	3	2	2	1	3	19	13
14				0	2	3	2	2	3	2	1	1	16	14
15				0	2	3	2	3	1	1	1	1	14	15
16				0	2	3	3	2	1	1	1	1	14	16
17				0	3	3	2	2	1	2	1	3	17	17
18				0	3	3	2	1	1	1	1	4	16	18
19				0	3	3	2	2	1	2	1	2	16	19
20				0	3	4	2	1	1	1	1	2	15	20
21				0	3	4	2	2	1	2	2	2	18	21
22				0	3	4	2	2	1	1	1	2	16	22
23				1	3	4	3	2	1	3	2	2	20	23
24				0	2	4	2	3	1	2	3	1	18	24
25				1	3	5	3	3	2	4	4	3	27	25
26				2	2	4	4	6	6	4	4	5	35	26
27				2	4	4	5	4	6	6	6	5	40	27
28				1	3	4	4	4	5	5	5	6	36	28
29				1	5	4	6	4	5	5	4	2	35	29
30				1	3	4	4	3	3	3	2	2	24	30
31				1	2	5	3	3	4	2	3	4	26	31
Среднее	$E_D=5.63^{\circ}$ $E_H=6.33^{\circ}$ $E_Z=3.44^{\circ}$				$K_9=350$									

анция Иркутск
МГГ $\varphi 52^{\circ}28'$
 $\lambda 104^{\circ}02'$

Таблица
С и К-индексов
Суточные характеристики

Апрель 1959 г.
№ 2133-11

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	4	3	2	2	1	1	1	17	1
2				0	3	4	3	3	1	1	2	3	20	2
3				0	2	4	3	3	2	2	1	1	18	3
4				0	3	4	3	3	1	2	2	2	20	4
5				0	3	4	3	3	1	1	1	3	19	5
6				0	3	5	3	3	2	3	2	3	24	6
7				0	3	5	3	3	2	2	3	2	23	7
8				1	3	3	2	3	3	4	3	4	25	8
9				1	4	5	4	4	1	2	5	4	29	9
10				2	5	4	6	6	6	5	4	3	39	10
11				0	2	4	3	4	3	3	3	4	26	11
12				0	3	4	2	4	1	1	1	3	19	12
13				0	3	5	3	3	3	2	2	3	24	13
14				0	3	4	3	3	1	2	2	4	22	14
15				0	3	4	3	3	1	1	2	3	20	15
16				0	3	4	2	3	2	1	2	3	20	16
17				0	2	4	2	3	3	2	2	2	20	17
18				0	2	4	3	3	1	1	1	3	18	18
19				0	3	4	3	2	1	1	1	3	18	19
20				0	3	4	3	3	2	1	1	3	20	20
21				0	3	3	3	3	2	3	3	2	22	21
22				0	2	2	3	2	2	2	2	2	17	22
23				1	2	2	1	4	4	4	5	4	26	23
24				1	4	4	5	5	4	4	2	3	31	24
25				1	3	3	3	3	3	3	3	3	24	25
26				0	4	3	3	3	3	3	3	3	25	26
27				0	3	2	2	3	3	3	3	3	22	27
28				0	3	3	3	3	3	2	3	3	23	28
29				1	3	3	3	3	4	3	4	3	26	29
30				1	3	3	3	3	4	3	4	3	26	30
31														31
Среднее	$E_0 = 5.63^{\circ}$	$E_H = 6.33^{\circ}$	$E_2 = 3.44^{\circ}$							$K_g = 350$				

Иркутск
 $\varphi 52^{\circ}28$
 $\lambda 104^{\circ}02$

Таблица
 С и К-индексов
 Суточные характеристики

Май 1959 г.

И.П. № 2171-111 55н

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	4	2	3	3	2	2	3	22	1
2				0	4	4	2	3	1	1	1	2	18	2
3				0	2	4	3	3	2	1	1	3	19	3
4				1	3	4	3	4	3	2	3	4	26	4
5				1	4	3	4	3	3	3	1	3	24	5
6				0	2	4	3	3	1	1	1	3	18	6
7				0	2	4	3	3	1	2	1	4	20	7
8				1	2	5	4	5	4	4	3	3	30	8
9				1	3	4	3	4	2	3	2	3	24	9
10				1	3	4	4	3	2	2	2	4	24	10
11				0	3	4	4	4	4	2	2	5	28	11
12				2	6	5	4	4	4	7	4	3	37	12
13				0	3	4	3	4	3	2	3	5	27	13
14				0	3	4	3	4	3	1	1	3	22	14
15				1	3	4	3	4	3	3	3	4	27	15
16				0	4	4	4	3	1	1	1	3	21	16
17				0	3	4	3	4	4	2	2	3	25	17
18				1	3	4	3	3	2	3	3	4	25	18
19				0	4	4	3	4	2	2	2	3	24	19
20				0	3	4	3	3	2	2	3	3	23	20
21				0	3	4	3	3	3	2	3	4	25	21
22				0	3	4	3	3	2	2	2	3	22	22
23				0	3	4	3	3	2	2	3	4	24	23
24				2	4	4	5	5	4	3	2	5	32	24
25				1	4	5	3	3	2	3	2	4	26	25
26				0	3	4	3	3	2	2	2	3	22	26
27				0	3	4	2	3	2	1	1	3	19	27
28				0	2	4	1	3	2	1	1	3	17	28
29				0	2	4	2	3	1	1	1	3	17	29
30				1	3	4	1	2	3	3	2	3	21	30
31				1	3	4	3	4	4	2	4	3	27	31
Среднее	$\varepsilon_D = 5.63^{\circ}$ $\varepsilon_H = 6.33^{\circ}$ $\varepsilon_Z = 3.44^{\circ}$				$K_9 = 350$									

Иркутск
 φ 52°10'
 λ 104°27'

Таблица
 С и К-индексов
 Суточные характеристики

Июнь 1959 г.

ИНВ. № 2423-III

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	4	4	2	2	2	2	2	3	21	1
2				1	3	4	3	3	3	2	3	3	24	2
3				1	3	3	4	4	3	2	2	4	25	3
4				2	4	4	5	4	2	3	3	4	29	4
5				0	3	4	3	4	2	2	2	3	23	5
6				0	3	3	3	3	2	3	3	2	22	6
7				0	2	4	2	3	2	2	2	3	20	7
8				0	3	3	3	3	2	2	3	3	22	8
9				1	3	4	4	4	3	2	2	3	25	9
10				0	4	3	3	3	2	1	1	3	20	10
11				1	2	4	2	5	4	4	2	3	26	11
12				0	2	4	3	4	1	2	2	3	21	12
13				0	2	4	2	3	1	1	1	3	17	13
14				0	3	4	2	3	3	1	1	3	20	14
15				0	3	4	3	3	2	1	1	2	19	15
16				0	2	4	3	3	2	1	3	4	22	16
17				0	3	4	4	3	2	1	3	3	23	17
18				0	3	3	2	3	2	2	3	3	21	18
19				0	3	4	3	2	2	1	3	3	21	19
20				0	3	4	3	3	2	2	3	3	23	20
21				0	3	4	3	3	2	1	2	3	21	21
22				1	3	4	3	3	3	2	3	3	24	22
23				1	3	5	3	4	2	3	3	4	27	23
24				1	4	4	3	4	1	2	3	3	24	24
25				0	2	4	3	4	1	1	3	3	21	25
26				1	3	4	3	4	3	3	2	3	25	26
27				1	2	4	3	3	5	5	3	4	29	27
28				1	4	4	3	4	5	3	3	3	29	28
29				1	2	4	6	5	4	4	3	5	33	29
30				1	3	4	5	5	5	3	3	3	31	30
31														31
Среднее	$E_D = 5.63^\circ$	$E_H = 6.33^\circ$	$E_Z = 3.44^\circ$						$K_9 = 350$					

Иркутск
 φ 52° 10'
 λ 104° 27'

Таблица
 С и К-индексов
 Суточные характеристики

Июль 1959 г.

№ 12568 III н. 55

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	3	2	3	1	1	2	1	16	1
2				0	4	3	4	3	1	2	1	3	20	2
3				0	3	3	3	3	1	1	1	3	18	3
4				1	2	4	2	4	3	2	3	3	23	4
5				1	3	5	4	3	3	1	3	4	26	5
6				0	4	4	3	3	3	2	2	3	24	6
7				0	4	3	2	3	3	3	2	3	23	7
8				0	3	4	4	4	3	3	3	4	28	8
9				0	2	4	4	4	3	2	2	4	25	9
10				0	4	5	3	4	2	1	2	3	24	10
11				1	4	4	4	3	3	7	4	5	34	11
12				1	5	4	3	3	4	2	2	3	26	12
13				0	3	4	3	3	3	2	2	3	23	13
14				1	2	5	2	3	3	2	2	3	22	14
15				2	4	5	6	7	7	8	8	7	52	15
16				1	6	5	4	3	2	2	3	3	28	16
17				2	3	4	4	3	3	7	7	7	38	17
18				2	7	5	6	4	4	6	3	3	38	18
19				1	4	4	4	4	3	3	2	4	28	19
20				0	4	4	4	4	3	3	3	4	29	20
21				0	3	4	4	3	4	3	3	4	28	21
22				0	4	4	3	3	2	2	2	4	24	22
23				0	3	5	4	4	3	1	1	4	25	23
24				1	2	4	3	5	3	3	3	3	25	24
25				1	4	4	4	4	3	3	4	3	29	25
26				1	4	4	5	3	3	3	4	4	30	26
27				1	4	4	3	4	3	2	3	4	27	27
28				1	3	4	4	4	3	2	3	3	26	28
29				0	3	4	3	3	2	1	1	3	20	29
30				0	3	4	2	3	1	2	2	3	20	30
31				0	2	4	3	3	3	1	2	4	22	31
Среднее	$\bar{b}_D = 5.63$	$\bar{b}_H = 6.33$	$\bar{b}_Z = 3.44$											
														$K_9 = 350$

Иркутск
 φ 52°10'
 λ 104°27'

Таблица
 С и К-индексов
 Суточные характеристики

56и. Август 1959г.
 2604-III

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	4	4	4	3	3	2	3	3	26	1
2				1	3	4	3	3	2	2	3	3	23	2
3				1	4	4	4	3	3	3	3	4	28	3
4				1	4	4	3	4	3	3	3	4	28	4
5				0	3	4	3	4	2	3	2	4	25	5
6				1	3	4	4	4	3	4	4	4	30	6
7				1	4	4	3	4	2	3	3	4	27	7
8				1	3	4	3	3	3	3	2	3	24	8
9				1	3	4	3	4	4	4	4	3	29	9
10				0	4	4	2	3	2	2	3	3	23	10
11				0	3	4	3	3	2	3	2	3	23	11
12				0	3	4	2	2	2	2	2	3	20	12
13				0	3	3	3	3	2	2	2	3	21	13
14				0	3	4	3	3	2	2	2	3	22	14
15				1	3	3	3	4	3	3	4	4	27	15
16				2	4	4	6	7	6	6	5	5	43	16
17				2	6	6	5	5	4	5	3	4	38	17
18				1	4	5	4	2	3	3	4	3	28	18
19				1	4	4	3	3	2	3	3	4	26	19
20				1	4	6	6	5	3	2	5	5	38	20
21				0	3	5	4	4	2	3	3	3	27	21
22				1	3	4	4	3	2	3	3	4	26	22
23				1	3	4	3	3	3	3	3	4	26	23
24				0	3	4	3	3	2	3	1	4	23	24
25				0	3	4	4	3	2	2	1	3	22	25
26				0	2	4	3	3	1	1	2	4	20	26
27				0	3	4	3	3	1	1	1	3	19	27
28				0	3	4	3	3	1	1	1	3	19	28
29				0	3	3	2	4	2	3	2	5	24	29
30				0	4	3	3	2	3	1	2	3	21	30
31				0	4	4	3	3	3	2	2	3	24	31
Среднее	$\bar{\epsilon}_D$ 5.63 δ	$\bar{\epsilon}_H$ 6.33 δ	$\bar{\epsilon}_Z$ 3.44 δ					169	=	350				

Иркутск
 φ 52°10'
 λ 104°27'

Таблица
 С и К-индексов

Сентябрь 1959 г.
 55
 2666-III

Суточные характеристики

Дата	Амплитуды			Характер σ	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	4	3	2	3	2	3	4	3	24
2				1	5	3	4	4	2	2	4	5	29
3				1	4	4	3	3	3	5	4	6	32
4				2	5	5	5	5	6	5	4	4	39
5				1	4	4	3	2	3	3	4	4	27
6				0	4	4	4	3	2	2	1	3	23
7				0	4	4	3	3	1	2	1	3	21
8				0	3	4	3	3	2	3	2	3	23
9				0	3	4	2	2	1	1	1	2	16
10				0	3	3	3	2	1	1	1	3	17
11				0	3	3	2	3	2	2	2	2	19
12				0	3	3	3	2	2	3	2	3	21
13				0	3	3	2	1	1	2	2	4	18
14				0	3	3	3	3	3	2	2	3	22
15				1	3	3	3	2	2	3	3	3	22
16				0	4	3	2	2	2	3	2	3	21
17				1	3	3	2	2	2	3	3	4	22
18				1	4	3	3	3	3	3	3	4	26
19				1	4	4	3	4	3	2	2	2	24
20				2	3	4	3	4	6	4	5	4	33
21				2	5	5	4	5	5	5	4	4	37
22				2	5	5	5	4	5	3	3	1	31
23				1	3	3	3	4	1	4	3	4	25
24				1	3	3	3	3	4	3	3	3	25
25				1	3	3	3	3	3	4	4	3	26
26				1	4	2	2	4	5	3	3	3	26
27				1	3	2	3	4	3	5	3	3	26
28				0	3	2	3	3	2	2	4	3	22
29				0	2	2	2	3	3	2	1	1	16
30				0	2	3	2	4	3	-	-	-	-
31													
Среднее	$E_D = 5.63^{\circ}$	$E_H = 6.33^{\circ}$	$E_Z = 3.44^{\circ}$										$K_g = 350$

Цркутск
 φ 52°10'
 λ 104°27'

Таблица
 С и К-индексов

Октябрь 1959г.

Суточные характеристики

№ 2913-III

Дата	Амплитуды			Характер σ	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				1	2	2	3	4	4	5	3	4	27
2				1	3	4	4	2	2	2	2	1	20
3				1	2	3	2	2	3	4	4	4	24
4				1	3	4	4	3	6	3	4	2	29
5				1	4	4	2	2	5	3	4	3	27
6				1	5	3	4	5	5	5	4	4	35
7				0	2	3	2	4	2	1	1	2	17
8				0	3	3	3	2	1	3	1	1	17
9				0	2	3	1	1	1	2	3	1	14
10				0	1	2	1	1	1	3	2	1	12
11				0	2	3	1	1	1	1	2	1	12
12				0	2	3	2	1	1	2	2	1	14
13				0	1	3	1	1	1	1	1	1	10
14				0	3	3	2	4	2	2	3	2	21
15				0	1	3	2	2	3	3	2	3	19
16				0	2	2	1	1	1	1	2	1	11
17				1	1	3	2	4	3	2	2	3	20
18				1	4	3	3	4	3	4	3	3	27
19				0	2	2	2	3	2	2	2	3	18
20				0	3	3	2	2	1	1	1	1	14
21				0	2	4	2	1	1	3	1	2	16
22				0	3	3	2	4	3	4	3	1	23
23				0	3	3	2	3	1	1	1	1	15
24				0	3	4	3	1	3	3	1	1	19
25				0	3	4	2	4	3	3	2	3	24
26				0	3	3	3	3	5	3	2	3	25
27				0	3	3	2	3	3	3	1	1	19
28				0	2	3	2	1	2	1	1	1	13
29				0	2	3	1	1	2	1	1	3	24
30				1	3	2	3	2	3	3	4	5	25
31				1	4	3	2	4	5	4	5	4	31
Среднее	$E_D = 5.63^\circ$	$E_H = 6.33^\circ$	$E_Z = 3.44^\circ$										$K_9 = 350$

Иркутск
 φ 52° 10'
 λ 104° 27'

Таблица
 С и К-индексов
 Суточные характеристики

55 Ноябрь 1959 г.
 3213 III

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	3	4	5	4	5	4	3	3	31	1
2				2	4	3	4	5	5	4	5	3	33	2
3				2	4	3	3	3	5	5	5	4	32	3
4				2	2	3	3	4	5	4	4	3	28	4
5				1	3	3	3	4	4	3	3	1	24	5
6				1	4	3	3	4	3	4	4	4	29	6
7				1	3	3	2	1	3	4	4	1	21	7
8				0	3	1	2	2	4	3	3	1	19	8
9				0	2	3	1	1	1	3	3	3	17	9
10				0	3	3	2	1	2	2	2	3	18	10
11				0	2	3	2	1	1	1	1	2	13	11
12				0	2	2	2	1	1	2	2	2	14	12
13				0	2	3	2	1	2	3	2	3	18	13
14				1	3	2	2	5	5	4	3	2	26	14
15				0	3	3	2	1	1	1	1	1	13	15
16				0	3	3	1	1	2	4	2	3	19	16
17				0	2	3	2	3	3	1	1	1	16	17
18				0	1	2	2	2	4	3	4	2	20	18
19				1	2	2	3	3	4	3	1	1	19	19
20				0	1	2	1	1	1	1	1	1	09	20
21				1	2	3	2	3	5	4	4	3	26	21
22				0	3	3	3	3	3	2	3	2	22	22
23				1	3	3	3	3	6	4	5	2	29	23
24				0	2	1	1	1	3	3	2	1	14	24
25				0	3	2	2	3	3	2	1	3	19	25
26				0	3	2	2	4	3	1	2	2	19	26
27				0	2	2	2	1	2	1	2	4	16	27
28				2	4	5	4	6	4	4	3	3	33	28
29				0	2	1	1	3	3	3	4	1	18	29
30				2	3	3	5	5	5	5	3	4	33	30
31														31
Среднее	$E_D = 5.63^{\delta}$ $E_H = 6.33^{\delta}$ $E_Z = 3.44^{\delta}$				$K_g = 350$									

Иркутск
 φ 52°19'
 λ 104°27'

Таблица
 с К-индексов
 Суточные характеристики

55 Декабрь 1959
 Инв. № 3245 III

Дата	Амплитуды			Характер С	К — индекс									Лата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	3	2	3	5	4	3	2	2	24	1
2				1	3	4	3	4	3	4	3	3	27	2
3				1	3	3	2	5	5	6	3	4	31	3
4				0	2	2	2	2	1	3	3	2	17	4
5				2	1	1	4	3	5	6	7	3	30	5
6				1	2	2	3	3	3	2	3	1	19	6
7				0	1	1	1	1	2	2	1	1	10	7
8				0	1	2	1	1	1	2	2	3	13	8
9				0	1	1	2	2	2	2	1	2	13	9
10				0	1	0	1	0	1	2	2	1	08	10
11				0	1	1	1	2	1	2	1	2	11	11
12				0	2	2	2	2	2	1	2	3	16	12
13				0	2	1	1	1	1	2	3	4	15	13
14				1	3	2	4	5	4	4	4	2	28	14
15				1	2	2	3	4	3	4	4	4	26	15
16				1	2	1	2	3	4	3	2	3	20	16
17				0	1	1	1	2	1	2	3	1	12	17
18				1	1	1	3	2	4	3	1	2	17	18
19				0	2	1	3	3	4	4	2	2	21	19
20				0	1	2	1	1	1	3	2	2	13	20
21				0	1	1	2	1	1	1	1	1	09	21
22				0	1	1	2	1	1	2	2	2	12	22
23				1	2	2	2	2	2	4	3	4	21	23
24				0	2	1	3	3	4	3	2	2	20	24
25				0	2	2	2	3	2	2	3	1	17	25
26				1	2	2	2	4	4	4	4	4	26	26
27				1	2	2	3	4	4	4	2	4	25	27
28				1	4	3	3	4	5	5	4	3	31	28
29				0	3	2	3	4	4	3	2	1	22	29
30				0	2	1	3	3	3	3	3	1	19	30
31				0	1	1	3	1	3	1	3	1	14	31
Среднее	$E_3 = 5.63^\circ$	$E_H = 6.33^\circ$	$E_2 = 3.40^\circ$					$K_9 = 350$						