

КИЕВ
 φ 50°43N
 λ 30°18E

KIEV

ТАБЛИЦА
 С и К-ИНДЕКСОВ
 Суточные характеристики

67н. ЯНВАРЬ 1959г.

ИНВ. № 1610-18

Дата	Амплитуды			Характер σ	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	0	1	1	2	2	1	0	0	07	1
2				0	0	0	1	1	2	1	1	1	07	2
3				0	2	3	1	3	3	1	2	1	16	3
4				0	1	1	2	2	2	3	2	1	14	4
5				1	2	2	1	3	3	4	3	4	22	5
6				1	4	2	2	3	3	4	4	3	25	6
7				1	3	3	3	2	2	2	4	4	23	7
8				1	3	1	3	2	2	3	4	4	22	8
9				1	4	2	2	3	3	5	4	4	27	9
10				1	4	3	3	3	3	4	5	4	29	10
11				0	4	2	3	2	3	3	3	5	25	11
12				0	4	3	2	3	2	2	3	3	22	12
13				0	2	1	2	3	2	3	3	2	18	13
14				0	0	0	2	3	3	2	2	3	15	14
15				0	3	3	3	3	3	2	1	1	19	15
16				0	1	0	2	4	3	4	4	3	21	16
17				0	2	2	3	3	3	4	3	2	22	17
18				0	3	3	3	3	3	5	3	3	26	18
19				0	1	2	3	3	2	2	3	2	18	19
20				0	1	1	2	3	2	1	3	2	15	20
21				0	1	1	2	2	2	2	2	1	13	21
22				0	1	2	2	3	3	2	2	2	17	22
23				0	1	2	2	3	2	2	2	2	16	23
24				0	2	1	3	2	1	1	1	1	12	24
25				1	1	1	2	4	4	4	5	3	24	25
26				1	1	3	2	4	5	3	2	1	21	26
27				0	1	2	2	2	2	2	2	2	15	27
28				0	3	2	2	3	1	2	3	2	18	28
29				0	2	2	3	3	4	4	4	3	25	29
30				0	3	3	2	3	2	2	3	1	19	30
31				0	2	3	3	3	2	2	2	2	19	31
Среднее	с1-10 $\bar{\epsilon}_D = 0.96$ с11-31 $\bar{\epsilon}_D = 0.00$	с1-10 $\bar{\epsilon}_H = 1.52$ 11-31 $\bar{\epsilon}_H = 2.00$	с1-10 $\bar{\epsilon}_Z = 1.00$ с11-31 $\bar{\epsilon}_Z = 1.82$											

$K_9 = 550$

КИЕВ
 $\varphi 50^{\circ}43'N$
 $\lambda 30^{\circ}18'E$

ТАБЛИЦА
 С И К - ИНДЕКСОВ
 Суточные характеристики

ФЕВРАЛЬ 1959г.
 67 Инв. № 1678

Дата	Амплитуды			Характер σ	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	2	3	4	2	3	2	20	1
2				0	1	2	3	4	3	3	3	4	23	2
3				0	5	2	3	3	3	4	3	4	27	3
4				1	4	3	3	3	3	4	4	4	28	4
5				1	3	3	3	4	3	4	4	3	27	5
6				0	3	2	3	4	3	4	4	3	26	6
7				0	2	2	3	3	3	2	3	2	20	7
8				0	2	2	3	3	3	2	4	3	22	8
9				0	4	3	3	3	3	3	2	3	24	9
10				0	3	2	3	3	1	2	2	3	19	10
11				1	2	3	4	5	4	5	3	4	30	11
12				1	3	3	3	4	3	4	3	3	26	12
13				1	3	3	3	3	4	4	5	4	29	13
14				1	3	3	4	4	5	5	3	3	30	14
15				1	3	5	5	4	4	4	4	1	30	15
16				2	4	4	5	3	4	5	5	4	34	16
17				1	5	4	4	2	2	3	2	1	23	17
18				0	2	1	3	3	2	2	2	2	17	18
19				0	2	3	3	3	3	2	3	1	20	19
20				0	0	1	3	2	2	2	0	0	10	20
21				0	0	2	3	3	2	2	2	2	16	21
22				1	2	2	2	3	4	3	2	3	21	22
23				0	3	3	3	3	2	1	1	0	16	23
24				0	0	1	1	2	2	2	1	2	11	24
25				2	3	3	4	5	6	6	5	3	35	25
26				1	4	3	4	4	4	5	4	5	33	26
27				1	3	2	3	3	4	6	5	3	29	27
28				1	4	4	3	3	4	4	5	5	32	28
29														29
30														30
31														31
Среднее	$E_D = 2.08$	$E_H = 2.08$	$E_Z = 1.828$		$K_9 = 550$									

КНЕВ

φ 50°43'

λ 30°18'

ТАБЛИЦА

С И К-ИНДЕКСОВ

Суточные характеристики

МАРТ 1959 г.

Инв. № 1938-III

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	4	3	3	3	4	6	5	4	32	1
2				1	3	3	3	3	4	4	5	4	29	2
3				0	3	2	2	3	3	4	3	4	24	3
4				0	3	2	2	3	2	3	4	3	22	4
5				0	2	1	2	3	2	2	4	3	19	5
6				0	3	2	2	2	2	2	2	1	16	6
7				0	1	2	2	3	2	3	2	2	17	7
8				0	4	2	2	3	2	2	2	2	19	8
9				0	1	2	2	3	2	2	2	1	15	9
10				0	1	2	3	3	2	1	1	1	14	10
11				0	-	-	-	-	-	-	-	-	-	11
12				0	-	-	3	4	3	2	4	2	-	12
13				0	2	3	3	2	3	2	2	4	21	13
14				0	1	3	2	3	2	2	1	2	16	14
15				0	2	3	2	2	2	2	1	2	16	15
16				0	2	2	2	2	1	1	1	2	13	16
17				0	2	2	2	2	2	2	2	2	16	17
18				0	1	2	1	3	3	2	1	4	17	18
19				0	1	1	2	3	3	2	2	1	15	19
20				0	1	2	3	3	2	2	1	1	15	20
21				0	1	2	3	3	2	2	2	2	17	21
22				0	1	3	3	2	2	1	1	2	15	22
23				0	2	3	3	3	2	2	3	2	20	23
24				0	2	2	3	4	4	3	3	2	23	24
25				1	3	4	4	3	4	5	4	3	30	25
26				2	2	2	3	5	6	5	4	5	32	26
27				2	5	5	5	4	5	6	6	5	41	27
28				2	3	4	3	4	4	5	5	6	34	28
29				1	5	5	5	4	4	4	4	3	34	29
30				0	2	3	3	4	3	2	3	2	22	30
31				0	2	2	3	3	3	2	4	4	23	31
Среднее	$E_D = 2.0^\circ$ $E_H = 1.96^\circ$ $E_Z = 1.82^\circ$				$K_9 = 550$									

Киев
 φ 50°43'
 λ 30°18'

Таблица
 С и К - индексов
 Суточные характеристики

Апрель 1959 г.

Инв. № 2130-115

Дата	Амплитуды			Характер σ	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	2	2	2	2	1	1	1	14	1
2				0	1	1	2	3	2	2	2	3	16	2
3				0	3	2	2	3	2	2	1	2	17	3
4				0	2	2	2	2	1	2	1	2	14	4
5				0	1	1	1	3	2	1	1	1	10	5
6				0	1	2	1	2	2	2	3	2	15	6
7				0	2	2	1	2	2	2	4	3	18	7
8				0	2	2	3	3	3	3	3	5	24	8
9				0	4	5	3	4	2	2	5	4	29	9
10				2	4	4	5	5	6	5	4	3	36	10
11				0	3	3	2	3	3	3	4	4	25	11
12				0	3	3	2	3	3	1	1	3	19	12
13				0	2	2	2	3	3	2	2	2	18	13
14				0	3	3	2	3	2	3	2	3	21	14
15				0	3	2	3	2	2	2	3	2	19	15
16				0	2	2	-	-	-	-	-	-	-	16
17				0	-	-	2	3	3	3	2	2	-	17
18				0	3	-	3	2	2	1	2	2	-	18
19				0	1	2	-	2	2	2	1	3	-	19
20				0	2	1	3	2	3	2	1	1	15	20
21				0	2	2	3	3	2	2	2	1	17	21
22				0	1	2	2	2	2	2	1	1	13	22
23				1	1	2	2	4	4	4	5	6	28	23
24				1	3	4	3	4	4	3	2	4	27	24
25				0	2	3	2	3	2	3	4	3	22	25
26				0	3	4	3	3	2	3	3	4	25	26
27				0	3	2	2	3	3	4	2	3	22	27
28				0	2	2	2	3	2	2	2	4	19	28
29				0	3	2	3	3	5	4	4	3	27	29
30				0	2	2	3	3	3	5	4	2	24	30
31														31
Среднее	$E_D = 1.98^x$	$E_H = 1.96^x$	$E_Z = 1.82^x$		$K_9 = 550$									

Киев
 $\varphi 50^{\circ}43'$
 $\lambda 30^{\circ}18'$

Таблица
 С и К-индексов
 Суточные характеристики

Июн. 1959 г.

№ 2420-III

Дата	Амплитуды			Характер σ	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	3	2	2	3	2	2	2	18	1
2				0	2	3	3	3	4	3	3	3	24	2
3				0	3	3	3	3	4	3	2	3	24	3
4				1	3	3	4	4	2	3	3	4	26	4
5				0	4	3	2	3	4	3	3	3	25	5
6				0	1	2	2	3	3	3	3	3	20	6
7				0	2	3	3	2	3	3	-	-	-	7
8				0	-	-	2	3	3	3	2	3	-	8
9				0	3	3	3	4	3	3	3	2	24	9
10				0	3	4	3	3	2	2	2	2	21	10
11				1	2	2	3	5	5	5	2	2	26	11
12				0	1	2	2	3	3	3	3	2	19	12
13				0	2	1	2	2	2	2	2	2	15	13
14				0	2	2	2	3	3	3	2	3	20	14
15				0	2	3	3	3	3	2	1	1	18	15
16				0	2	3	2	3	2	2	2	2	18	16
17				0	1	3	2	3	3	2	3	3	20	17
18				0	2	3	2	3	3	3	2	2	20	18
19				0	2	3	3	3	2	2	2	2	19	19
20				0	2	2	2	3	3	2	3	3	20	20
21				0	2	3	2	2	2	2	3	2	18	21
22				0	2	2	3	3	3	3	3	3	22	22
23				0	3	2	2	2	3	3	3	4	22	23
24				0	5	4	3	3	3	3	3	2	26	24
25				0	2	2	2	3	2	2	2	4	19	25
26				0	3	3	4	3	3	4	2	1	23	26
27				1	1	1	2	3	6	5	4	4	26	27
28				0	3	4	3	3	5	3	3	4	28	28
29				1	3	3	4	5	4	3	3	4	29	29
30				1	4	2	4	4	5	4	3	3	29	30
31														31
Среднее	$\xi_D = 2.00^{\circ}$	$\xi_H = 1.96^{\circ}$	$\xi_Z = 1.85^{\circ}$		$K_9 = 550$									

Киев
 $\varphi 50^{\circ}43'$
 $\lambda 30^{\circ}18'$

Таблица
 С и К-индексов
 Суточные характеристики

Июль 1959 г.
 № 2565-III
 п. 67

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	2	2	3	2	2	2	17	1
2				0	3	4	3	3	3	2	-	-	-	2
3				0	-	-	2	2	2	2	2	1	-	3
4				1	1	1	2	3	3	4	4	3	21	4
5				0	3	3	3	3	3	2	3	2	22	5
6				0	2	3	2	3	3	3	2	3	21	6
7				0	2	3	3	3	3	3	2	2	21	7
8				0	2	2	4	3	3	3	3	2	22	8
9				0	1	3	3	2	2	3	3	3	20	9
10				0	4	3	3	3	3	2	2	2	22	10
11				1	4	3	3	3	3	5	4	4	29	11
12				0	5	2	3	3	4	2	2	2	23	12
13				0	2	3	3	3	3	3	2	3	22	13
14				0	3	3	4	2	4	2	2	2	22	14
15				2	3	4	6	6	4	4	4	6	46	15
16				1	-	-	3	4	4	3	4	4	-	16
17				2	3	3	3	3	3	4	4	4	36	17
18				1	6	5	5	3	4	6	3	4	36	18
19				1	4	4	3	4	3	4	3	3	28	19
20				0	3	3	3	3	3	3	3	3	24	20
21				0	3	3	2	3	3	3	3	3	23	21
22				0	3	3	3	2	3	3	2	3	22	22
23				0	3	3	3	2	3	2	3	3	22	23
24				1	3	3	3	4	-	3	4	4	-	24
25				0	4	3	3	4	3	3	4	3	24	25
26				0	3	3	4	4	4	4	4	4	30	26
27				0	3	3	3	-	-	3	3	3	-	27
28				0	3	3	3	3	3	2	3	2	22	28
29				0	2	3	2	2	2	2	2	1	16	29
30				0	2	2	2	2	2	1	2	1	14	30
31				0	2	3	3	3	3	2	2	3	21	31
Среднее	с/по 10 $\bar{C}_D = 2.00$ с/по 31 $\bar{C}_D = 2.01$	с/по 10 $\bar{C}_H = 1.99$ с/по 31 $\bar{C}_H = 1.99$	с/по 10 $\bar{C}_Z = 1.86$ с/по 31 $\bar{C}_Z = 1.87$		K9 = 550									

Киев
φ 50°43'
λ 30°18'

Таблица
С и К-индексов
Суточные характеристики

67н Август 1959г

№ 2601-III

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	3	3	4	3	3	3	3	2	24	1
2				0	4	3	3	2	3	2	4	2	23	2
3				0	3	3	4	3	3	3	2	1	22	3
4				0	2	2	3	3	3	4	3	3	23	4
5				0	2	2	3	3	3	4	3	3	23	5
6				0	1	2	2	3	4	3	4	3	22	6
7				0	3	2	3	2	3	4	3	2	22	7
8				-	3	2	-	-	-	-	-	-	-	8
9				0	-	-	3	3	3	3	4	3	-	9
10				0	2	3	2	2	3	3	3	3	21	10
11				0	3	3	2	3	3	4	1	2	21	11
12				0	2	2	2	2	2	2	2	2	16	12
13				0	2	2	2	2	2	2	3	2	17	13
14				0	1	2	3	2	2	2	3	2	17	14
15				0	3	3	2	3	3	4	3	4	25	15
16				2	3	3	5	6	6	6	4	4	37	16
17				1	6	5	4	4	5	5	5	4	38	17
18				0	2	3	4	3	4	4	4	3	27	18
19				0	3	4	3	3	2	3	4	2	24	19
20				0	2	5	5	4	3	2	4	4	29	20
21				1	4	3	3	4	3	4	4	3	28	21
22				0	3	3	3	2	3	3	4	4	25	22
23				0	3	3	3	3	4	4	3	3	26	23
24				0	3	3	4	4	2	3	2	3	24	24
25				0	3	3	3	2	3	4	1	3	22	25
26				0	3	2	3	2	1	2	2	2	17	26
27				0	3	3	2	3	3	2	1	1	18	27
28				0	2	2	3	2	2	2	1	1	15	28
29				0	3	3	2	4	4	4	3	3	26	29
30				0	3	2	2	2	2	3	2	1	17	30
31				0	2	3	2	2	2	3	3	3	20	31
Среднее	ε _D 2.02 ^γ	ε _H 2.01 ^γ	ε _Z 1.88 ^γ				169 = 550							

Киев
 $\varphi 50^{\circ}43'$
 $\lambda 30^{\circ}18'$

Таблица
С и К-индексов

Сентябрь 1959г.
67
2657-III

Суточные характеристики

Дата	Амплитуды			Характер σ	K-индекс								
	ΔD	ΔH	ΔZ		1-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	3	2	2	3	3	3	4	3	23
2				0	4	4	3	4	3	2	3	5	28
3				1	3	2	3	3	3	4	5	6	29
4				1	5	5	4	4	4	4	4	5	35
5				1	4	3	3	2	3	3	4	5	27
6				0	4	2	3	3	3	2	1	1	19
7				0	2	2	3	3	3	3	2	2	20
8				0	2	2	3	3	3	4	2	3	22
9				0	2	2	2	3	2	2	2	2	17
10				0	2	2	2	3	3	2	2	4	20
11				0	2	3	2	3	3	2	3	2	20
12				0	4	2	2	3	2	4	2	2	21
13				0	3	2	2	3	3	2	2	5	22
14				0	3	2	3	3	3	3	3	4	24
15				0	2	2	3	3	3	3	4	4	24
16				0	3	3	3	3	3	3	3	3	24
17				0	2	2	3	3	3	4	4	4	25
18				0	3	2	3	4	4	3	4	4	27
19				1	4	4	2	4	4	2	2	3	25
20				1	4	4	4	3	4	4	5	4	32
21				1	5	4	5	5	5	6	5	4	39
22				1	4	4	5	4	5	3	5	2	32
23				0	3	4	3	4	4	4	4	4	30
24				0	4	3	3	3	4	4	3	3	27
25				1	3	4	3	4	3	4	4	3	28
26				0	3	3	4	4	4	4	4	3	29
27				0	3	4	3	4	3	4	3	3	27
28				0	3	4	3	2	4	3	4	3	26
29				0	4	3	3	4	3	2	1	3	23
30				0	2	3	3	4	3	3	4	3	25
31													
Среднее	$E_D=2.02^{\circ}$	$E_H=2.01^{\circ}$	$E_Z=1.89^{\circ}$		$K_9=550$								

Киев
 φ 50°43'
 λ 30°18'

Таблица С и К-индексов

Октябрь 1959г.

Суточные характеристики

№ 2910-117

Дата	Амплитуды			Характер Σ	K-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	3	3	4	4	3	4	4	5	30
2				0	2	4	4	3	3	2	2	2	22
3				-	-	-	-	-	-	-	-	-	-
4				0	1	2	4	3	5	3	5	4	27
5				0	4	3	2	2	4	4	6	5	30
6				1	4	4	4	3	4	5	5	5	34
7				0	2	2	2	3	2	2	4	4	21
8				0	3	2	3	3	2	2	2	1	18
9				0	2	3	3	2	2	2	4	2	20
10				0	2	2	3	2	1	3	3	1	17
11				0	1	1	3	2	1	1	3	2	14
12				0	1	1	2	2	2	3	4	3	18
13				0	1	1	2	2	3	2	1	2	14
14				0	2	1	3	3	3	2	3	3	20
15				0	3	2	2	3	3	3	4	4	24
16				0	1	2	3	2	3	2	2	2	17
17				0	1	2	3	4	3	2	4	4	23
18				1	3	3	3	4	4	5	4	4	30
19				0	3	3	2	3	3	2	3	3	22
20				0	3	2	2	2	2	2	1	1	15
21				0	0	2	2	3	2	3	2	3	17
22				0	3	3	2	3	4	4	2	3	24
23				0	4	3	2	3	2	2	2	0	18
24				0	1	2	2	2	3	2	2	2	16
25				0	2	3	2	3	3	3	2	4	22
26				0	3	2	3	3	4	4	3	4	26
27				0	2	2	3	3	3	3	1	1	18
28				0	1	1	2	2	2	1	1	1	11
29				0	1	1	2	2	2	2	1	3	18
30				1	4	2	3	3	4	3	5	5	29
31				1	3	3	3	4	4	5	5	5	32
Среднее	$E_D=2.018$	$E_H=2.018$	$E_Z=1.908$										
									$K_9=550$				

Киев
φ 50°43'
λ 30°18'

Таблица
С и К-индексов
Суточные характеристики

67 Нб98р6 1959г.

Инд. №3210 III

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ К	
1				1	3	4	4	4	4	3	4	3	29	1
2				2	4	4	4	4	5	5	6	5	37	2
3				1	4	3	3	3	5	5	4	4	31	3
4				1	2	2	3	4	4	4	5	4	28	4
5				0	4	3	3	3	4	3	3	2	25	5
6				0	4	2	2	3	3	3	4	4	25	6
7				0	1	2	3	1	2	3	4	3	19	7
8				0	1	3	2	2	4	2	3	2	19	8
9				0	1	2	3	2	2	4	4	4	22	9
10				0	3	2	2	2	2	1	2	3	17	10
11				0	-	-	2	2	2	1	2	2	-	11
12				0	2	2	3	2	2	2	3	3	19	12
13				0	3	2	3	3	3	2	3	4	23	13
14				0	3	3	3	4	4	4	4	3	24	14
15				0	2	2	2	2	1	2	1	2	14	15
16				0	1	1	3	2	3	4	2	4	20	16
17				0	2	3	3	3	3	1	1	1	17	17
18				0	2	2	2	3	3	3	5	2	22	18
19				0	2	2	3	2	3	3	1	2	18	19
20				0	2	2	2	2	1	1	2	2	14	20
21				0	1	1	2	2	5	5	5	3	24	21
22				0	3	3	3	3	3	3	3	3	24	22
23				1	5	4	4	3	4	4	5	3	32	23
24				0	2	3	2	2	3	3	2	3	20	24
25				0	2	1	-	-	-	-	-	-	-	25
26				0	-	-	2	3	3	2	2	3	-	26
27				0	3	2	2	3	3	3	3	4	23	27
28				2	5	6	5	5	4	4	5	3	37	28
29				0	3	3	2	3	3	3	4	2	23	29
30				0	2	2	4	3	4	6	4	4	29	30
31														31
Среднее	$E_D = 2.03^{\circ}$ $E_H = 2.01^{\circ}$ $E_Z = 1.92^{\circ}$				$K_9 = 550$									

Киев
φ 50°43'
λ 30°18'

Таблица
С и К-индексов
Суточные характеристики

Декабрь 1959 г.
67.
Инд. № 3242 III

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ К	
1				1	4	3	3	4	3	4	2	3	26	1
2				1	3	3	3	4	3	5	4	4	29	2
3				1	4	3	3	4	5	6	4	6	35	3
4				0	3	3	3	2	1	3	3	3	21	4
5				2	1	0	3	4	5	5	6	6	30	5
6				0	3	3	3	-	-	-	-	-	-	6
7				0	-	-	3	3	3	3	1	2	-	7
8				0	1	2	3	3	2	3	2	3	19	8
9				0	1	0	3	3	3	2	2	3	17	9
10				0	2	1	3	3	1	1	3	3	17	10
11				0	1	1	1	2	2	2	1	2	12	11
12				0	2	3	2	3	2	2	4	4	22	12
13				1	4	3	3	2	2	3	3	4	24	13
14				1	4	3	3	4	4	5	4	3	30	14
15				1	3	3	3	3	3	4	4	4	27	15
16				1	3	2	2	2	3	4	2	3	21	16
17				0	3	1	2	2	2	2	2	3	17	17
18				0	2	1	2	2	3	3	2	2	17	18
19				0	2	1	2	3	4	3	3	1	19	19
20				0	3	2	1	2	2	3	3	2	18	20
21				0	2	1	1	1	1	1	1	2	10	21
22				0	2	2	1	1	1	3	3	3	16	22
23				0	2	2	2	3	2	6	4	5	26	23
24				0	4	2	3	4	4	3	2	2	24	24
25				0	2	3	2	2	2	2	4	3	20	25
26				1	3	2	3	3	3	5	4	4	27	26
27				1	4	3	3	5	4	4	4	4	31	27
28				1	4	3	3	4	5	4	4	3	30	28
29				0	3	3	3	3	4	3	1	3	23	29
30				0	2	2	3	3	2	3	3	2	20	30
31				0	2	2	3	2	2	1	3	2	17	31
Среднее	$E_0 = 2.08^x$	$E_H = 2.04^x$	$E_2 = 1.90^x$ с. 11 № 31 $E_2 = 1.89^x$											

Kg = 550