

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	Σ К	
1				0	1	2	2	2	2	1	1	2	13	1
2				0	3	2	3	3	2	2	3	2	20	2
3				0	1	1	3	2	2	1	2	2	14	3
4				0	1	1	2	1	1	1	2	0	9	4
5				0	1	1	2	1	1	1	1	1	9	5
6				0	1	1	1	2	2	2	2	1	12	6
7				0	1	1	2	3	2	3	3	3	18	7
8				0	2	2	2	2	3	3	2	1	17	8
9				0	1	1	2	2	3	2	4	3	18	9
10				2	3	4	4	6	6	6	7	4	40	10
11				0	3	3	3	3	3	4	3	3	25	11
12				0	1	2	2	2	1	1	2	2	13	12
13				0	2	1	1	2	2	2	2	1	13	13
14				1	2	2	3	2	3	4	3	5	24	14
15				0	2	2	2	3	2	2	3	3	19	15
16				0	1	2	2	2	3	3	3	3	19	16
17				0	1	1	2	2	2	2	2	1	13	17
18				0	1	1	2	2	2	3	1	1	13	18
19				1	2	2	3	2	4	5	4	1	23	19
20				0	2	1	2	2	2	1	3	2	15	20
21				0	1	2	2	2	4	2	1	3	17	21
22				0	1	1	1	2	1	2	1	1	10	22
23				0	0	1	1	1	2	2	1	1	9	23
24				0	1	1	1	1	1	2	2	2	11	24
25				0	1	2	2	3	1	2	2	2	15	25
26				0	3	2	2	2	3	3	3	2	20	26
27				0	3	2	3	3	2	2	3	3	21	27
28				0	1	1	3	2	2	2	2	1	14	28
29				0	1	2	2	3	3	3	1	3	18	29
30				0	3	2	3	2	2	3	2	3	20	30
31				0	2	1	1	2	1	1	1	1	10	31
Среднее	ΣD=2.00	C1 no 10 E1=2.00 C11 no 31 E1=2.01	C1 no 10 E2=2.03 C11 no 31 E2=2.02		Kg=350.									

Kiev
Киев

таблица
с и К индексов
Суточные характеристики

№ 631
февраль 1962

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	0	1	2	1	2	2	1	2	11	1
2				0	2	1	2	1	1	2	2	2	13	2
3				0	2	2	2	1	1	2	2	1	13	3
4				1	2	2	2	4	6	5	4	4	29	4
5				0	2	3	1	2	2	2	2	2	16	5
6				0	1	1	2	2	2	2	2	3	15	6
7				1	4	3	3	3	4	5	3	1	26	7
8				0	1	1	-	2	2	2	2	2	-	8
9				0	2	2	2	2	3	2	2	1	16	9
10				0	2	1	1	2	2	1	2	1	12	10
11				0	2	1	2	3	3	2	5	4	22	11
12				1	4	3	3	3	2	3	5	4	27	12
13				0	2	3	3	4	3	3	4	4	26	13
14				0	4	3	2	2	2	3	5	6	27	14
15				0	2	3	3	2	3	5	5	2	25	15
16				2	3	2	4	6	4	5	6	6	36	16
17				0	5	2	4	2	2	3	3	3	24	17
18				0	1	1	2	2	2	2	5	2	17	18
19				0	1	2	2	2	2	2	1	1	13	19
20				0	1	1	3	2	2	3	2	2	16	20
21				0	2	2	2	3	2	4	3	2	20	21
22				0	3	3	3	4	3	4	2	1	23	22
23				0	1	2	2	4	4	4	2	3	22	23
24				0	2	2	3	3	3	4	4	2	23	24
25				0	1	1	2	2	2	3	4	3	18	25
26				1	3	2	2	3	3	5	5	3	26	26
27				1	2	3	3	4	4	5	4	2	27	27
28				0	1	1	-	-	-	-	-	-	-	28
29														29
30														30
31														31
Среднее	с1 по 2.0 $\varepsilon_D = 1.97$ с21 по 2.2 $\varepsilon_D = 2.00$	с1 по 2.2 $\varepsilon_H = 2.00$	с1 по 1.0 $\varepsilon_Z = 2.02$ с11 по 2.0 $\varepsilon_Z = 2.05$ с21 по 2.3 $\varepsilon_Z = 2.07$		$K_9 = 350$									

Kiev

Київ

Таблица
с к индексом
Суточные характеристики

№ 167
Март 1962

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	2	3	3	3	3	2	3	20	1
2				0	2	2	3	2	3	3	4	1	20	2
3				0	1	1	2	2	4	3	4	3	20	3
4				0	3	2	2	2	2	2	1	2	16	4
5				1	2	2	3	3	5	5	4	3	27	5
6				1	3	4	4	4	5	5	4	3	32	6
7				0	2	2	2	2	3	3	2	1	17	7
8				0	0	2	2	2	2	2	0	0	10	8
9				0	0	1	2	2	2	2	2	1	12	9
10				1	2	1	3	3	3	4	4	4	24	10
11				0	3	4	2	3	2	4	4	1	23	11
12				1	2	2	3	4	3	5	4	3	26	12
13				0	4	2	2	2	2	2	1	1	16	13
14				0	1	1	3	2	3	3	3	1	17	14
15				0	2	3	2	2	2	2	2	4	19	15
16				0	1	2	2	2	1	2	1	2	13	16
17				0	1	2	2	2	3	2	0	1	13	17
18				0	1	1	3	2	3	3	4	3	20	18
19				1	3	3	2	3	4	4	4	3	26	19
20				0	1	2	2	2	2	5	5	3	22	20
21				0	2	3	3	3	4	3	4	4	26	21
22				0	1	1	2	2	2	1	1	3	13	22
23				0	1	1	2	3	3	2	1	0	13	23
24				0	3	2	2	2	2	3	3	1	18	24
25				0	2	3	2	3	3	3	2	2	20	25
26				0	3	2	2	2	1	1	1	1	13	26
27				0	1	1	2	2	2	2	1	0	11	27
28				0	0	1	2	2	2	2	3	3	15	28
29				0	3	2	3	3	2	2	2	1	18	29
30				0	1	2	2	2	1	1	2	1	12	30
31				0	2	1	3	2	1	2	2	1	14	31
Среднее	с1 no 20 $E_p = 1.97$ с21 no 31 $E_n = 1.94$	с1 no 20 $E_n = 2.00$ с21 no 31 $E_n = 2.02$	с1 no 20 $E_z = 2.06$ с21 no 31 $E_z = 2.05$		$K_9 = 350$									

Kiev

Київ

Таблица
с К индексов
Суточные характеристики

6826-0
Апрель 1962

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	3	4	3	3	2	3	3	23	1
2				0	1	2	1	2	2	2	4	4	18	2
3				0	4	2	3	2	2	3	3	3	22	3
4				0	2	2	-	-	-	-	2	4	-	4
5				0	4	3	2	2	2	1	2	2	18	5
6				1	2	3	3	4	3	3	5	5	28	6
7				1	4	5	4	4	5	5	5	5	37	7
8				1	4	3	2	4	3	6	4	3	29	8
9				0	4	2	3	2	3	3	2	2	21	9
10				1	3	3	3	4	5	5	5	5	33	10
11				0	3	4	3	3	4	4	3	3	27	11
12				0	2	3	2	2	2	3	2	3	19	12
13				0	3	2	2	3	2	3	2	2	19	13
14				0	3	2	3	2	1	1	2	2	16	14
15				0	1	3	3	3	3	4	3	3	23	15
16				-	3	3	-	-	3	3	3	3	-	16
17				0	3	3	3	3	2	2	2	2	20	17
18				0	0	3	3	3	4	3	4	2	22	18
19				0	3	3	4	2	3	2	1	2	20	19
20				0	3	3	4	3	3	4	2	2	24	20
21				1	4	3	3	4	4	5	4	4	31	21
22				1	4	4	3	4	3	4	4	5	31	22
23				0	3	3	3	3	3	3	1	1	20	23
24				0	3	3	3	2	3	2	2	1	19	24
25				0	2	2	4	4	3	4	5	2	26	25
26				0	2	3	3	4	3	3	2	3	23	26
27				0	3	3	4	3	3	2	3	2	23	27
28				0	2	3	4	2	2	3	3	3	22	28
29				0	2	2	3	2	3	2	3	2	19	29
30				0	3	3	3	3	2	3	3	2	22	30
31														31
Среднее	$c1 \approx 20$ $E_D \approx 1.94$ $21 \approx 30$ $E_D \approx 1.95$	$c1 \approx 30$ $E_H \approx 2.02$	$c1 \approx 10$ $E_Z \approx 2.03$ $c11 \approx 20$ $E_Z \approx 2.04$ $c21 \approx 30$ $E_Z \approx 2.06$		$K_9 = 350.$									

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	1	2	2	2	1	3	3	17	1
2				0	2	3	2	2	2	4	2	3	20	2
3				0	3	1	2	2	3	2	3	2	18	3
4				0	1	2	2	1	1	1	1	1	10	4
5				0	0	1	2	2	2	2	3	4	16	5
6				1	2	3	3	3	4	5	4	4	28	6
7				0	4	2	2	3	2	2	2	2	19	7
8				0	3	2	1	2	2	3	3	3	19	8
9				0	2	2	1	2	1	2	1	1	12	9
10				0	1	2	3	2	2	3	1	1	15	10
11				0	1	2	2	2	4	4	3	3	21	11
12				0	1	1	3	2	2	1	3	1	14	12
13				0	2	2	2	3	4	3	2	5	23	13
14				0	3	3	2	4	4	2	3	4	25	14
15				0	3	3	3	2	3	4	4	2	24	15
16				0	1	4	2	3	3	2	2	2	19	16
17				0	2	2	3	2	2	2	2	1	16	17
18				0	1	3	2	3	2	3	2	1	17	18
19				0	2	3	4	4	3	4	2	3	25	19
20				0	3	2	3	3	3	3	2	1	20	20
21				0	2	3	3	3	3	2	2	1	19	21
22				0	1	2	3	3	2	2	2	1	16	22
23				0	1	1	3	3	3	2	1	1	15	23
24				0	1	1	3	3	2	2	1	0	13	24
25				0	1	2	2	3	1	2	1	1	13	25
26				0	1	2	3	3	3	2	2	2	18	26
27				0	2	3	3	2	3	3	2	3	21	27
28				0	1	1	3	3	3	3	3	3	20	28
29				0	2	2	3	2	2	3	2	1	17	29
30				0	0	2	3	2	3	2	2	2	16	30
31				1	1	2	3	5	5	4	4	4	28	31
Среднее	с1 по 10 $E_D = 1.94$ с11 по 20 $E_D = 1.96$ с21 по 31 $E_D = 1.94$	с1 по 20 $E_H = 2.02$ с21 по 31 $E_H = 2.00$	с1 по 10 $E_Z = 2.02$ с11 по 20 $E_Z = 2.04$ с21 по 31 $E_Z = 2.02$		$K_g = 350$									

Kiev
Київ

Таблица С и К индексов
Суточные характеристики Июнь 1962

Инв. № 7103

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	2	3	3	3	2	3	2	21	1
2				0	2	2	2	3	3	3	3	3	21	2
3				0	2	2	2	2	3	3	2	3	19	3
4				0	3	2	4	2	3	4	4	4	26	4
5				0	2	2	3	3	3	3	4	4	24	5
6				0	4	2	3	3	3	3	3	3	24	6
7				0	2	3	5	3	3	3	3	1	23	7
8				0	2	2	2	3	3	2	2	2	18	8
9				1	2	4	4	3	4	3	4	5	29	9
10				0	4	3	3	4	4	2	3	2	25	10
11				0	1	1	2	2	2	2	2	2	14	11
12				0	3	2	2	4	4	2	2	2	21	12
13				0	1	1	4	3	2	2	2	1	16	13
14				0	2	3	2	2	3	3	3	4	22	14
15				0	3	3	3	3	4	4	4	1	25	15
16				0	3	2	2	2	3	2	2	1	17	16
17				0	1	1	2	2	2	2	1	1	12	17
18				0	2	2	2	-	2	2	1	1	-	18
19				0	2	1	2	2	3	3	2	1	16	19
20				0	2	2	2	2	3	2	2	2	17	20
21				1	2	2	2	3	5	5	4	2	25	21
22				0	3	3	3	3	3	2	3	2	22	22
23				1	3	2	4	4	3	4	4	3	27	23
24				0	2	3	2	3	2	2	3	2	19	24
25				0	1	3	3	2	2	2	3	1	17	25
26				0	2	2	3	4	2	3	3	3	22	26
27				1	2	3	4	3	5	3	4	3	27	27
28				1	2	3	4	4	4	3	3	4	27	28
29				0	3	3	3	4	4	-	3	2	-	29
30				0	3	2	3	3	3	4	2	2	22	30
31														31
Среднее	С/по 10 $\bar{\epsilon}_D = 1,94$ С/по 20 $\bar{\epsilon}_D = 1,92$ С/по 30 $\bar{\epsilon}_D = 1,93$	$\bar{\epsilon}_H = 2,00$	С/по 10 $\bar{\epsilon}_Z = 2,02$ С/по 20 $\bar{\epsilon}_Z = 2,00$		$K_9 = 350$									

Kiev

Київ

Таблица
с и К индексов
Суточные характеристики

Инд. № 7485 - III
Июль 1962

1962

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	3	3	3	3	2	2	20	1
2				0	2	2	3	2	2	3	3	3	20	2
3				1	3	2	3	3	3	3	2	2	21	3
4				1	3	3	4	3	4	3	5	5	30	4
5				0	3	4	4	3	4	3	4	3	28	5
6				0	3	2	3	3	3	3	3	2	22	6
7				0	2	2	2	3	3	3	3	3	21	7
8				0	3	3	2	4	4	3	3	3	25	8
9				0	3	2	3	3	3	2	2	1	19	9
10				0	2	2	2	3	3	4	3	2	21	10
11				0	3	2	3	2	3	3	3	2	21	11
12				0	3	3	3	3	2	3	2	2	21	12
13				0	3	3	3	3	4	3	3	3	25	13
14				0	4	2	3	4	3	4	1	3	24	14
15				0	3	2	2	2	3	2	3	3	20	15
16				0	3	2	3	3	2	2	1	1	17	16
17				0	2	-	-	2	2	2	2	2	-	17
18				0	2	2	1	2	2	3	3	2	17	18
19				0	2	3	3	3	3	2	4	3	23	19
20				0	3	4	3	3	3	3	3	2	24	20
21				0	3	3	2	3	3	4	4	3	25	21
22				0	2	2	2	3	3	3	2	2	19	22
23				0	2	2	4	3	3	3	4	3	24	23
24				1	3	2	2	3	3	4	4	4	25	24
25				0	4	3	4	4	4	2	2	3	26	25
26				1	3	6	4	5	5	4	5	4	36	26
27				1	4	3	2	3	4	5	3	4	28	27
28				0	4	3	4	3	3	4	3	3	27	28
29				0	4	2	3	2	3	3	2	2	21	29
30				0	3	2	3	3	2	1	1	2	17	30
31				1	2	2	3	2	3	3	5	5	25	31
Среднее	с/по 10 $\bar{e}_D = 1.93$ с/по 31 $\bar{e}_D = 1.92$	с/по 20 $\bar{e}_H = 2.00$ с/по 31 $\bar{e}_H = 2.02$	с/по 20 $\bar{e}_Z = 2.00$ с/по 31 $\bar{e}_Z = 2.01$		$K_g = 350$									

Kiev

Киев

Таблица
с к индексом

Суточные характеристики

Август 1962

Дата	Амплитуды			Характер С	К — индекс									7290- Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	5	4	4	4	4	3	4	4	32	1
2				0	4	2	3	4	3	3	3	3	25	2
3				0	3	3	3	4	3	3	4	3	26	3
4				0	2	3	3	3	3	3	2	2	21	4
5				0	2	3	3	3	3	3	2	2	21	5
6				0	3	3	3	4	5	3	3	3	27	6
7				1	4	3	3	2	3	4	4	4	27	7
8				1	5	3	5	5	3	4	3	4	32	8
9				1	5	4	3	4	3	3	3	3	28	9
10				0	4	3	4	3	3	4	2	2	25	10
11				0	2	2	2	3	2	2	2	1	16	11
12				0	2	2	3	3	3	2	1	2	18	12
13				0	2	2	3	3	2	2	2	3	19	13
14				0	4	4	3	3	3	2	3	3	25	14
15				1	4	4	4	3	2	4	3	4	28	15
16				1	4	2	4	3	3	2	4	4	26	16
17				1	4	3	3	3	4	4	4	5	30	17
18				1	4	3	5	4	4	4	3	3	30	18
19				0	4	3	3	3	3	3	2	3	24	19
20				0	2	2	1	3	3	2	1	2	16	20
21				0	3	2	3	2	2	3	2	4	21	21
22				1	4	4	4	2	3	2	5	5	29	22
23				0	4	3	3	3	4	4	4	3	28	23
24				0	4	4	4	4	4	4	3	4	31	24
25				0	4	3	2	4	3	4	3	3	26	25
26				0	3	2	3	4	3	2	2	2	21	26
27				0	3	2	3	3	2	2	2	1	18	27
28				0	3	2	3	3	3	2	1	1	18	28
29				0	2	3	5	4	3	2	5	4	28	29
30				0	3	2	3	4	5	3	4	3	27	30
31				0	4	4	3	3	3	2	3	3	25	31
Среднее	$C I \approx 31$ $E_p = 1.82$	$C I \approx 11$ $E_H = 2.02$ $C I \approx 31$ $E_H = 2.01$	$C I \approx 11$ $E_2 = 2.01$ $C I \approx 31$ $E_2 = 2.00$		K_g	350								

Kiev

Таблица
с индексом
Суточные характеристики

Инд. № 7395-И
Сентябрь 1962

Киев

Дата	Амплитуды			Характер С	K — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	3	3	3	4	5	5	4	4	31	1
2				1	3	4	4	4	5	4	5	4	33	2
3				1	5	4	3	4	5	4	6	5	36	3
4				1	5	5	3	4	5	5	3	3	33	4
5				0	3	3	3	3	4	3	3	4	26	5
6				0	4	3	4	4	3	3	3	4	28	6
7				0	4	3	4	3	3	2	3	2	24	7
8				0	4	4	4	3	3	3	2	2	25	8
9				0	3	2	3	3	3	3	4	4	25	9
10				0	4	4	1	3	3	2	2	1	20	10
11				0	3	2	3	4	2	2	3	3	22	11
12				1	2	3	6	4	4	5	6	5	35	12
13				0	3	3	4	3	3	5	5	3	29	13
14				0	3	3	3	2	1	3	3	3	21	14
15				0	2	3	4	3	2	3	4	3	24	15
16				0	2	2	1	2	2	3	4	4	20	16
17				0	2	2	3	3	3	2	3	3	21	17
18				0	2	2	2	2	2	1	2	3	16	18
19				1	3	3	4	3	3	4	6	5	31	19
20				0	4	3	3	3	3	2	2	1	21	20
21				0	2	3	3	3	3	4	3	3	24	21
22				1	3	3	3	4	4	4	4	2	27	22
23				0	3	3	4	3	2	2	3	3	23	23
24				0	2	2	2	2	2	2	3	3	18	24
25				0	1	3	2	2	2	3	3	3	19	25
26				1	4	4	3	3	4	5	5	3	31	26
27				0	3	3	3	3	3	2	2	3	22	27
28				0	2	2	2	2	3	3	2	3	19	28
29				0	2	3	3	3	3	3	4	5	26	29
30				0	5	4	4	3	3	3	2	2	26	30
31														31
Среднее	$\epsilon_1 \approx 10$ $\epsilon_D \approx 1.91$ $\epsilon_{11} \approx 30$ $\epsilon_D = 1.92$	$\epsilon_1 \approx 10$ $\epsilon_H = 2.00$ $\epsilon_{11} \approx 30$ $\epsilon_H = 2.01$	$\epsilon_1 \approx 10$ $\epsilon_Z = 2.00$ $\epsilon_{11} \approx 30$ $\epsilon_Z = 2.01$		K_0	350								

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ К	
1				1	3	3	4	4	5	5	5	5	34	1
2				1	4	4	4	4	3	4	4	2	29	2
3				0	2	3	4	2	4	2	3	3	23	3
4				0	3	4	3	3	2	3	3	4	25	4
5				1	2	2	3	2	2	3	6	4	24	5
6				0	5	4	4	2	3	3	1	3	25	6
7				0	3	3	3	2	1	3	4	4	23	7
8				1	5	3	3	3	3	6	6	4	33	8
9				1	5	4	4	3	5	5	3	3	32	9
10				1	3	3	3	5	4	4	5	3	30	10
11				0	4	3	4	3	4	4	4	4	30	11
12				0	3	2	3	4	2	2	1	2	19	12
13				0	2	2	3	3	4	4	3	3	24	13
14				1	4	4	4	4	4	4	5	4	33	14
15				0	3	3	3	2	2	3	2	3	21	15
16				1	3	2	3	5	4	3	5	3	28	16
17				0	3	2	3	2	3	2	1	2	18	17
18				0	5	4	3	3	2	4	3	2	26	18
19				1	2	3	5	4	5	5	4	4	32	19
20				0	2	2	3	2	3	3	3	4	22	20
21				0	3	3	3	2	2	4	3	2	22	21
22				0	3	3	4	4	5	4	4	5	32	22
23				1	5	4	4	4	4	4	3	4	32	23
24				1	3	3	4	4	4	6	6	5	35	24
25				1	3	3	4	4	5	5	5	5	34	25
26				1	3	3	5	4	5	4	5	5	34	26
27				1	3	3	5	3	6	6	3	4	33	27
28				0	3	4	4	2	3	4	4	3	27	28
29				0	3	2	4	3	3	4	3	4	26	29
30				0	4	3	2	3	3	4	4	2	25	30
31				0	3	2	3	2	2	3	3	3	21	31
Среднее	с/ч 10 E _p = 1.92 с/ч 21 E _p = 1.91 с/ч 31 E _p = 1.90	E _k = 2.01	с/ч 10 E _z = 2.02 с/ч 21 E _z = 2.01 с/ч 31 E _z = 2.00		K _g = 350									

Киев

Киев

Таблица
с и к индексов
Суточные характеристики

Инд № 8124 - III

Ноябрь 1962. г

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ К	
1				0	3	2	2	3	3	2	4	4	28	1
2				0	3	2	2	2	3	3	4	5	24	2
3				0	4	2	2	3	3	4	4	4	26	3
4				0	3	2	3	3	4	5	2	5	27	4
5				0	2	2	3	2	2	1	2	2	16	5
6				1	3	3	3	3	3	5	6	5	31	6
7				0	4	2	1	3	3	1	2	4	20	7
8				0	3	2	2	2	3	3	3	3	20	8
9				0	2	1	2	2	1	1	1	3	13	9
10				0	2	1	2	2	2	2	2	2	15	10
11				0	2	2	3	2	3	3	3	2	20	11
12				0	2	2	2	3	2	2	2	2	17	12
13				0	2	1	2	2	2	2	2	1	14	13
14				0	2	1	2	2	2	3	5	3	20	14
15				1	2	3	3	4	5	3	4	5	29	15
16				1	4	3	3	4	4	5	4	3	30	16
17				0	2	2	2	2	3	3	1	1	16	17
18				0	0	1	2	2	2	2	2	2	13	18
19				0	1	1	2	2	2	2	4	3	17	19
20				0	1	1	2	2	2	2	2	2	14	20
21				1	3	2	4	3	3	5	4	4	28	21
22				1	4	4	3	4	4	5	4	5	33	22
23				1	3	2	2	3	3	4	3	3	23	23
24				1	3	2	3	4	3	3	5	3	26	24
25				1	3	2	3	4	4	3	2	3	24	25
26				0	2	2	2	2	3	2	2	1	16	26
27				0	2	2	2	2	2	4	4	3	21	27
28				0	3	1	3	2	2	3	2	2	18	28
29				0	1	1	3	3	3	2	5	3	21	29
30				1	5	4	3	4	4	3	3	4	30	30
31														31
среднее	С/но 10 Ер = 1.90 С/но 20 Ер = 1.91 С/но 30 Ер = 1.92	Ен = 2.01	С/но 10 Ен = 2.00 С/но 20 Ен = 2.01 С/но 30 Ен = 2.02		K ₉ = 350									

Дата	Амплитуды			Характер С	K — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ K	
1				0	2	2	2	2	3	3	3	0	17	1
2				0	1	2	2	2	3	1	3	1	15	2
3				0	1	2	2	2	2	2	3	1	15	3
4				1	1	3	3	3	5	5	4	3	27	4
5				0	4	2	3	3	3	2	1	1	19	5
6				0	1	2	3	2	3	2	2	1	16	6
7				0	1	1	3	2	2	2	3	2	16	7
8				0	2	1	2	2	3	2	2	3	17	8
9				0	2	3	2	2	1	1	1	2	14	9
10				0	1	2	3	2	2	3	3	4	20	10
11				1	2	3	2	2	4	5	6	4	28	11
12				0	3	2	2	2	2	3	4	3	21	12
13				0	4	3	2	2	3	3	3	4	24	13
14				0	2	3	3	3	3	3	4	3	24	14
15				0	3	3	3	3	2	3	3	3	23	15
16				0	1	1	2	2	3	2	3	2	16	16
17				1	3	2	2	3	4	6	4	6	30	17
18				1	5	4	3	3	5	5	5	6	36	18
19				1	5	3	4	4	4	5	5	5	35	19
20				1	3	4	3	4	5	5	5	5	34	20
21				1	5	3	3	3	4	4	5	3	30	21
22				0	3	2	2	2	3	3	3	3	21	22
23				0	2	2	1	2	1	2	0	1	11	23
24				0	1	2	1	1	3	2	2	2	14	24
25				0	2	2	2	2	2	2	1	2	15	25
26				1	2	2	2	3	5	4	3	4	25	26
27				0	2	2	2	2	2	2	3	3	18	27
28				0	1	2	2	2	2	3	3	3	18	28
29				0	2	1	2	2	3	3	1	2	16	29
30				0	2	1	2	2	2	2	2	3	16	30
31				0	3	2	2	3	5	4	3	2	24	31
среднее	ε ₀ = 1.94	ε ₁ ~ 31 ε _K = 2.01	ε ₁ ~ 2.0 ε ₂ = 2.02 ε ₂₁ ~ 31 ε ₂ = 2.01		K ₉ = 350									