

21856-III

Казань Таблица с к индексов

Казань Суточные характеристики

январь 1969 4.52

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	2	2	2	3	3	2	3	19	1
2				0	1	2	2	1	2	2	0	0	10	2
3				0	0	2	1	1	1	1	1	1	8	3
4				0	1	1	1	2	1	1	1	1	9	4
5				0	1	1	1	2	1	1	0	2	9	5
6				0	1	2	2	2	1	0	0	0	8	6
7				0	0	2	1	3	3	2	4	2	17	7
8				0	3	3	2	2	2	2	3	3	20	8
9				0	2	2	2	2	2	1	2	2	15	9
10				0	1	1	2	2	2	1	1	1	11	10
11				0	1	1	2	3	3	2	3	2	17	11
12				0	2	2	2	2	4	3	2	1	18	12
13				0	1	1	1	2	2	1	0	1	9	13
14				0	2	3	2	2	1	1	3	4	18	14
15				0	3	3	2	2	2	2	5	2	21	15
16				0	2	2	2	3	4	3	1	3	20	16
17				1	4	3	3	3	3	5	4	3	28	17
18				1	3	2	2	4	3	4	4	4	26	18
19				0	3	3	2	2	3	3	4	3	23	19
20				0	2	2	2	2	3	3	3	3	20	20
21				0	2	2	2	2	2	1	3	1	15	21
22				0	1	1	2	3	1	2	1	2	13	22
23				0	1	1	2	3	2	2	2	3	16	23
24				1	1	2	2	3	4	3	4	4	23	24
25				1	3	2	3	4	4	4	5	4	29	25
26				1	5	4	2	3	4	4	2	3	27	26
27				0	2	2	3	3	4	4	3	2	23	27
28				0	3	2	1	2	2	2	2	2	16	28
29				0	2	1	1	2	2	1	2	1	12	29
30				0	3	2	1	3	1	2	1	1	14	30
31				0	1	1	2	3	3	4	2	2	18	31
Среднее	$\epsilon_D = 3,89$	$\epsilon_H = 5,23$	$c1 \approx 20$ $\epsilon_2 = 6,56$ $c21 \approx 31$ $\epsilon_2 = 6,74$		$K_g = 550$									

Казань
Казань

Таблица с к индексов

2204-III

Суточные характеристики

февраль 1969 г. 52

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	1	2	2	2	2	2	1	13	1
2				2	1	2	1	2	2	4	7	6	25	2
3				2	5	4	4	3	5	4	6	5	36	3
4				0	3	1	2	3	3	3	2	3	20	4
5				0	4	2	2	2	2	2	2	3	19	5
6				0	3	3	2	2	1	1	2	3	17	6
7				0	1	1	2	3	3	2	4	3	19	7
8				0	3	2	2	2	1	4	3	2	19	8
9				0	2	2	2	2	2	1	1	1	13	9
10				1	2	2	2	2	2	3	3	5	21	10
11				2	5	4	3	4	5	6	6	5	38	11
12				0	2	1	2	3	1	2	3	4	18	12
13				0	2	2	2	3	3	2	2	3	19	13
14				0	2	3	2	2	2	3	2	4	20	14
15				1	2	3	2	3	2	4	4	3	23	15
16				0	3	3	2	2	3	2	2	2	19	16
17				0	1	3	2	2	2	2	2	1	15	17
18				0	1	2	2	3	1	1	2	1	13	18
19				0	1	2	2	3	2	3	2	2	17	19
20				0	1	3	3	3	3	3	3	2	21	20
21				0	3	2	2	2	1	2	2	0	14	21
22				0	0	1	1	2	2	3	3	1	13	22
23				0	1	1	2	2	2	2	2	2	14	23
24				0	1	2	2	1	1	2	1	1	11	24
25				0	3	4	1	3	1	1	2	1	13	25
26				0	2	2	3	3	2	2	3	3	20	26
27				1	2	3	3	2	5	6	5	2	28	27
28				1	2	4	2	2	2	4	2	4	22	28
29														29
30														30
31														31
Среднее	$\epsilon_D = 3,89$	$\epsilon_1 = 5,23$	$\epsilon_2 = 6,74$		$K_g = 550$									

Казань
Казань

Таблица с к индексов
Суточные характеристики

22 302-III
март 1969 г. 52

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	2	1	1	2	5	4	2	19	1
2				0	3	2	1	2	2	2	1	2	15	2
3				0	1	2	1	1	1	2	1	0	9	3
4				0	0	1	2	1	1	1	4	4	14	4
5				0	2	2	1	3	3	2	1	2	16	5
6				1	2	2	2	2	2	5	4	2	21	6
7				1	4	2	2	2	4	5	5	3	27	7
8				0	3	3	2	3	2	1	3	3	20	8
9				0	1	3	2	2	2	3	4	2	19	9
10				0	2	2	1	2	1	0	2	1	11	10
11				1	1	2	1	3	3	3	5	4	22	11
12				1	5	4	4	3	3	3	3	1	26	12
13				0	2	2	2	2	1	2	2	3	16	13
14				0	2	2	1	1	1	2	3	3	15	14
15				0	2	2	2	2	3	3	3	4	21	15
16				0	1	3	2	3	3	2	1	2	17	16
17				1	4	5	4	4	3	4	4	3	31	17
18				0	0	3	2	2	2	3	2	2	16	18
19				1	1	1	3	2	2	2	4	5	20	19
20				1	5	3	2	2	2	4	2	4	24	20
21				0	3	3	3	2	2	2	2	4	21	21
22				0	3	3	3	3	3	2	3	2	22	22
23				1	2	2	2	3	2	4	5	6	26	23
24				1	7	5	5	5	4	3	1	1	31	24
25				1	2	2	3	4	4	4	3	4	26	25
26				0	3	2	2	2	3	2	2	3	19	26
27				0	2	2	2	2	2	1	1	1	13	27
28				0	1	1	2	2	2	3	1	2	14	28
29				0	1	1	2	2	3	3	2	3	17	29
30				1	3	2	1	2	1	4	4	4	21	30
31				0	3	3	2	2	3	4	4	2	23	31
Среднее	$\epsilon_D = 3,89$	$\epsilon_H = 5,23$	с/л № 10. $\epsilon_2 = 6,74$ с/л № 20. $\epsilon_2 = 6,5$ с/л № 31. $\epsilon_2 = 6,74$		$K_g = 550$									

Kazan

Таблица
С и К-индексов

20526 Ш

Казань

Суточные характеристики Апрель 1969 г. 52

В 028 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				1	1	2	2	3	3	4	5	4	24	1
2				1	2	2	2	2	2	4	3	3	20	2
3				1	4	3	2	2	2	3	4	3	23	3
4				0	2	2	2	3	2	1	4	2	18	4
5				0	1	2	3	2	2	3	2	3	18	5
6				0	2	2	1	1	1	3	4	3	17	6
7				1	3	3	3	2	3	3	4	2	23	7
8				0	2	2	1	1	2	1	2	3	14	8
9				0	1	2	2	2	3	2	4	3	19	9
10				0	1	2	1	2	2	3	3	1	15	10
11				0	2	2	3	2	3	1	2	1	16	11
12				0	0	2	1	1	2	2	4	4	16	12
13				1	4	3	3	2	3	3	4	4	26	13
14				0	3	3	3	2	1	2	2	4	20	14
15				0	3	3	2	3	2	2	3	2	20	15
16				1	2	2	2	4	3	3	3	3	22	16
17				1	2	2	2	2	4	3	3	3	21	17
18				0	3	2	2	2	2	1	2	2	16	18
19				0	2	1	2	2	2	1	2	2	14	19
20				0	2	2	1	2	2	2	3	3	17	20
21				0	2	1	2	2	1	1	1	2	12	21
22				0	2	3	4	3	3	2	1	2	20	22
23				0	2	2	1	2	3	2	1	2	15	23
24				0	4	2	2	2	2	1	2	3	18	24
25				0	4	2	2	2	3	2	1	2	18	25
26				0	2	2	1	1	2	1	3	3	15	26
27				0	4	2	3	3	3	2	4	1	22	27
28				1	3	4	5	5	6	4	2	2	31	28
29				0	2	3	3	2	2	2	3	3	20	29
30				1	3	3	3	3	4	4	3	3	26	30
31														31
Среднее	$\xi_D = 3.89$	$\xi_H = 5.23$	$\xi_2 = 6.74$						$K_9 = 550$					

Kazan
Казань

Таблица
С и К - индексов
Суточные характеристики

22661-III

№ 52
Май 1969

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	2	1	2	2	2	2	2	17	1
2				1	1	3	2	2	4	3	6	3	24	2
3				0	2	3	3	2	3	2	2	2	19	3
4				0	2	3	2	2	2	1	3	1	16	4
5				0	3	2	2	2	2	1	3	3	18	5
6				0	2	3	2	2	1	2	1	2	15	6
7				0	3	2	3	1	2	1	1	0	13	7
8				0	2	1	2	1	2	3	1	2	14	8
9				0	3	1	3	3	2	2	2	3	19	9
10				0	2	2	3	2	3	2	1	1	16	10
11				0	1	1	1	2	3	1	1	2	12	11
12				0	1	2	2	2	2	2	3	4	18	12
13				1	4	4	3	2	4	5	3	3	28	13
14				1	4	3	3	3	2	3	6	5	29	14
15				2	6	6	4	7	5	6	5	5	44	15
16				1	5	4	4	3	4	2	3	3	28	16
17				0	3	3	3	3	2	1	1	3	19	17
18				1	3	2	2	3	3	4	4	2	23	18
19				0	2	2	2	3	4	2	2	2	19	19
20				0	2	3	2	2	2	1	2	1	15	20
21				0	3	2	3	3	3	3	2	3	22	21
22				1	1	2	1	4	4	3	2	2	19	22
23				0	2	2	2	3	3	2	2	1	17	23
24				0	2	3	2	3	3	3	2	2	20	24
25				0	3	3	1	1	2	1	2	2	15	25
26				0	2	3	2	2	2	2	2	2	17	26
27				0	1	1	2	2	3	2	1	2	14	27
28				0	2	2	2	3	3	3	1	2	20	28
29				0	1	1	1	2	2	2	2	2	13	29
30				0	1	2	3	3	2	4	2	3	20	30
31				0	3	3	3	2	2	3	3	3	22	31
Среднее	$\bar{E}_D = 3.89$	$\bar{E}_H = 5.23$	$\bar{E}_2 = 6.74$		$K_g = 550$									

Kazan

Таблица
С и К - индексов

23243-III

Kazan

Суточные характеристики

Июнь 1969

н. 52

В 028 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	2	2	2	2	1	2	1	14	1
2				0	1	2	3	2	2	2	2	2	16	2
3				0	2	1	2	1	2	2	1	1	12	3
4				0	2	2	2	3	1	2	1	1	14	4
5				0	3	2	1	3	2	1	2	1	15	5
6				0	2	1	1	2	1	1	1	3	12	6
7				0	3	2	2	3	3	3	1	1	18	7
8				0	2	4	3	3	2	3	2	3	22	8
9				1	2	2	2	3	4	2	4	4	23	9
10				0	3	3	2	3	3	2	2	2	20	10
11				0	2	3	3	2	2	2	2	2	18	11
12				0	3	4	3	3	2	3	3	2	23	12
13				0	3	3	2	2	3	3	3	3	22	13
14				1	2	3	3	3	6	4	3	3	27	14
15				0	2	2	2	1	3	2	2	1	15	15
16				1	2	3	3	4	4	3	2	3	24	16
17				1	4	3	4	3	2	3	4	1	24	17
18				0	2	2	1	2	2	1	1	1	12	18
19				0	2	3	2	2	3	1	1	2	16	19
20				0	2	2	3	2	3	1	1	1	15	20
21				0	2	2	2	3	3	1	1	1	15	21
22				0	1	2	2	2	2	2	1	1	13	22
23				0	1	2	3	2	2	2	1	2	15	23
24				0	2	2	2	3	3	3	2	2	19	24
25				0	2	1	3	2	3	3	3	3	20	25
26				0	2	3	1	2	2	2	1	2	15	26
27				0	2	2	1	2	2	2	1	2	14	27
28				0	2	1	1	1	1	1	1	1	9	28
29				0	1	2	2	1	1	1	1	2	11	29
30				0	2	1	1	1	1	2	1	1	10	30
31														31
Среднее	ЕD=389	ЕH=5.23	ЕZ=6.74		Kg=550									

Kazan

С и К-индексов

Kazan

Суточные характеристики

Июль 1969

и.52

8 028 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				1	2	3	4	4	3	2	4	2	24	1
2				0	3	2	2	3	2	1	1	1	15	2
3				0	0	2	3	2	2	1	1	2	13	3
4				0	1	2	2	2	3	1	1	2	14	4
5				0	2	1	2	2	1	1	0	1	10	5
6				0	2	2	2	2	2	2	1	2	15	6
7				0	1	2	1	2	2	2	1	2	13	7
8				0	2	2	2	1	2	1	2	2	14	8
9				0	3	2	2	2	2	1	2	1	15	9
10				0	2	2	2	1	3	2	1	2	15	10
11				0	1	2	1	2	3	1	3	2	15	11
12				0	3	3	2	2	2	2	2	3	19	12
13				1	2	3	4	4	2	2	3	3	23	13
14				0	2	4	3	3	3	2	2	2	21	14
15				0	2	2	1	2	3	1	2	2	15	15
16				0	2	3	2	2	3	3	3	2	20	16
17				0	2	2	2	2	3	1	1	1	14	17
18				0	1	2	1	2	2	1	1	1	11	18
19				0	1	2	2	2	2	1	1	1	12	19
20				0	1	2	1	2	1	1	1	1	10	20
21				0	1	1	1	1	2	2	2	2	12	21
22				0	1	2	2	3	2	2	2	2	16	22
23				0	1	2	1	2	1	2	2	2	13	23
24				0	2	2	2	1	3	1	1	1	13	24
25				0	1	2	3	2	2	1	1	1	13	25
26				1	2	3	2	4	5	3	3	3	25	26
27				1	6	4	4	3	3	2	4	1	27	27
28				0	2	2	2	1	3	1	1	2	14	28
29				0	1	1	1	1	1	1	1	1	8	29
30				0	2	2	3	2	2	3	3	3	20	30
31				0	3	2	1	2	3	2	1	2	16	31
Среднее	ЭД-3.89	Ен-5.23	Ез-6.74											
									К ₉ = 550					

Таблица
С и К-индексов

23765-III

и.52

Август 1969

Казань
Казань

Суточные характеристики

028 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	2	2	2	2	1	1	1	12	1
2				0	1	1	1	3	1	2	2	2	13	2
3				1	3	3	3	3	2	2	3	4	23	3
4				0	4	3	2	2	2	3	1	2	19	4
5				0	1	2	1	2	2	1	1	1	11	5
6				0	2	2	1	2	1	1	1	1	11	6
7				0	2	2	2	2	3	2	3	2	18	7
8				0	1	2	2	3	2	2	2	3	17	8
9				0	3	3	3	1	4	2	2	3	21	9
10				0	1	1	1	3	3	2	0	0	11	10
11				0	1	2	1	2	3	2	2	2	15	11
12				1	3	3	3	3	3	4	3	2	24	12
13				0	1	2	3	2	2	2	1	2	15	13
14				0	1	3	2	3	2	2	2	1	16	14
15				0	1	1	2	2	3	2	1	3	15	15
16				0	1	1	2	2	2	2	1	3	14	16
17				0	3	1	2	2	1	1	2	1	13	17
18				0	3	2	3	2	3	2	2	1	18	18
19				1	2	2	3	3	2	4	3	4	23	19
20				0	1	2	2	1	2	1	1	2	12	20
21				0	1	2	2	1	2	2	2	1	13	21
22				0	1	1	1	2	2	1	2	2	12	22
23				0	2	3	2	3	2	3	2	2	19	23
24				0	2	2	2	3	3	1	2	2	17	24
25				0	2	1	2	2	1	1	0	1	10	25
26				1	2	1	3	5	3	2	1	3	20	26
27				1	3	4	4	3	3	4	3	2	26	27
28				0	2	1	2	1	3	1	3	1	14	28
29				0	2	1	1	1	2	1	1	1	10	29
30				0	1	1	2	2	3	2	1	2	14	30
31				0	1	2	3	3	2	2	1	2	16	31
Среднее	ЕD-389	ЕH-523	ЕH-6.77											

Кg = 550

Kazan
Казань

Таблица
С и К-индексов

24304-III

Суточные характеристики

Сентябрь 1969 г. 52

В028 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	1	1	2	2	0	1	1	10	1
2				0	1	1	2	2	2	1	1	1	11	2
3				0	1	1	1	2	2	1	2	1	11	3
4				0	1	1	2	2	3	1	1	2	13	4
5				1	1	1	1	2	5	5	3	4	22	5
6				0	3	3	3	3	2	2	2	3	21	6
7				1	2	2	2	3	3	3	3	4	22	7
8				0	3	4	3	3	3	3	1	1	21	8
9				0	2	2	3	2	3	3	1	3	19	9
10				0	3	2	2	2	3	2	3	3	20	10
11				0	3	2	1	3	4	1	4	2	20	11
12				0	1	2	2	3	2	1	2	1	14	12
13				0	1	1	1	2	2	1	1	1	10	13
14				1	2	2	2	3	3	3	5	4	24	14
15				1	4	3	3	2	4	3	3	2	24	15
16				0	2	2	2	2	2	1	1	2	14	16
17				1	2	2	2	3	3	3	4	3	22	17
18				1	3	3	2	3	3	5	4	3	26	18
19				0	2	3	2	2	3	1	1	2	16	19
20				0	2	2	1	3	3	3	2	1	17	20
21				0	1	1	1	1	1	1	1	1	8	21
22				0	1	1	1	1	1	1	0	1	7	22
23				0	0	1	2	1	3	3	3	4	17	23
24				0	2	2	2	3	1	1	0	1	12	24
25				0	2	3	3	1	1	3	2	2	17	25
26				0	1	1	1	1	1	1	0	1	7	26
27				0	1	1	0	1	1	2	2	4	12	27
28				2	3	3	3	6	6	5	5	4	35	28
29				2	2	4	4	4	6	6	5	6	37	29
30				2	6	5	4	5	5	4	5	2	36	30
31														31
Среднее	$E_0 = 3.89$	$E_1 = 5.23$	$E_2 = 6.74$						$K_9 = 550$					

Казань
Казань

Таблица
Сик-индексов
Суточные характеристики Октября 1969 н. 52

24346-117

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	4	2	2	4	4	4	2	3	25	1
			1	4	3	2	4	4	5	3	3	28	2
			1	4	3	1	3	4	4	3	1	23	3
			0	2	1	2	2	2	4	2	1	16	4
			0	2	1	1	1	2	2	3	2	14	5
			1	2	2	3	3	4	4	3	3	24	6
			0	2	3	3	2	1	2	1	1	15	7
			0	1	2	2	2	1	1	3	1	13	8
			0	2	2	2	1	1	2	4	4	18	9
			1	3	3	3	3	4	3	4	4	27	10
			0	2	1	1	2	3	3	1	2	15	11
			0	3	2	2	2	3	3	2	1	18	12
			0	1	1	1	3	2	1	2	1	12	13
			0	1	2	1	1	1	2	2	1	11	14
			0	1	2	1	2	0	1	2	1	10	15
			0	1	1	0	1	2	3	2	3	13	16
			0	1	1	1	1	1	1	3	3	12	17
			0	2	2	1	1	1	1	1	1	10	18
			0	2	2	3	2	2	1	2	1	15	19
			0	1	1	2	2	1	1	2	3	13	20
			0	2	2	3	3	1	4	2	1	18	21
			0	2	2	2	2	2	3	2	1	16	22
			0	1	2	2	1	1	1	1	3	12	23
			0	3	3	3	2	2	2	1	3	19	24
			0	2	2	1	1	1	1	2	3	13	25
			0	2	2	2	1	2	0	2	1	12	26
			0	1	1	1	1	2	1	4	3	21	27
			0	2	1	1	1	1	2	2	3	13	28
			0	1	2	2	1	1	0	2	1	10	29
			0	2	1	1	1	1	0	1	1	8	30
			0	1	1	2	2	2	2	0	1	11	31

ΣD=0.9 ΣH=5.23 ΣX=6.74

K_g=550

Казань
Казань

Таблица
С и К - индексов
Суточные характеристики

24634-III
Ноябрь 1969 и.52

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	2	2	1	0	2	1	0	1	9	1
			0	2	2	2	2	3	3	3	3	20	2
			0	2	2	3	1	3	4	4	2	21	3
			0	2	2	2	2	2	1	2	1	14	4
			0	2	1	2	1	1	4	0	1	12	5
			0	1	1	2	2	1	0	1	1	9	6
			0	2	1	2	1	3	2	3	3	17	7
			1	2	2	3	2	3	3	4	4	23	8
			1	2	3	4	5	6	6	4	1	31	9
			1	1	3	4	4	5	5	5	3	30	10
			1	1	2	2	3	3	5	3	2	24	11
			0	3	1	2	2	2	4	2	2	18	12
			0	2	1	2	1	2	2	2	2	14	13
			0	2	1	2	1	1	0	0	1	8	14
			0	1	1	2	1	1	0	1	1	8	15
			0	2	1	2	1	1	1	1	1	10	16
			0	1	1	2	1	1	1	1	1	9	17
			0	2	2	2	1	2	3	3	1	16	18
			0	1	2	2	1	2	2	3	4	17	19
			0	2	1	2	1	2	0	0	1	9	20
			0	2	1	2	1	2	1	0	1	10	21
			0	2	2	2	2	2	1	4	2	17	22
			0	2	2	2	2	2	3	2	2	17	23
			0	2	2	2	3	2	4	2	3	20	24
			0	2	2	2	2	2	2	2	2	16	25
			0	3	2	2	1	2	4	3	3	20	26
			1	2	2	4	3	4	4	4	2	25	27
			0	3	3	3	2	2	1	2	3	19	28
			1	2	2	3	2	4	4	4	3	24	29
			1	4	4	3	2	1	4	4	3	25	30
													31

$\Sigma D = 3.89$ $\Sigma H = 5.23$ $\Sigma x = 6.74$

$K_9 = 550$

Kazan
Казань

Таблица
СИК-индексов
Суточные характеристики

Декабрь 1969

24956-10
и.52

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	1	2	2	2	3	2	2	1	15	1
			0	2	2	2	2	2	1	1	2	14	2
			0	1	2	1	1	2	0	3	3	13	3
			0	2	3	2	2	3	3	1	1	17	4
			1	2	2	3	4	4	5	4	4	28	5
			1	4	3	3	3	4	3	4	3	27	6
			0	1	2	1	2	2	1	2	2	13	7
			0	2	3	2	2	2	2	2	3	18	8
			0	3	3	2	2	2	3	1	3	19	9
			0	2	2	1	1	2	2	4	4	18	10
			0	1	2	2	1	3	2	3	4	15	11
			0	1	1	1	1	1	0	0	1	6	12
			0	1	1	1	1	0	0	1	1	6	13
			0	1	1	1	1	1	2	2	1	10	14
			0	1	1	1	2	1	2	3	2	13	15
			0	3	2	2	2	3	2	3	1	18	16
			0	2	1	1	1	1	1	2	1	10	17
			0	2	1	1	1	0	0	1	1	7	18
			0	1	1	1	1	1	0	1	1	7	19
			0	1	0	0	1	0	1	0	1	4	20
			0	1	1	1	1	1	0	0	1	6	21
			0	1	1	1	1	3	2	2	1	12	22
			1	1	2	2	3	5	4	4	3	24	23
			0	4	2	2	2	2	1	3	2	18	24
			0	1	2	2	2	4	3	2	1	17	25
			0	1	1	2	2	1	4	3	3	17	26
			0	2	1	2	3	1	2	2	0	13	27
			0	0	1	2	1	1	3	1	1	10	28
			0	2	1	2	2	1	2	0	0	10	29
			0	0	1	2	1	1	1	1	1	8	30
			0	0	1	1	1	1	1	2	1	8	31

ЕD=3.89 E4=5.23 E2=6.74

Kg=550