

Казань

Таблица
Сик-индексов

280071-11

Казань

Суточные характеристики

Январь 1970

н.52

3 028 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	2	1	2	1	4	3	2	16	1
2				1	2	2	4	3	4	5	4	4	28	2
3				0	3	1	2	1	2	1	0	3	13	3
4				0	0	1	1	1	1	2	1	2	9	4
5				0	0	0	2	1	1	1	1	2	8	5
6				0	3	2	2	2	2	2	2	1	16	6
7				0	1	1	2	1	1	2	3	2	13	7
8				0	1	1	0	1	1	3	2	1	10	8
9				0	3	1	1	2	0	2	1	2	12	9
10				0	2	1	2	2	1	2	2	0	12	10
11				0	1	1	2	2	1	0	1	2	10	11
12				0	2	2	2	2	1	3	3	3	18	12
13				0	1	2	2	2	2	2	1	1	13	13
14				0	1	1	1	1	1	1	1	2	9	14
15				0	2	2	2	1	1	2	0	1	11	15
16				1	2	2	1	3	4	5	3	3	23	16
17				0	4	3	1	1	1	1	2	1	14	17
18				0	2	1	1	0	0	1	0	1	6	18
19				0	0	0	1	2	2	2	1	4	12	19
20				0	1	1	1	2	3	1	4	2	15	20
21				0	0	1	2	3	3	1	1	2	13	21
22				0	2	1	1	1	1	2	1	1	10	22
23				0	2	2	2	2	1	1	1	2	13	23
24				0	1	1	1	2	2	1	1	3	12	24
25				0	1	1	1	1	1	0	1	1	7	25
26				0	0	1	2	2	0	0	0	0	5	26
27				0	1	1	2	1	2	2	2	2	13	27
28				0	1	1	2	2	1	1	3	3	14	28
29				0	2	2	2	3	2	1	2	1	15	29
30				0	2	2	3	3	1	3	3	2	19	30
31				0	2	2	2	2	1	1	2	0	12	31
Средне	$\bar{E}_D = 3.89$	$\bar{E}_H = 5.23$	$\bar{E}_Z = 6.74$						$K_9 = 550$					

Kazan

Таблица
Сик-индексов

2600-ей

Kazanь

Суточные характеристики

Февраль 1970 4.52

В028 Дата	Амплитуды			Характер С	К индекс										Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
1				0	2	2	2	2	1	0	2	4	15		
2				1	3	3	3	3	3	4	4	4	27		
3				0	3	2	3	2	1	0	0	1	12		
4				1	1	1	2	3	3	4	3	2	19		
5				1	2	2	2	1	2	2	2	2	15		
6				0	1	2	2	2	1	0	2	1	11		
7				0	0	1	2	2	1	1	1	0	8		
8				0	0	1	2	2	1	1	1	1	9		
9				0	0	1	1	2	1	1	1	0	7		
10				0	1	1	1	1	1	3	3	1	12		
11				0	0	2	1	1	0	0	1	0	5		
12				0	1	1	1	1	1	1	1	1	8		
13				0	0	2	1	2	2	0	1	0	8		
14				0	1	2	1	3	2	2	1	1	13		
15				0	1	2	1	2	1	2	3	1	13		
16				0	0	1	2	2	1	2	0	2	10		
17				1	2	1	1	2	1	3	4	4	18		
18				0	2	2	1	2	2	3	3	3	18		
19				0	1	1	1	2	1	1	0	0	7		
20				0	0	1	1	1	1	1	1	0	6		
21				0	1	1	0	1	0	0	0	1	4		
22				0	1	1	2	2	1	0	1	0	8		
23				0	0	1	1	1	0	0	2	1	6		
24				1	1	2	2	2	2	4	3	0	16		
25				0	1	1	2	1	1	1	1	0	8		
26				1	2	2	2	2	4	2	1	0	15		
27				0	1	1	2	2	2	1	4	4	17		
28				1	3	3	2	2	2	4	3	1	20		
29															
30															
31															

Среднее $E_D = 3.89$ $E_H = 5.23$ $E_Z = 6.74$ $K_9 = 550$

Казань

Таблица
Сик-индексов

26514-III

Казань

Суточные характеристики

Март 1970 г. 52

3028 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				1	2	2	3	4	5	4	1	2	23	
2				1	2	4	3	3	1	4	2	3	22	
3				1	2	1	3	2	3	4	4	3	22	
4				1	3	2	3	4	4	5	2	4	27	
5				1	3	1	3	3	1	4	5	4	24	
6				1	4	2	2	3	2	4	5	5	27	
7				1	4	3	3	4	4	4	5	5	32	
8				2	3	4	3	3	7	7	8	8	43	
9				1	5	6	2	2	4	5	2	4	30	
10				0	3	1	1	2	1	2	2	1	13	
11				0	0	2	1	2	2	1	2	2	12	
12				0	1	3	2	3	3	1	0	0	13	
13				0	0	2	2	3	3	3	2	1	16	
14				0	1	1	1	2	1	1	0	0	7	
15				0	2	1	1	2	3	2	2	1	14	
16				0	0	1	1	2	2	1	0	1	8	
17				0	0	1	2	1	1	2	3	1	11	
18				0	2	1	2	3	2	3	1	3	17	
19				0	1	2	2	1	1	1	1	3	12	
20				0	1	1	2	2	2	1	2	2	13	
21				0	2	2	3	1	2	1	1	1	13	
22				0	1	2	3	2	2	0	0	0	10	
23				0	1	2	3	2	2	1	1	1	13	
24				0	1	1	2	2	2	0	1	1	10	
25				0	1	1	2	1	2	1	1	1	10	
26				0	1	2	2	2	2	2	1	1	13	
27				1	0	1	4	4	3	4	2	3	21	
28				1	2	2	2	4	3	4	3	3	23	
29				0	3	2	2	2	3	3	4	3	22	
30				0	3	3	2	4	3	3	2	3	23	
31				1	1	3	5	4	5	5	4	4	31	
Среднее	$E_D = 3.89$	$E_H = 5.23$	$E_Z = 6.74$											
									$K_9 = 550$					

Казань

Таблица
Сик-индексов

26 218 1/4

Казань

Суточные характеристики Апрель 1970 и. 52

0208 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔE	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	1	2	1	1	1	0	2	9	
2				0	1	2	1	2	2	2	2	2	14	
3				0	2	2	2	3	2	2	2	1	16	
4				0	2	2	2	3	2	1	1	1	14	
5				0	1	1	1	3	3	2	2	2	15	
6				1	2	2	4	4	3	3	1	2	21	
7				0	2	2	2	2	1	1	1	1	12	
8				0	4	2	2	2	3	1	1	2	17	
9				0	1	2	2	3	4	1	1	2	16	
10				0	1	1	2	1	1	1	1	2	10	
11				0	2	1	2	2	2	1	2	1	13	
12				0	1	2	2	1	2	1	1	1	11	
13				0	1	2	1	2	1	1	1	0	9	
14				0	1	2	1	1	1	1	0	1	8	
15				0	1	2	3	2	1	3	3	1	16	
16				1	3	3	2	1	1	2	4	4	20	
17				1	5	4	1	3	3	2	4	4	26	
18				1	4	2	3	3	5	4	1	4	23	
19				1	3	2	3	3	3	3	2	1	20	
20				1	1	3	3	3	4	4	3	3	24	
21				2	2	4	3	4	5	5	6	6	35	
22				1	5	5	4	3	2	1	1	1	22	
23				1	2	3	3	2	4	2	4	4	24	
24				0	2	3	3	2	2	2	3	3	20	
25				0	3	2	3	2	3	2	4	2	21	
26				0	2	1	2	2	2	2	3	3	17	
27				0	3	2	3	1	2	1	2	1	15	
28				0	1	2	3	2	2	0	1	1	12	
29				0	2	2	3	2	2	1	1	2	15	
30				1	3	2	3	3	2	3	2	3	21	
31														
Среднее	ε _D = 3.89	ε _H = 5.23	ε _Z = 6.74	.										
													K _g = 550	

Казань

Таблица
С и К-индексов

26.15.9.71

Казань

Суточные характеристики Май 1970 №52

0208 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	3	3	2	3	2	3	4	22	
2				0	4	2	2	2	1	2	2	2	17	
3				0	2	3	2	2	3	2	2	3	19	
4				0	2	3	2	3	2	2	2	1	17	
5				0	2	3	3	3	3	3	1	2	20	
6				0	3	3	3	2	1	2	2	2	18	
7				0	2	3	3	3	1	2	1	2	17	
8				0	2	3	2	1	1	2	1	2	14	
9				0	1	3	2	0	1	1	1	1	10	
10				0	1	2	2	1	2	1	0	0	9	
11				0	2	2	3	0	1	1	1	2	12	
12				1	3	3	3	4	4	3	2	3	25	
13				0	2	2	3	1	1	1	1	2	13	
14				0	1	3	2	2	3	2	4	2	19	
15				0	3	3	3	2	2	1	1	1	16	
16				0	2	3	3	2	3	2	1	1	17	
17				0	2	4	3	3	3	2	1	2	20	
18				0	3	3	2	2	2	2	1	1	16	
19				0	2	3	3	2	2	2	2	2	18	
20				0	2	4	4	3	3	2	3	2	23	
21				0	2	3	3	2	3	2	2	2	19	
22				0	3	3	3	2	2	3	2	1	19	
23				0	1	2	2	2	2	1	2	3	15	
24				0	2	2	2	2	3	2	1	2	16	
25				0	2	2	2	3	2	1	1	1	14	
26				0	1	2	2	3	2	1	1	2	14	
27				1	1	3	3	3	3	3	4	4	24	
28				1	4	3	4	5	5	4	3	2	30	
29				0	3	4	3	3	3	2	2	2	22	
30				0	3	3	2	3	1	3	2	1	18	
31				0	1	3	3	3	2	2	1	1	16	
Среднее	$E_D = 3.89$	$E_H = 5.23$	$E_Z = 6.74$											
									$K_g = 550$					

Казань

Таблица

2002 А

Сик-индексов

Казань

Суточные характеристики

Июнь 1970

н. 52

В028 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				1	2	4	3	5	5	3	3	3	28	
2				0	3	3	2	2	3	2	2	2	19	
3				0	2	3	3	3	3	3	2	2	21	
4				0	2	3	2	2	2	2	1	2	16	
5				0	2	2	2	3	2	1	0	1	13	
6				0	1	2	1	2	1	0	1	1	9	
7				0	2	3	3	2	2	2	3	3	20	
8				1	3	4	3	2	3	2	2	2	21	
9				0	2	2	1	2	2	2	2	2	15	
10				0	2	2	1	2	3	2	3	2	17	
11				0	2	2	2	1	2	2	2	2	15	
12				0	2	3	3	1	2	1	2	2	16	
13				0	1	3	3	4	4	3	2	2	22	
14				0	2	3	3	2	2	1	3	2	18	
15				0	2	3	2	3	3	2	2	3	20	
16				0	2	3	3	3	3	2	1	1	18	
17				1	2	3	3	4	4	3	3	4	26	
18				1	4	3	5	4	4	4	3	4	31	
19				0	2	3	3	3	2	2	2	3	20	
20				1	3	4	4	3	3	4	3	4	28	
21				0	4	3	3	2	3	2	2	3	22	
22				0	2	2	2	2	3	2	2	2	17	
23				0	1	2	1	2	2	2	1	1	12	
24				0	2	2	1	3	2	2	3	2	17	
25				0	3	3	3	2	3	1	1	3	19	
26				0	2	3	2	2	4	4	3	2	22	
27				1	2	4	5	6	5	3	3	2	30	
28				0	1	2	3	3	1	2	1	1	14	
29				0	2	2	3	1	2	2	2	3	17	
30				0	2	3	2	2	1	1	1	1	13	
31														
Среднее	$\bar{\epsilon}_D = 3.89$	$\bar{\epsilon}_H = 5.23$	$\bar{\epsilon}_Z = 6.77$						$K_g = 550$					

Kazan

Таблица
С и К-индексов

27357-III

Казань

Суточные характеристики Июль 1970 г. 52

B028 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	2	2	2	4	3	2	1	18	
2				0	3	3	4	4	2	2	1	2	21	
3				0	2	3	3	3	2	2	1	4	20	
4				1	6	3	5	3	2	2	1	1	23	
5				0	2	4	4	2	3	2	2	2	21	
6				1	2	2	3	3	4	2	1	1	18	
7				0	2	2	2	2	2	2	1	2	15	
8				0	2	1	2	2	2	2	2	4	17	
9				2	3	5	4	4	6	4	5	5	36	
10				1	5	3	2	2	4	4	4	4	28	
11				0	3	3	2	2	2	3	4	3	22	
12				0	3	3	2	3	2	3	3	3	22	
13				0	3	2	3	3	2	3	2	2	20	
14				0	2	2	1	2	2	2	3	2	16	
15				0	3	2	2	2	2	2	1	1	15	
16				0	2	2	2	1	3	2	2	1	15	
17				0	2	2	3	2	2	2	2	4	19	
18				0	1	2	2	2	3	2	2	2	16	
19				0	2	2	2	2	1	2	1	2	14	
20				0	1	2	2	3	2	2	2	4	18	
21				1	4	3	4	4	5	4	4	3	31	
22				0	3	2	2	2	2	2	1	3	17	
23				0	2	2	2	2	2	3	2	2	17	
24				1	2	2	4	3	4	3	2	5	25	
25				1	5	6	6	5	5	4	2	5	38	
26				1	4	3	4	4	3	2	1	3	24	
27				0	2	3	3	3	3	4	3	2	23	
28				0	2	3	2	1	1	1	1	1	12	
29				1	3	4	3	3	5	5	4	2	29	
30				0	1	3	4	3	2	1	2	2	18	
31				0	2	2	2	2	2	2	2	4	18	
Среднее	εD=3.89	εH=5.23	εZ=6.74											
									K ₉ =550					

Казан
Казань

Таблица
С и К-индексов
Суточные характеристики

27396 М
н.52
Август 1970г.

Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
8028														
1				0	2	3	3	2	2	2	1	2	17	
2				0	1	2	2	2	2	2	1	1	13	
3				0	2	2	2	2	2	3	1	1	15	
4				0	2	2	2	2	2	2	2	1	15	
5				0	1	2	2	2	1	2	1	1	12	
6				0	2	2	2	2	2	3	2	3	18	
7				0	2	3	2	2	2	3	2	4	20	
8				1	2	3	3	3	2	3	3	4	23	
9				1	4	3	3	4	3	3	4	2	26	
10				0	2	2	2	3	3	2	1	2	17	
11				0	2	3	3	2	2	3	2	2	19	
12				0	2	2	2	2	1	2	2	2	15	
13				0	1	1	3	3	1	2	3	3	17	
14				0	2	2	3	2	1	2	1	1	14	
15				0	2	2	2	2	2	2	2	3	17	
16				0	3	2	3	2	1	2	1	6	20	
17				2	4	6	6	5	5	6	4	4	40	
18				1	4	3	2	4	4	4	4	3	28	
19				0	3	2	3	3	3	3	2	1	20	
20				0	2	2	2	3	2	2	1	1	15	
21				0	2	1	1	1	2	2	1	2	12	
22				0	1	2	2	2	2	2	2	1	14	
23				0	3	2	1	2	1	2	1	2	14	
24				0	1	2	3	3	2	3	1	1	16	
25				0	2	1	3	3	3	3	1	3	19	
26				0	2	4	3	2	5	3	3	3	25	
27				0	1	1	3	3	3	3	2	1	17	
28				0	1	2	3	1	3	3	2	4	19	
29				0	2	3	2	3	2	3	1	1	17	
30				0	2	3	2	2	2	2	1	0	14	
31				0	1	2	2	3	3	2	3	2	18	
Среднее	$\epsilon_D = 3.89$	$\epsilon_H = 5.23$	$\epsilon_Z = 6.74$	$K_g = 550$										

Казань
Казань

Таблица
СИК-индексов

27438-III

Суточные характеристики Сентябрь 1970 г. 52

В028 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				1	1	2	2	3	4	3	4	2	21	
2				0	3	3	3	4	3	4	3	3	26	
3				0	1	2	2	4	3	3	2	3	20	
4				0	2	2	2	3	2	3	2	2	18	
5				0	2	2	2	2	2	3	1	2	16	
6				0	0	2	1	2	2	2	2	2	13	
7				0	1	1	2	1	2	2	2	2	13	
8				0	0	2	2	2	2	4	4	1	17	
9				0	1	2	2	2	2	2	2	2	15	
10				0	3	2	2	2	2	1	0	0	12	
11				0	0	2	2	2	2	1	0	1	10	
12				0	1	2	2	1	2	1	1	0	10	
13				1	1	3	3	3	4	4	3	4	25	
14				1	3	3	2	4	4	4	3	2	25	
15				0	4	3	3	3	2	2	2	2	21	
16				0	2	3	2	3	4	2	2	1	19	
17				0	1	1	3	2	2	2	1	2	14	
18				0	2	3	2	3	2	4	3	2	21	
19				0	1	3	4	2	3	3	3	3	22	
20				0	1	2	3	3	3	4	1	3	20	
21				1	4	2	2	3	3	3	4	2	23	
22				0	2	2	1	2	1	3	2	3	16	
23				0	2	2	3	2	2	3	2	2	18	
24				0	3	1	1	2	2	1	3	2	15	
25				0	2	2	2	2	1	1	2	1	13	
26				0	1	2	2	3	2	3	2	3	18	
27				1	3	2	2	3	2	5	4	4	25	
28				0	3	1	1	2	1	1	1	1	11	
29				0	1	2	1	2	1	1	1	2	11	
30				0	1	2	2	2	2	2	1	2	14	
31														
Среднее	$\epsilon_D = 4.32$	$\epsilon_H = 5.00$	$\epsilon_Z = 6.74$						$K_9 = 550$					

Казань

Таблица

27629-III

с и к-индексов

524

Казань

Суточные характеристики

Октябрь 1970

Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	2	2	2	1	1	4	3	17	
2				0	3	1	2	2	1	1	3	2	15	
3				0	2	2	1	2	1	4	3	4	19	
4				0	2	5	3	4	3	2	2	2	23	
5				0	3	2	2	2	1	2	3	2	17	
6				0	2	1	1	2	1	0	2	3	12	
7				0	2	1	1	2	1	0	0	2	9	
8				0	1	2	1	1	1	0	0	0	6	
9				0	2	2	1	2	1	1	1	0	10	
10				0	1	1	1	1	1	3	3	2	13	
11				0	3	2	2	2	2	3	4	3	21	
12				0	4	5	2	2	2	1	1	1	18	
13				0	1	2	2	2	2	3	2	1	15	
14				0	2	1	1	1	1	2	2	1	11	
15				0	2	1	1	2	2	1	1	1	11	
16				1	0	1	1	4	4	6	6	3	25	
17				1	3	2	2	3	4	5	4	6	29	
18				1	6	5	4	2	2	5	2	4	30	
19				0	2	1	3	1	2	3	2	1	15	
20				0	1	2	2	2	2	1	1	1	12	
21				0	1	1	1	1	2	1	1	1	9	
22				1	2	1	2	1	3	4	4	5	22	
23				1	3	2	3	3	4	4	3	4	26	
24				0	2	2	2	3	3	1	3	1	17	
25				0	1	2	2	1	3	2	1	1	13	
26				0	1	1	1	2	1	1	1	1	9	
27				0	1	1	2	1	2	1	1	3	12	
28				0	2	2	2	2	2	2	4	4	20	
29				1	2	1	2	3	3	3	4	4	22	
30				0	3	3	2	2	2	2	1	1	16	
31				0	1	1	2	2	2	1	1	1	11	
Среднее	$E_D = 4.33$	$E_H = 5.0$	$E_Z = 6.74$						$K_9 = 550$					

Kazan
Казань

Таблица
Сик-индексов
Суточные характеристики Ноябрь 1970

27662-III

52_n

В028 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	0	1	1	2	2	1	1	0	8	
2				0	0	1	2	2	2	1	1	1	10	
3				0	2	3	2	2	2	3	1	3	18	
4				0	2	1	2	2	2	1	2	3	15	
5				0	2	1	2	2	2	3	3	3	18	
6				0	3	2	3	2	4	2	1	2	19	
7				1	5	5	4	4	5	3	4	3	33	
8				0	3	2	2	2	2	2	2	0	15	
9				0	1	2	3	3	2	3	4	2	20	
10				1	2	2	2	4	4	4	2	2	22	
11				1	4	2	3	3	3	4	3	3	25	
12				0	1	2	3	4	4	3	0	0	17	
13				0	1	2	2	2	4	2	2	3	18	
14				0	2	2	3	2	2	2	4	1	18	
15				0	1	1	2	2	2	1	3	2	14	
16				0	1	2	2	2	3	4	2	2	18	
17				0	1	2	2	3	3	1	1	1	14	
18				1	4	2	2	2	5	4	2	5	23	
19				0	4	4	4	2	2	0	0	0	16	
20				0	1	2	2	2	2	1	1	2	13	
21				1	3	2	4	4	6	4	4	2	29	
22				1	3	2	3	3	3	4	4	3	25	
23				1	3	2	3	3	4	5	4	3	27	
24				0	2	3	3	2	3	3	3	2	21	
25				0	2	2	2	2	3	5	4	2	22	
26				0	2	1	1	3	3	4	3	2	19	
27				0	1	1	2	2	3	4	4	2	19	
28				0	2	1	2	2	4	4	1	2	18	
29				0	1	2	2	1	2	1	1	1	11	
30				0	1	1	2	2	2	1	1	1	11	
31														
Среднее	$E_D = 1.33$	$E_H = 5.0$	$E_Z = 6.24$						$K_g = 550$					

Казань
Казань

Таблица
С и К-индексов

2809 W

Суточные характеристики Декабрь 1970 4.52

В 028 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔF	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	1	1	2	2	2	1	1	0	10	
2				0	1	2	2	2	2	2	3	1	15	
3				0	2	1	3	2	2	1	1	1	13	
4				0	1	1	2	2	2	1	3	3	15	
5				0	2	2	2	3	3	3	1	1	17	
6				0	1	1	2	2	3	3	1	1	14	
7				0	1	1	2	2	3	3	4	4	20	
8				1	3	4	2	3	4	2	4	2	24	
9				0	1	2	3	3	2	2	1	1	15	
10				0	0	1	2	2	2	2	1	0	10	
11				0	0	1	2	1	2	1	1	1	9	
12				0	0	1	3	1	3	1	1	2	12	
13				0	2	2	2	2	2	2	2	2	16	
14				1	3	5	5	4	4	3	5	5	34	
15				0	4	2	3	3	3	3	2	1	21	
16				0	2	1	2	2	2	2	1	1	13	
17				0	2	2	2	2	2	1	2	1	14	
18				0	0	1	2	2	2	1	0	2	10	
19				0	1	2	2	3	2	1	3	4	18	
20				0	2	2	3	2	2	0	2	2	15	
21				0	1	2	1	1	1	2	2	1	11	
22				0	1	1	2	1	2	1	1	2	11	
23				0	1	2	2	2	3	3	1	2	16	
24				0	3	4	3	2	3	3	2	2	22	
25				0	2	1	1	2	2	3	3	2	16	
26				0	1	2	2	2	1	2	1	2	13	
27				0	1	2	1	2	3	3	3	4	19	
28				0	3	2	2	2	3	6	6	4	28	
29				0	4	1	2	2	1	2	3	4	19	
30				0	5	3	2	2	1	5	2	1	21	
31				0	1	1	2	1	1	1	1	1	9	
Среднее	ε _D = 4.34	ε _F = 5.0	ε _Z = 6.74											

K_g = 550