

Leningrad

Таблица
Сик-индексов

280066

Ленинград

Суточные характеристики Январь 1970 н.50

259 Дата	Амплитуды			Характер С	К—индекс									Дата
			0—3		3—6	6—9	9—12	12—15	15—18	18—21	21—24	К		
1				0	1	2	1	2	2	3	3	2	16	1
2				1	2	3	4	3	4	5	5	4	30	2
3				0	3	3	2	2	3	1	1	3	18	3
4				0	0	1	1	1	1	2	2	2	10	4
5				0	0	1	2	1	2	1	2	3	12	5
6				0	3	1	2	2	2	2	2	1	15	6
7				0	1	0	2	2	2	2	3	2	14	7
8				0	1	1	1	2	2	3	2	2	14	8
9				0	3	2	2	2	2	2	2	2	17	9
10				0	3	1	1	2	2	2	2	0	13	10
11				0	1	0	1	1	2	0	1	2	8	11
12				0	3	2	1	1	1	3	3	3	17	12
13				0	1	1	2	1	3	3	1	1	13	13
14				0	1	2	1	1	1	2	2	2	12	14
15				0	2	2	2	1	2	2	1	1	13	15
16				0	2	2	3	3	3	5	3	2	23	16
17				0	5	4	2	1	2	1	2	1	18	17
18				0	3	1	2	1	1	2	1	2	13	18
19				0	0	1	1	1	2	2	2	4	13	19
20				0	2	2	1	2	3	2	4	3	19	20
21				0	1	2	1	2	3	1	2	3	15	21
22				0	3	1	1	1	1	2	2	2	13	22
23				0	3	3	1	2	1	1	1	3	15	23
24				0	2	1	2	2	2	2	2	3	16	24
25				0	1	1	0	1	0	1	2	2	8	25
26				0	1	1	1	2	1	0	0	1	7	26
27				0	2	2	0	1	2	2	3	3	15	27
28				0	2	0	1	1	2	2	3	3	14	28
29				0	2	1	2	3	2	0	2	1	13	29
30				0	3	1	3	2	2	3	3	2	19	30
31				0	2	3	1	2	2	2	3	0	15	31
не	Е _Д =3.85	Е _Н =2.68	С/но 10 Е ₂ =3.32 С/но 31 Е ₂ =3.30						К ₉ =600					

Leningrad
Ленинград

Таблица
СЧК-индексов
Суточные характеристики февраль 1970 г. 50

В259 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	2	1	0	1	1	2	4	13	
2				0	3	3	2	3	3	3	4	4	25	
3				0	3	2	2	2	1	1	0	1	12	
4				0	1	1	1	3	3	5	4	2	20	
5				0	2	2	2	2	2	2	2	3	17	
6				0	1	1	1	1	0	0	2	1	7	
7				0	1	0	0	1	0	0	0	0	2	
8				0	0	0	0	1	1	1	1	2	6	
9				0	0	0	1	2	1	1	1	0	6	
10				0	0	1	1	1	1	3	3	1	11	
11				0	1	1	1	1	2	1	0	0	7	
12				0	1	0	0	2	1	2	1	1	8	
13				0	0	2	1	2	2	1	1	1	10	
14				0	2	3	2	3	2	2	2	1	17	
15				0	0	3	2	3	1	2	3	1	15	
16				0	1	0	2	2	2	3	1	2	13	
17				0	2	1	1	2	1	3	4	4	18	
18				0	2	2	2	2	4	3	3	3	21	
19				0	2	1	2	2	2	1	1	0	11	
20				0	0	0	1	2	2	1	1	0	7	
21				0	0	0	1	2	1	0	1	1	6	
22				0	0	0	1	2	1	1	2	1	8	
23				0	1	1	1	2	1	1	3	1	11	
24				0	0	3	2	2	3	4	3	1	18	
25				0	0	1	2	2	1	2	1	0	9	
26				0	2	1	2	2	4	3	0	1	15	
27				0	0	0	2	2	2	2	4	4	16	
28				0	4	2	2	3	3	3	4	2	23	
29														
30														
31														
Среднее $E_D = 2.05$ $E_H = 1.85$ $E_Z = 2.65$					$K_g = 600$									

Leningrad
Ленинград

Таблица
СИК-индексов
Суточные характеристики Март 1970 и. 50

26510-III

В259 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	3	2	3	4	5	4	2	2	26	
2				0	3	4	3	4	3	4	3	3	27	
3				0	2	1	3	3	3	4	4	3	23	
4				0	3	2	3	3	4	5	3	4	27	
5				0	3	1	4	3	3	4	4	4	26	
6				1	3	3	3	3	3	4	5	6	30	
7				1	5	4	3	4	5	4	5	4	34	
8				2	4	4	3	4	7	9	9	9	49	
9				2	6	7	3	3	4	8	3	4	38	
10				0	3	1	2	3	2	2	3	2	18	
11				0	0	1	2	1	2	1	2	2	11	
12				0	1	2	2	3	2	1	0	0	11	
13				0	0	2	2	3	3	3	3	2	18	
14				0	2	1	2	2	1	1	0	0	9	
15				0	3	2	3	2	2	3	2	1	18	
16				0	0	0	1	2	2	1	0	2	8	
17				0	0	1	1	2	2	2	3	2	13	
18				0	2	0	1	3	2	3	2	3	16	
19				0	1	2	2	2	2	1	2	3	15	
20				0	1	0	1	2	2	1	3	3	13	
21				0	1	1	1	1	1	1	1	1	8	
22				0	0	1	1	1	2	1	1	0	7	
23				0	1	2	2	2	2	2	1	1	13	
24				0	1	1	1	1	1	1	1	2	9	
25				0	1	1	1	1	2	2	1	0	9	
26				0	2	2	2	2	2	2	2	1	17	
27				1	0	0	3	4	4	3	2	4	20	
28				1	2	3	2	4	3	4	3	4	25	
29				0	3	3	3	2	3	3	3	4	24	
30				0	4	3	3	3	3	3	3	3	25	
31				1	2	4	5	4	6	6	4	4	35	
Среднее	ΣD=2.05	ΣH=1.85	ΣZ=2.66						К ₉ =600					

8259 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	3	2	2	1	2	0	0	3	13	
2				0	1	2	2	2	2	2	2	2	15	
3				0	3	2	3	3	3	3	2	1	20	
4				0	3	2	2	3	3	3	2	1	19	
5				0	0	0	2	3	4	3	2	2	16	
6				0	2	3	4	4	4	3	1	3	24	
7				0	2	2	2	2	2	1	1	1	13	
8				0	4	3	3	3	3	2	1	2	21	
9				0	1	2	3	4	5	2	2	3	22	
10				0	2	1	1	1	0	1	1	2	9	
11				0	3	1	1	3	3	1	2	1	15	
12				0	1	2	2	2	2	2	2	2	15	
13				0	1	1	1	2	2	2	1	1	11	
14				0	1	1	1	2	1	1	0	2	9	
15				0	1	2	1	1	1	2	3	2	13	
16				0	4	3	2	1	1	3	4	4	22	
17				1	5	4	2	4	4	3	5	4	31	
18				1	1	1	3	3	5	4	2	4	23	
19				1	3	3	4	3	3	3	2	2	23	
20				1	1	2	1	4	4	3	3	4	22	
21				2	3	4	3	6	6	7	9	7	45	
22				1	7	5	4	3	3	2	1	1	26	
23				0	2	2	3	3	4	3	4	4	25	
24				0	3	3	3	3	2	3	3	4	24	
25				0	4	3	2	4	3	3	3	3	25	
26				0	3	2	2	2	3	2	4	4	22	
27				0	4	2	2	2	2	2	2	1	17	
28				0	2	2	2	2	3	1	1	1	14	
29				0	1	1	3	2	3	2	2	2	16	
30				0	3	3	3	4	3	3	2	3	24	
31														
Среднее	ΣD: 2.05	ΣH: 1.85	ΣZ: 2.65											
									К _г = 600					

Leningrad

Таблица
Си К-индексов

26754-III

Ленинград

Суточные характеристики Май 1970 и.50

3259		Амплитуды			Характер С	К индекс									Дата
Дата		ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1					0	3	3	3	1	3	3	3	4	23	
2					0	3	3	3	2	2	3	3	2	21	
3					0	2	2	2	3	3	3	2	3	20	
4					0	1	2	2	3	3	3	2	1	17	
5					0	2	2	2	3	4	3	2	2	20	
6					0	2	2	2	2	2	3	2	2	17	
7					0	2	2	2	3	2	3	2	1	17	
8					0	2	1	1	1	1	3	2	2	13	
9					0	2	2	1	1	2	2	1	0	11	
10					0	1	2	1	2	1	1	0	0	8	
11					0	0	0	1	1	0	0	0	3	5	
12					0	3	2	3	4	4	4	3	4	27	
13					0	3	3	2	2	2	2	1	2	17	
14					0	2	2	3	3	3	3	5	3	24	
15					0	4	2	2	3	2	2	2	1	18	
16					0	1	1	1	2	3	2	2	2	14	
17					0	3	4	2	3	3	3	2	2	22	
18					0	2	2	2	3	3	2	1	2	17	
19					0	1	2	2	2	2	3	3	2	17	
20					0	3	3	3	3	3	3	3	3	24	
21					0	2	1	2	3	3	2	3	3	19	
22					0	3	2	2	2	2	3	3	2	19	
23					0	1	2	2	3	3	2	2	3	18	
24					0	2	2	3	3	4	2	2	2	20	
25					0	2	3	2	2	3	2	1	2	17	
26					0	0	0	1	3	2	2	2	2	12	
27					0	1	3	2	3	4	4	4	4	25	
28					1	4	2	3	6	7	6	3	3	34	
29					0	4	3	3	3	3	2	3	3	24	
30					0	2	2	2	3	2	4	2	2	19	
31					0	2	2	2	3	3	2	2	2	18	
Среднее $\bar{\epsilon}_D = 2.05$ $\bar{\epsilon}_H = 1.85$ $\bar{\epsilon}_Z = 2.65$					$K_g = 600$										

Ленинград
Ленинград

Таблица
СИК-индексов
Суточные характеристики Июнь 1970 4-50

26997 4

В259 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	3	4	3	5	5	3	4	3	30	
2				0	3	3	2	2 ⁵	3	3	2	2	21	
3				0	2	3	3	3	4	3	3	2	23	
4				0	3	3	2	2	3	3	2	3	21	
5				0	3	2	3	3	2	2	0	1	16	
6				0	1	2	2	3	1	1	0	0	10	
7				0	0	1	2	3	2	3	3	4	18	
8				0	3	4	3	3	3	2	3	3	24	
9				0	2	2	2	2	2	2	3	2	17	
10				0	2	1	2	2	2	3	3	1	16	
11				0	1	1	1	1	2	3	3	2	14	
12				0	1	2	2	2	2	2	2	1	14	
13				0	1	2	3	4	3	3	2	2	20	
14				0	2	2	1	3	2	3	3	2	18	
15				0	3	2	2	4	3	3	2	3	22	
16				0	2	3	3	2	3	3	2	2	20	
17				1	1	1	3	4	4	4	3	4	24	
18				1	1	3	3	5	4	5	3	4	31	
19				0	2	2	3	3	2	2	2	3	19	
20				0	3	4	4	3	3	4	4	4	29	
21				0	5	4	3	2	3	3	2	2	24	
22				0	2	1	0	2	3	2	2	2	14	
23				0	1	2	2	2	2	2	3	1	15	
24				0	2	1	1	3	3	3	3	3	19	
25				0	3	3	2	2	3	3	2	3	21	
26				0	2	3	3	3	4	4	4	2	25	
27				1	2	3	6	6	6	4	3	2	32	
28				0	3	2	3	3	3	3	2	1	20	
29				0	1	2	2	2	3	3	3	3	19	
30				0	1	2	3	2	3	2	1	2	16	
31														
Среднее $E_D = 2.05$ $E_H = 1.85$ $E_Z = 2.65$														

$K_9 = 600$

Ленинград
Ленинград

Таблица
С и К-индексов
Суточные характеристики Июль 1970 №50

8259 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	2	2	2	4	4	3	1	20	
2				0	2	3	4	4	3	3	2	2	23	
3				0	2	3	4	3	2	2	2	5	23	
4				1	5	4	5	3	3	2	2	1	25	
5				0	2	4	4	3	4	3	3	2	25	
6				0	3	3	3	4	4	2	1	1	21	
7				0	1	1	1	1	2	3	2	3	14	
8				0	2	2	2	2	2	2	2	5	19	
9				2	4	6	4	5	7	6	6	7	45	
10				1	7	4	2	3	4	5	5	4	34	
11				0	4	3	2	3	2	3	3	3	23	
12				0	3	4	3	3	3	3	3	3	25	
13				0	3	3	2	3	2	4	3	3	23	
14				0	2	2	3	3	3	3	4	2	22	
15				0	2	1	1	3	3	2	2	2	16	
16				0	3	1	1	3	3	2	3	1	17	
17				0	2	1	1	1	3	3	2	4	17	
18				0	2	2	1	2	2	2	2	2	15	
19				0	1	1	1	2	3	3	2	2	15	
20				0	2	2	2	2	2	1	2	3	16	
21				1	4	3	3	5	6	4	4	3	32	
22				0	4	3	3	2	3	3	2	3	23	
23				0	3	3	2	2	3	4	3	1	21	
24				1	3	3	3	3	5	4	3	5	29	
25				2	6	7	7	7	6	4	3	5	45	
26				0	5	4	4	4	3	3	3	3	29	
27				0	3	3	3	4	4	5	3	3	28	
28				0	1	1	2	2	3	2	2	2	15	
29				1	3	5	4	4	6	5	4	2	33	
30				0	1	3	3	3	3	3	2	2	20	
31				0	2	3	2	3	3	3	2	4	22	
Среднее	ΣD=2.05	ΣH=1.85	ΣZ=2.65											
									К ₉ =600					

Leningrad
Ленинград

Таблица
С и К-индексов
Суточные характеристики

27391-III
Август 1970 г. 55

Дата В259	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	2	2	1	2	1	2	14	
2				0	3	2	2	3	2	2	1	1	16	
3				0	2	2	2	3	3	2	1	1	16	
4				0	2	2	2	2	2	3	2	2	17	
5				0	2	2	1	2	1	1	1	1	11	
6				0	2	2	2	3	2	3	3	3	20	
7				0	2	2	2	2	3	3	3	4	21	
8				1	3	2	4	4	3	3	3	4	26	
9				1	5	3	3	4	3	4	4	1	27	
10				0	2	2	1	3	3	2	1	2	16	
11				0	2	2	2	3	4	3	2	3	21	
12				0	3	3	3	2	2	2	3	3	21	
13				0	1	2	3	3	3	2	3	3	20	
14				0	1	1	2	1	1	3	2	3	14	
15				0	1	2	2	2	3	3	2	3	18	
16				0	2	2	1	1	2	2	2	5	17	
17				2	5	7	7	5	6	6	3	5	44	
18				1	4	4	3	5	5	5	4	3	33	
19				0	3	2	2	3	4	3	3	1	21	
20				0	2	2	3	4	3	2	1	2	19	
21				0	2	3	2	1	2	2	1	1	14	
22				0	2	2	2	3	3	3	3	2	20	
23				0	3	2	2	3	2	2	2	2	18	
24				0	2	2	1	2	2	2	2	2	15	
25				0	2	2	2	2	3	3	3	3	20	
26				1	3	4	3	3	5	3	3	3	27	
27				0	3	3	3	2	3	4	3	3	24	
28				0	2	2	3	2	4	4	3	4	24	
29				0	3	3	3	3	3	4	1	2	22	
30				0	3	2	2	1	2	2	2	1	15	
31				0	2	2	3	3	4	3	3	2	22	
Среднее	$\bar{\epsilon}_D = 2,05$	$\bar{\epsilon}_H = 1,85$	$\bar{\epsilon}_Z = 2,65$	$K_g = 600$										

Leningrad
Ленинград

Таблица
СЧК-индексов
Суточные характеристики Сентябрь 1970 г. 50

24430-III

В259 Дата	Амплитуды			Характер С	К индекс										Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
1				1	2	1	3	4	4	4	5	3	26		
2				0	2	3	2	4	4	4	4	4	27		
3				0	1	3	3	4	3	4	3	4	25		
4				0	3	3	3	3	3	3	3	3	24		
5				0	2	2	2	2	3	4	2	3	20		
6				0	2	1	1	2	2	2	3	3	16		
7				0	2	1	2	2	2	1	2	3	15		
8				0	1	2	2	2	3	3	4	2	19		
9				0	1	2	2	2	2	3	3	3	18		
10				0	3	3	1	1	1	1	0	0	10		
11				0	0	0	1	1	1	1	2	1	7		
12				0	1	2	2	2	1	1	1	1	11		
13				1	1	3	3	3	5	4	4	5	28		
14				1	3	3	2	3	4	3	4	3	25		
15				0	4	3	3	3	2	2	3	3	23		
16				0	3	2	2	3	2	2	2	2	18		
17				0	1	2	2	2	2	3	1	2	15		
18				0	2	3	2	2	3	3	3	2	20		
19				0	1	3	3	3	3	3	3	3	22		
20				0	2	3	3	3	3	4	2	3	23		
21				1	4	3	3	3	4	4	5	2	28		
22				0	2	3	2	3	2	4	3	3	22		
23				0	3	1	2	2	3	3	1	1	16		
24				0	2	2	2	2	2	2	3	2	17		
25				0	1	3	2	2	2	3	2	1	16		
26				0	0	2	2	2	2	2	2	3	15		
27				1	4	4	3	3	3	5	3	4	29		
28				0	3	1	1	3	2	2	1	1	14		
29				0	1	2	3	2	2	2	1	3	16		
30				0	2	3	3	2	2	2	1	3	18		
31															
Среднее $\epsilon_D = 2.05$ $\epsilon_H = 1.85$ $\epsilon_Z = 2.65$					$K_9 = 600$										

Leningrad
Ленинград

Таблица
С и К - индексов
Суточные характеристики

27630-III
50⁺

Октябрь 1970

В 259		Амплитуды			Характер С	К индекс									Дата
Дата		ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1					0	3	2	2	3	2	2	4	3	21	
2					0	3	2	2	3	2	2	3	3	20	
3					0	2	3	2	2	2	3	4	4	22	
4					1	3	5	3	4	3	3	3	3	27	
5					0	3	2	2	2	1	2	3	3	18	
6					0	2	1	2	2	1	1	3	3	15	
7					0	1	2	2	2	2	1	0	2	12	
8					0	1	1	1	1	1	1	1	0	7	
9					0	1	1	2	2	1	1	2	0	10	
10					0	0	1	3	2	1	2	3	3	15	
11					1	3	3	3	3	3	3	5	3	26	
12					1	4	5	3	2	2	1	1	0	18	
13					0	0	2	2	3	2	3	3	2	17	
14					0	3	2	1	2	1	2	2	2	15	
15					0	2	2	1	1	1	0	1	2	10	
16					2	1	1	2	4	4	7	7	3	29	
17					2	4	2	3	3	4	6	5	7	34	
18					1	7	5	4	2	2	5	3	3	31	
19					0	2	2	2	2	2	3	3	2	18	
20					0	2	2	2	3	2	2	2	2	17	
21					0	0	1	1	2	1	1	1	2	9	
22					1	3	2	2	2	3	5	5	5	27	
23					1	4	3	3	3	3	5	4	4	29	
24					0	3	3	3	3	3	2	3	2	22	
25					0	1	2	2	1	3	3	1	1	14	
26					0	2	1	2	1	1	1	1	1	10	
27					0	1	1	2	2	1	1	2	3	13	
28					0	2	3	2	2	2	3	4	4	22	
29					0	2	1	2	3	3	3	5	4	23	
30					0	4	2	2	3	1	3	1	1	17	
31					0	1	1	2	2	2	2	2	0	12	
Среднее		$\Sigma_D = 2.05$	$\Sigma_H = 1.85$	$\Sigma_Z = 2.65$											
										$K_g = 600$					

Ленинград

Ленинград

Таблица
Сик-индексов
Суточные характеристики

27657-III

50_n

Ноябрь 1970

В259 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	0	0	1	1	2	1	1	0	6	
2				0	0	0	2	2	2	1	1	2	10	
3				0	2	3	2	2	2	3	2	4	20	
4				0	3	2	2	2	2	1	2	3	17	
5				0	2	1	3	2	2	3	3	4	20	
6				0	3	2	3	3	4	2	2	3	22	
7				2	5	4	4	5	4	3	5	3	33	
8				0	3	2	2	3	2	3	3	1	19	
9				0	1	3	2	3	2	3	3	2	19	
10				1	3	2	2	4	4	4	3	3	25	
11				1	4	2	2	3	3	4	3	3	24	
12				0	2	2	2	3	4	4	1	0	18	
13				0	1	2	1	2	4	2	2	3	17	
14				0	2	1	3	2	1	2	4	2	17	
15				0	0	0	1	1	1	1	3	3	10	
16				0	0	0	1	2	1	4	2	2	12	
17				0	2	3	2	2	1	1	0	0	11	
18				1	4	1	1	1	4	4	3	5	20	
19				1	5	5	4	2	2	1	1	0	20	
20				0	0	1	1	1	1	1	1	2	8	
21				1	3	3	3	4	5	4	4	3	29	
22				0	4	3	2	3	3	4	4	4	27	
23				1	4	2	2	3	4	5	5	3	28	
24				0	2	2	3	3	3	3	4	2	22	
25				0	2	2	2	2	2	5	4	2	21	
26				0	2	2	2	2	2	3	4	3	20	
27				0	2	2	2	2	3	3	4	4	22	
28				0	2	1	1	2	4	3	1	2	16	
29				0	0	1	0	1	1	2	1	0	6	
30				0	0	1	0	1	1	0	0	1	4	
31														
Среднее	ΔD=2.05	ΔH=1.85	ΔZ=2.65											

$K_9 = 600$

Ленинград

Таблица
С и К-индексов

28684 W

Суточные характеристики *Декабрь 1970 ч. 50*

Тип. „Фан“ УзССР-1047-3 000-67 г.