

Lvov Суточные характеристики

1958 Январь

184-III

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	3	3	3	3	2	2	3	2	21	1
2				0	2	2	2	2	2	2	2	1	15	2
3				0	2	1	1	0	2	1	1	1	9	3
4				0	1	1	1	1	-	1	0	1	-	4
5				0	2	1	1	1	1	1	1	1	9	5
6				0	1	1	1	1	2	2	1	1	10	6
7				0	2	-	1	2	2	0	1	0	-	7
8				0	1	1	1	1	1	1	0	1	7	8
9				0	0	1	2	2	3	2	2	2	14	9
10				0	3	1	1	1	1	1	2	1	11	10
11				0	2	1	1	2	2	1	3	1	13	11
12				0	1	2	1	1	2	1	1	2	11	12
13				0	2	2	1	1	2	2	3	3	16	13
14				0	1	1	2	2	3	2	1	3	15	14
15				0	1	2	2	2	2	2	2	2	15	15
16				0	1	1	2	1	3	2	3	3	16	16
17				1	2	2	3	2	3	2	2	3	19	17
18				1	3	3	2	3	3	2	3	2	21	18
19				0	2	2	2	1	3	2	3	2	17	19
20				0	1	1	2	2	2	3	2	4	17	20
21				0	3	3	2	1	3	1	2	1	16	21
22				0	2	2	2	2	3	2	2	2	17	22
23				0	2	2	2	2	3	2	3	2	18	23
24				0	1	2	1	2	3	2	1	1	13	24
25				0	2	2	1	3	3	3	2	1	17	25
26				0	2	3	2	2	2	2	-	-	-	26
27				0	-	-	1	2	1	1	2	3	-	27
28				0	1	1	2	2	2	2	1	1	12	28
29				0	1	2	2	2	2	2	3	2	16	29
30				0	0	1	2	2	2	1	1	0	9	30
31				0	2	1	1	2	1	1	2	2	12	31
Среднее	$\epsilon_D = 4.0^\circ$	$\epsilon_H = 1.7^\circ$	$\epsilon_Z = 2.8^\circ$						$K_g = 550$					

Lvov

236-11

Суточные характеристики

февраль 1958г.

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	1	2	2	1	1	1	1	11	1
2				0	2	1	1	2	1	1	1	1	10	2
3				0	0	1	1	1	2	0	0	2	7	3
4				1	2	1	1	2	2	3	4	3	18	4
5				1	2	2	2	2	3	2	3	4	20	5
6				1	2	2	2	3	2	3	2	2	18	6
7				1	2	2	2	2	2	3	3	3	19	7
8				1	2	2	2	3	2	3	2	2	18	8
9				0	1	2	1	2	2	3	3	1	15	9
10				0	2	2	1	2	1	3	2	3	16	10
11				2	8	8	8	7	6	5	4	4	50	11
12				1	4	4	3	3	3	3	3	3	26	12
13				0	1	1	1	3	2	3	3	2	16	13
14				0	3	3	2	2	2	3	2	2	19	14
15				0	1	1	1	1	2	2	1	2	11	15
16				0	1	0	1	2	1	3	3	3	14	16
17				1	2	3	2	2	3	2	3	2	19	17
18				1	3	3	2	3	2	2	3	3	21	18
19				0	2	1	3	2	2	2	3	3	18	19
20				1	2	2	1	2	2	2	3	3	17	20
21				1	2	3	2	2	2	2	3	4	20	21
22				0	1	2	1	2	3	3	3	2	17	22
23				0	2	2	2	2	1	2	2	1	14	23
24				0	1	1	2	1	3	1	2	1	12	24
25				0	1	2	1	2	1	1	1	0	09	25
26				0	1	1	2	1	1	1	1	1	09	26
27				0	2	1	1	1	0	2	2	3	12	27
28				0	1	2	2	2	3	2	1	1	14	28
29														29
30														30
31														31
Среднее	$E_D = 4.08$	$E_H = 1.78$	$E_Z = 2.8$				$K_9 = 550$							

Львов

Суточные характеристики

Март 1958г.

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	1	0	1	1	1	1	2	9	1
2				0	1	1	1	2	1	0	1	1	8	2
3				1	1	1	1	2	3	3	4	3	18	3
4				0	2	3	1	2	2	2	3	3	18	4
5				1	2	2	4	3	3	2	3	3	22	5
6				1	3	3	2	2	3	2	3	3	21	6
7				0	2	2	3	2	2	3	2	2	18	7
8				0	3	2	3	2	3	1	2	-	-	8
9				0	-	-	2	3	2	2	2	2	-	9
10				0	2	1	2	2	3	2	2	2	16	10
11				1	3	1	1	2	2	3	3	3	18	11
12				1	3	4	3	3	3	2	2	2	22	12
13				1	3	2	3	3	3	3	3	1	21	13
14				1	1	1	1	2	3	3	2	2	15	14
15				0	1	3	3	3	2	2	2	1	17	15
16				0	2	2	1	1	2	1	2	2	13	16
17				1	2	2	2	3	2	3	3	1	18	17
18				1	1	2	2	2	3	3	4	3	20	18
19				1	2	2	2	3	3	3	4	4	23	19
20				1	4	3	2	2	3	3	4	4	25	20
21				1	2	2	3	3	3	3	2	3	21	21
22				0	4	2	2	1	3	0	1	2	15	22
23				0	3	2	3	4	2	2	2	2	20	23
24				1	1	2	3	2	2	4	3	3	20	24
25				1	3	2	2	2	2	4	3	2	20	25
26				1	2	2	1	3	3	4	2	2	19	26
27				0	1	1	2	2	2	2	2	3	15	27
28				0	1	2	3	2	1	2	2	2	15	28
29				0	2	1	2	2	2	2	1	2	14	29
30				1	1	0	3	3	3	4	3	2	19	30
31				0	1	1	3	2	3	2	2	2	16	31
Среднее	$E_D = 4.08$	$E_H = 1.78$	$E_Z = 2.88$											
									$K_9 = 550$					

Lvov

Суточные характеристики

Инв. № 460-III

Апрель 1958 г.

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	1	2	2	2	3	2	16	1
2				1	2	2	2	3	3	3	2	2	19	2
3				0	2	3	1	2	2	2	1	2	15	3
4				1	1	2	2	2	3	2	3	3	18	4
5				0	3	3	2	2	3	3	2	2	20	5
6				0	3	2	1	3	2	3	2	3	19	6
7				-	2	2	-	-	-	-	-	-	-	7
8				-	-	-	-	-	-	-	-	-	-	8
9				-	-	-	-	-	-	-	-	-	-	9
10				0	-	-	-	1	1	1	1	1	-	10
11				0	1	2	2	2	1	2	1	2	13	11
12				0	0	1	1	2	1	2	1	1	9	12
13				0	0	2	2	1	1	1	1	2	10	13
14				0	1	2	2	3	3	3	2	2	18	14
15				0	2	2	3	2	2	3	3	2	19	15
16				1	2	2	3	3	3	3	3	3	22	16
17				1	3	2	2	3	3	4	4	4	25	17
18				1	3	3	2	3	3	3	3	3	23	18
19				1	2	2	3	3	1	3	3	3	20	19
20				0	2	2	2	3	1	2	2	3	27	20
21				0	1	1	1	2	2	2	1	3	13	21
22				0	1	2	2	2	0	2	1	0	10	22
23				0	0	1	2	2	2	3	2	2	14	23
24				0	2	3	2	2	2	2	1	1	15	24
25				0	3	3	1	2	2	2	1	0	14	25
26				0	0	2	1	2	2	3	2	2	15	26
27				0	1	1	1	2	1	3	2	2	13	27
28				1	2	2	2	3	3	3	3	3	21	28
29				1	3	3	2	2	3	3	2	3	21	29
30				0	2	2	2	2	2	2	2	2	16	30
31														31
Среднее	с 1 по 10 $E_D = 4.08$ с 11 по 30 $E_D = 5.78$	$E_H = 7.98$	с 1 по 10 $E_Z = 8.98$ с 11 по 20 $E_Z = 3.0$ с 21 по 30 $E_Z = 6.58$											

K_g = 550

Л Ъ В О В

Суточные характеристики

Инв. № 574-15 май 1958 г.

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	2	2	2	2	3	1	16	1
2				0	2	3	2	1	3	2	1	2	16	2
3				0	0	2	1	1	1	1	2	2	10	3
4				0	1	2	1	2	0	2	1	1	10	4
5				0	2	1	2	2	2	3	2	1	15	5
6				0	1	2	2	1	2	1	1	1	11	6
7				0	1	2	2	1	2	2	0	1	11	7
8				0	1	1	3	2	2	3	1	2	15	8
9				0	1	2	2	2	2	2	1	1	13	9
10				0	1	1	1	3	3	3	3	2	17	10
11				0	1	1	2	2	2	2	1	1	12	11
12				0	0	0	1	1	2	3	2	3	12	12
13				1	2	1	2	3	3	3	3	3	20	13
14				1	2	2	1	2	3	3	3	2	18	14
15				0	2	3	2	1	2	3	3	3	19	15
16				0	2	2	2	1	2	3	1	2	15	16
17				0	1	1	2	3	3	2	2	2	16	17
18				0	2	1	1	3	3	3	2	2	17	18
19				0	1	2	2	2	2	2	2	2	15	19
20				0	1	1	1	2	2	1	1	1	10	20
21				0	1	0	2	2	2	2	1	1	11	21
22				0	0	1	0	1	2	2	1	2	9	22
23				0	2	1	2	2	1	1	1	2	12	23
24				0	1	1	1	2	2	2	0	1	10	24
25				0	1	1	1	1	1	2	2	2	11	25
26				1	2	2	3	3	5	4	2	3	24	26
27				1	2	2	2	3	3	2	2	3	19	27
28				1	5	3	3	2	2	3	2	3	23	28
29				1	4	2	3	4	4	4	3	2	26	29
30				0	2	3	2	2	2	2	1	2	16	30
31				1	1	2	1	1	3	5	6	4	23	31
Среднее	$E_D = 5.78$	$E_H = 1.98$	$E_Z = 3.98$											
									$K_9 = 560$					

Суточные характеристики

МНВ. № 652-11

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	6	4	4	3	3	4	4	3	31	1
2				0	3	3	3	4	4	4	3	1	25	2
3				0	1	2	2	2	2	3	1	2	15	3
4				0	1	1	2	3	2	2	2	1	14	4
5				0	1	1	2	1	3	3	2	1	14	5
6				0	2	2	3	2	3	3	3	4	22	6
7				1	4	5	5	5	3	4	3	3	32	7
8				0	1	2	3	3	3	4	3	3	22	8
9				1	3	3	2	3	4	4	4	5	28	9
10				1	4	3	3	4	4	3	2	3	26	10
11				1	3	2	4	4	4	3	3	3	26	11
12				1	1	3	3	3	4	3	3	2	22	12
13				0	2	2	3	2	3	3	3	2	20	13
14				0	2	2	3	4	3	3	4	3	24	14
15				0	2	3	3	4	4	3	2	1	22	15
16				0	2	3	3	3	4	3	2	2	22	16
17				0	2	1	3	3	3	3	2	2	19	17
18				0	2	2	2	2	4	3	3	2	20	18
19				0	1	2	3	2	2	3	3	2	18	19
20				0	1	1	2	1	2	2	2	3	14	20
21				1	2	4	3	6	5	5	4	3	32	21
22				1	4	3	3	4	3	2	3	4	26	22
23				0	3	3	2	2	4	3	3	2	22	23
24				0	2	3	2	2	4	3	2	3	21	24
25				0	2	2	3	3	4	3	3	2	22	25
26				0	2	2	2	2	3	3	2	2	18	26
27				0	2	1	2	2	2	3	2	3	17	27
28				1	1	3	3	4	4	4	6	6	31	28
29				1	3	4	4	3	5	5	4	2	30	29
30				0	2	3	2	3	3	3	3	2	21	30
31	$\bar{\epsilon}_D$	$\bar{\epsilon}_H$	$\bar{\epsilon}_Z$											31
Среднее	5.28	3.38	5.28	K=9 550										

Lvov

Суточные характеристики

779-11 Июль 1958г

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	2	3	2	3	3	2	2	20	1
2				0	1	2	2	2	1	3	2	2	15	2
3				0	2	2	3	3	3	4	2	2	21	3
4				0	1	1	4	3	4	4	3	3	23	4
5				0	1	2	2	3	2	1	2	2	15	5
6				0	1	1	2	2	3	2	1	1	13	6
7				0	0	1	2	3	4	4	4	3	21	7
8				2	3	3	6	7	7	8	7	7	48	8
9				1	4	4	3	4	5	5	2	4	31	9
10				0	4	3	3	3	3	2	3	3	24	10
11				0	3	2	3	3	4	2	3	3	23	11
12				0	4	3	3	3	3	4	3	2	25	12
13				0	3	3	3	3	2	4	1	4	23	13
14				0	2	3	3	3	4	3	2	1	21	14
15				0	1	1	3	2	3	3	2	3	18	15
16				0	2	2	2	2	3	2	2	3	18	16
17				0	3	4	3	3	2	3	-	-	-	17
18				1	-	-	4	4	4	4	4	3	-	18
19				0	2	2	4	3	3	2	4	3	23	19
20				1	3	4	4	3	3	4	2	2	25	20
21				1	2	2	3	3	3	5	6	5	29	21
22				1	3	2	3	3	4	3	2	2	22	22
23				0	2	3	3	3	3	2	1	2	19	23
24				0	2	1	2	2	3	4	3	3	20	24
25				1	2	2	3	3	4	3	4	3	24	25
26				0	3	2	2	2	1	2	2	2	16	26
27				1	2	3	3	4	3	3	3	3	24	27
28				0	3	2	3	2	2	2	3	2	19	28
29				0	2	2	2	1	2	2	3	2	16	29
30				0	1	1	3	3	3	3	3	3	20	30
31				0	2	2	2	3	3	4	2	2	20	31
Среднее	$\varepsilon_D = 5.3^\circ$	$\varepsilon_H = 3.4^\circ$	$\varepsilon_Z = 5.4^\circ$						$\chi_9 = 550$					

Lvov

Суточные характеристики

917-III

август 1958г.

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	3	4	4	3	3	2	23	1
2				0	2	2	3	3	3	3	2	2	20	2
3				0	2	2	2	2	3	3	1	1	16	3
4				0	1	1	2	2	2	2	1	1	12	4
5				0	1	1	2	2	2	1	1	1	11	5
6				0	2	2	2	2	1	2	2	2	15	6
7				0	2	2	3	3	3	2	2	2	19	7
8				0	1	1	2	3	3	2	1	1	14	8
9				0	2	1	1	2	2	2	2	2	14	9
10				0	2	1	3	4	3	3	3	3	22	10
11				0	3	2	2	4	2	2	3	2	20	11
12				0	2	3	3	2	2	1	3	2	18	12
13				0	3	2	3	3	2	3	1	2	19	13
14				0	2	2	2	2	1	2	2	3	16	14
15				0	2	2	2	3	2	2	3	2	18	15
16				0	3	2	2	3	3	4	3	2	22	16
17				2	1	2	5	4	5	6	6	4	33	17
18				1	3	3	3	3	3	1	2	2	20	18
19				1	2	2	3	4	2	2	3	1	19	19
20				0	1	2	2	2	3	2	1	1	14	20
21				0	1	1	1	3	2	2	3	2	15	21
22				1	2	4	3	4	4	3	3	2	25	22
23				1	2	2	3	2	3	2	3	2	19	23
24				1	5	5	3	4	4	4	3	2	30	24
25				1	3	3	2	3	4	2	3	2	22	25
26				1	2	2	3	3	2	2	2	2	18	26
27				1	4	5	5	5	3	2	5	3	32	27
28				1	2	1	3	3	2	2	3	2	18	28
29				0	2	2	3	3	3	3	2	2	20	29
30				0	2	2	3	4	3	3	3	1	21	30
31				0	2	2	2	2	2	3	1	1	15	31
Среднее	$\epsilon_D = 5.3^\circ$	$\epsilon_H = 3.4^\circ$	$\epsilon_Z = 5.4$		$K_9 = 550$									

Lvov

Суточные характеристики

1073-17

— СЕНТЯБРЬ 1958 г.

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	1	2	3	3	3	2	2	17	1
2				0	1	2	2	2	3	2	2	1	15	2
3				1	2	2	3	4	6	5	4	5	31	3
4				2	4	2	3	3	4	6	7	7	36	4
5				1	6	5	3	4	3	3	4	2	30	5
6				0	2	2	2	2	2	2	2	1	15	6
7				0	2	2	2	3	3	3	4	3	22	7
8				0	3	2	3	2	2	3	2	5	22	8
9				1	3	2	3	3	4	3	3	4	25	9
10				0	2	2	2	2	3	3	2	3	19	10
11				0	2	2	4	3	2	3	3	2	21	11
12				0	2	2	2	2	2	2	2	1	15	12
13				0	1	2	2	3	2	2	2	2	16	13
14				0	2	1	2	2	1	2	1	1	12	14
15				0	1	2	3	3	3	1	2	3	18	15
16				1	2	3	3	4	4	4	4	3	27	16
17				0	3	3	3	3	2	2	1	1	18	17
18				0	1	1	2	3	2	2	3	2	16	18
19				0	1	3	3	3	2	0	2	2	16	19
20				0	2	3	2	2	1	2	2	2	16	20
21				0	1	1	2	2	2	1	2	1	12	21
22				0	1	2	2	2	2	1	2	1	13	22
23				0	1	2	2	2	3	1	2	2	15	23
24				0	2	1	2	2	2	2	2	2	15	24
25				1	3	3	3	4	3	3	4	4	27	25
26				1	3	3	3	3	3	3	4	2	24	26
27				0	2	2	2	2	2	2	2	3	17	27
28				0	3	2	2	2	2	2	2	1	16	28
29				0	1	2	2	2	1	1	1	1	11	29
30				1	2	3	2	3	3	3	3	3	22	30
31														31
Среднее	$\epsilon_D = 5.28$	$\epsilon_H = 3.48$	$\epsilon_Z = 5.38$						$K_9 = 550$					

Lvov

Суточные характеристики

1095 октябрь 1958г.

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	3	3	2	2	2	2	4	20	1
2				0	3	2	2	2	2	1	1	3	16	2
3				1	2	3	3	3	3	4	3	1	22	3
4				0	1	1	2	2	3	1	1	2	13	4
5				0	3	2	2	2	3	2	3	3	20	5
6				0	2	2	2	2	2	2	2	2	16	6
7				0	2	2	2	3	3	3	2	3	20	7
8				0	3	3	2	2	2	1	0	2	15	8
9				0	0	0	2	2	1	1	1	1	08	9
10				0	1	0	1	1	2	2	2	1	10	10
11				0	2	1	1	1	1	1	2	3	12	11
12				0	1	0	1	2	2	2	1	1	10	12
13				0	2	1	3	2	1	1	3	1	14	13
14				0	1	2	2	2	2	2	1	2	14	14
15				0	2	2	3	3	3	2	2	2	19	15
16				0	1	2	2	3	2	2	2	1	15	16
17				0	1	1	3	3	1	2	2	2	15	17
18				0	1	2	2	2	1	2	1	2	13	18
19				0	1	1	2	2	2	3	2	2	15	19
20				0	2	1	2	1	0	2	2	3	13	20
21				0	2	2	2	2	1	1	2	1	13	21
22				1	4	3	4	3	4	3	4	1	25	22
23				1	3	4	4	3	3	-	-	-	-	23
24				2	-	-	3	5	4	5	5	4	-	24
25				1	2	2	4	2	1	1	1	1	15	25
26				0	1	1	3	2	2	3	3	1	16	26
27				1	1	2	2	2	2	4	5	4	22	27
28				1	2	3	4	4	4	4	5	3	29	28
29				0	3	2	2	2	2	3	4	4	22	29
30				0	2	1	2	3	3	3	3	4	21	30
31				0	2	2	1	3	2	3	2	2	17	31
Среднее	$\epsilon_D = 5.28$	$\epsilon_H = 3.48$	$\epsilon_Z = 5.48$						$K_g = 550$					

Львов

Суточные характеристики

Ноябрь 1958г.

№ 1262-III

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	1	3	3	2	3	2	2	18	1
2				1	1	1	1	2	3	4	4	2	18	2
3				0	2	3	2	2	2	2	2	2	17	3
4				0	2	2	2	2	2	1	3	3	17	4
5				0	1	0	2	3	3	1	1	2	13	5
6				0	0	0	1	2	2	2	2	2	11	6
7				0	1	0	1	1	3	3	2	2	13	7
8				0	0	1	2	1	1	2	1	2	10	8
9				0	1	2	3	1	1	1	1	2	12	9
10				1	1	2	2	4	3	3	3	2	20	10
11				0	4	3	2	2	3	2	2	1	19	11
12				0	1	2	2	2	3	3	3	2	18	12
13				0	3	3	2	1	2	3	1	1	16	13
14				0	1	1	2	2	1	3	1	3	14	14
15				0	2	1	2	2	2	3	1	1	14	15
16				0	2	2	2	2	2	2	1	2	15	16
17				0	1	2	2	2	2	3	3	2	17	17
18				0	1	1	2	2	2	-	-	-	-	18
19				0	-	-	2	1	3	2	1	1	-	19
20				0	1	1	3	2	2	2	1	1	13	20
21				0	2	1	2	1	2	2	1	2	13	21
22				0	1	1	2	2	2	2	1	1	12	22
23				0	1	1	2	2	3	3	2	2	16	23
24				0	1	1	1	2	3	1	2	2	13	24
25				1	0	2	3	1	4	3	3	4	20	25
26				0	2	2	2	2	2	2	3	2	17	26
27				1	1	1	2	2	3	3	3	3	18	27
28				1	3	4	3	3	4	3	3	3	26	28
29				0	2	-	-	3	3	3	2	2	-	29
30				0	1	1	2	2	1	2	1	1	11	30
31														31
Среднее	$\epsilon_D = 5.2^\circ$	$\epsilon_H = 3.4^\circ$	$\epsilon_Z = 5.4^\circ$		$K_9 = 550$									

Lvov

54

1825-14

ДЕКАБРЬ 1958 год

Суточные характеристики

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	0	1	1	1	2	1	1	1	08	1
2				1	1	1	3	4	4	4	4	5	26	2
3				0	3	2	2	2	1	2	2	2	16	3
4				2	3	3	4	4	5	5	6	5	35	4
5				1	5	3	3	3	2	2	2	2	22	5
6				1	1	2	2	3	4	3	3	3	21	6
7				0	1	2	2	2	2	2	1	1	13	7
8				1	1	1	1	2	3	4	4	4	20	8
9				0	3	2	3	2	2	2	1	1	16	9
10				0	2	1	2	2	1	2	1	1	12	10
11				0	3	3	3	2	3	2	2	4	22	11
12				0	1	2	2	2	3	2	3	2	17	12
13				2	4	4	3	3	5	4	4	5	32	13
14				1	3	3	2	3	4	4	3	4	26	14
15				0	1	2	2	3	2	3	3	3	19	15
16				0	3	4	3	3	4	3	3	1	24	16
17				1	1	1	2	3	2	5	6	4	24	17
18				1	5	5	3	3	3	2	2	2	25	18
19				1	3	3	3	3	3	3	4	2	24	19
20				0	1	3	4	2	3	3	3	3	22	20
21				0	1	1	4	2	3	3	3	1	18	21
22				0	2	2	2	2	2	3	3	3	19	22
23				1	1	2	3	2	3	3	3	2	19	23
24				0	2	1	2	2	3	1	2	2	15	24
25				0	1	1	2	2	2	2	2	3	15	25
26				0	2	2	3	2	3	4	3	4	23	26
27				0	2	2	2	3	3	3	2	3	20	27
28				0	4	2	3	2	3	3	3	3	23	28
29				0	2	2	2	2	2	2	3	3	18	29
30				0	2	1	3	2	3	3	3	2	19	30
31				0	1	2	2	2	3	2	3	1	16	31
Среднее	$E_D = 5.38$	$E_H = 3.48$	$E_Z = 5.48$						$K_9 = 550$					