

ЛВОВ LV0V
 У 49°54' N
 Л 23°45' E

ТАБЛИЦА
 С И К-ИНДЕКСОВ
 Суточные характеристики

54

ЯНВАРЬ 1959г.

Инд. 1602-11

Амплитуды			Характер С	К-индекс										Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
			0	1	1	1	2	2	1	1	1	10	1	
			0	1	1	1	2	2	1	1	1	10	2	
			0	1	2	2	2	2	1	2	1	13	3	
			0	1	1	1	2	2	3	2	1	13	4	
			1	2	1	1	3	3	4	3	4	21	5	
			1	3	3	2	2	2	3	4	3	22	6	
			0	3	3	2	2	3	1	4	4	22	7	
			1	4	2	3	2	3	3	4	3	24	8	
			1	3	1	3	1	3	5	5	5	26	9	
			2	3	3	2	3	3	4	5	4	27	10	
			0	3	2	3	2	2	3	2	3	20	11	
			0	3	2	2	3	3	3	4	3	23	12	
			0	1	1	1	3	2	2	3	1	14	13	
			0	1	2	2	2	2	1	2	3	15	14	
			0	1	3	2	2	2	3	1	1	15	15	
			1	1	2	2	4	3	4	4	3	23	16	
			1	3	3	2	2	3	4	3	2	22	17	
			1	3	2	2	2	3	3	4	3	22	18	
			0	1	2	2	2	2	1	3	1	14	19	
			0	1	2	1	2	1	1	2	2	12	20	
			0	1	2	1	1	3	1	2	1	12	21	
			0	1	2	3	2	1	2	2	1	14	22	
			0	3	2	3	3	3	3	2	2	21	23	
			0	2	3	2	1	2	2	1	0	13	24	
			1	1	2	3	3	4	5	4	3	26	25	
			0	1	3	2	3	5	3	3	2	22	26	
			0	1	3	2	2	3	2	2	2	17	27	
			0	2	2	2	2	2	3	3	2	18	28	
			1	1	2	1	3	4	4	5	4	24	29	
			0	3	2	2	2	2	3	3	1	18	30	
			0	2	3	3	3	3	3	2	2	21	31	
ΣD=5.3			ΣH=3.4	ΣZ=5.4										Σg=550
ΣD=2.9			ΣH=2.9	ΣZ=5.2										

$E_D = 5.3$
 $E_H = 3.4$
 $E_Z = 2.9$
 $E_{1-14} = 5.4$
 $E_{15-31} = 5.2$

$Xg = 550$

φ 49°54'
λ 23°45'

ТАБЛИЦА
С И К-ИНДЕКСОВ
Суточные характеристики

ФЕВРАЛЬ 1959 г.
59 1683-12

Амплитуды			Характер C	K-индекс										Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
			1	3	3	-	-	3	3	3	2	-	1	
			1	2	-	3	3	4	3	3	3	-	2	
			1	3	3	2	4	3	4	3	4	26	3	
			1	4	3	3	3	4	4	5	4	30	4	
			1	3	4	3	3	3	4	4	4	28	5	
			1	4	3	1	3	3	4	5	4	27	6	
			0	2	3	1	2	3	3	4	1	19	7	
			0	1	2	1	3	3	3	1	3	17	8	
			0	3	3	3	3	2	3	2	2	21	9	
			0	2	3	1	1	2	2	2	3	16	10	
			1	0	1	3	4	4	3	2	3	22	11	
			1	3	3	2	3	2	2	2	2	19	12	
			1	3	1	2	2	2	3	2	3	18	13	
			1	2	1	2	2	3	3	2	2	17	14	
			1	2	3	1	3	3	3	3	1	19	15	
			1	3	3	3	2	3	4	3	3	24	16	
			0	4	3	2	2	2	2	2	1	18	17	
			0	0	1	2	1	3	1	2	1	11	18	
			0	2	2	2	1	2	1	1	-	-	19	
			0	-	1	1	1	2	2	0	1	-	20	
			0	1	1	2	1	2	1	2	1	11	21	
			1	1	2	2	2	2	2	2	2	15	22	
			0	3	1	2	2	2	2	1	1	14	23	
			0	0	0	0	1	1	1	1	1	05	24	
			1	2	2	3	3	3	4	3	3	23	25	
			1	3	3	3	2	3	3	3	3	23	26	
			1	1	1	2	2	3	3	2	2	16	27	
			1	3	1	2	2	3	3	4	3	21	28	
													29	
													30	
													31	
ε ₀ =5.28	ε _H =2.98	ε _Z =5.18												

K₉=550

ЛВОВ
 φ 49°54'
 λ 23°45'

ТАБЛИЦА
 С И К-ИНДЕКСОВ
 Суточные характеристики

МАРТ 1959 г.

Инв. № 1937-III

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	3	2	2	2	3	4	3	3	22	1
			1	2	3	2	2	2	3	3	3	20	2
			1	2	2	1	2	2	3	2	3	17	3
			1	2	2	2	2	1	2	3	1	15	4
			0	1	2	2	1	2	2	3	2	15	5
			0	2	1	1	1	2	1	1	1	10	6
			0	1	1	1	2	2	2	1	1	11	7
			0	2	2	1	1	1	1	1	2	11	8
			0	1	1	1	1	1	1	0	1	07	9
			0	1	1	3	2	1	1	1	1	11	10
			0	0	1	2	1	1	1	1	1	08	11
			1	2	1	2	3	2	2	2	1	15	12
			0	1	2	1	2	2	2	1	3	14	13
			0	1	1	2	2	2	1	1	2	12	14
			0	1	1	1	1	2	1	1	1	09	15
			0	2	1	1	2	1	1	1	1	10	16
			0	1	2	1	1	1	1	1	1	09	17
			0	1	2	1	2	3	1	0	3	13	18
			0	1	2	1	2	2	2	1	1	12	19
			0	1	2	1	1	2	1	1	1	10	20
			0	1	1	1	2	2	2	1	1	11	21
			0	1	1	1	2	2	1	1	2	11	22
			0	2	2	2	2	1	2	2	1	14	23
			0	1	1	2	2	2	2	1	1	12	24
			1	1	2	3	2	3	4	3	2	20	25
			2	1	1	2	4	4	3	3	4	22	26
			2	4	4	4	2	4	4	4	4	30	27
			2	1	3	2	2	3	3	4	4	22	28
			2	4	4	3	4	4	-	-	-	-	29
			1	-	-	3	3	1	2	1	1	-	30
			1	1	2	1	2	2	1	3	3	15	31

$\varepsilon_3 = 5.3^\circ$ $\varepsilon_4 = 2.9^\circ$ $\varepsilon_2 = 5.2^\circ$

$K_9 = 550$

Л6ВОВ
 φ 49°54'
 λ 23°45'

Таблица
 С и К-индексов
 Суточные характеристики

Апрель 1959 г.
 Инв. № 129-11

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	2	2	2	1	2	1	1	1	12	1
			0	1	1	1	2	1	1	1	2	10	2
			0	2	2	2	2	1	1	1	1	12	3
			0	2	1	1	1	1	1	1	1	09	4
			0	1	1	2	2	1	2	1	1	11	5
			0	1	1	1	2	1	2	2	1	11	6
			0	1	1	1	2	1	1	3	2	12	7
			0	1	2	2	2	3	2	2	3	17	8
			1	3	3	3	3	2	1	3	3	21	9
			1	2	3	4	4	4	4	3	3	27	10
			1	1	1	1	2	3	3	3	4	18	11
			0	2	2	2	2	2	1	1	2	14	12
			0	1	1	3	2	2	2	1	1	13	13
			0	2	1	2	2	2	2	1	3	15	14
			0	3	1	2	1	2	2	2	1	14	15
			0	1	1	2	2	2	1	1	2	12	16
			0	0	0	2	2	2	1	1	1	09	17
			0	2	1	0	1	2	1	1	1	09	18
			0	1	1	1	1	2	1	1	2	10	19
			0	1	1	2	1	2	2	1	1	11	20
			0	2	2	3	2	2	2	1	1	15	21
			0	1	0	2	1	1	2	1	1	09	22
			1	1	1	1	3	3	3	4	3	19	23
			1	2	2	3	3	3	2	1	3	19	24
			1	1	2	2	2	2	3	2	3	17	25
			1	2	3	2	3	1	2	2	3	18	26
			0	2	1	1	1	2	2	1	2	12	27
			0	1	2	2	2	1	1	2	3	14	28
			1	1	2	2	2	4	3	3	2	19	29
			1	1	1	2	2	2	4	3	1	16	30
													31
$\epsilon_0 = 5.48$ $\epsilon_H = 2.98$ $\epsilon_2 = 5.38$							$K_9 = 550$						

Л660В
 φ 49°54'
 λ 23°45'

Таблица
 С и К-индексов
 Суточные характеристики

Май 1959г

Инд. № 2164-117 542

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	2	1	2	2	2	1	2	13	1
			0	1	2	1	1	2	1	1	1	10	2
			0	1	2	2	1	2	2	1	2	13	3
			0	2	2	2	2	2	2	2	3	17	4
			1	3	3	2	3	2	2	1	1	17	5
			0	0	2	1	1	1	1	1	1	08	6
			0	1	2	2	1	1	1	1	2	11	7
			1	2	3	4	3	3	3	2	2	22	8
			1	1	3	2	3	3	3	1	2	18	9
			1	2	3	2	3	2	2	3	2	19	10
			1	2	3	3	2	2	2	2	4	20	11
			2	4	4	4	3	4	6	2	2	29	12
			1	1	2	2	2	2	2	2	3	16	13
			0	1	1	0	1	2	1	1	1	08	14
			0	1	1	1	3	3	4	4	3	20	15
			1	3	3	3	3	2	1	1	2	18	16
			1	1	2	2	2	2	3	2	1	15	17
			1	2	3	3	2	2	3	3	3	21	18
			1	2	3	2	2	2	2	2	2	17	19
			1	2	3	2	3	2	2	2	2	18	20
			0	1	2	3	2	2	2	2	2	16	21
			1	2	2	3	3	2	2	2	2	18	22
			0	2	1	2	2	2	2	1	2	14	23
			1	2	2	3	3	3	2	3	5	23	24
			1	3	2	2	2	2	3	2	1	17	25
			0	2	1	1	2	2	2	2	1	13	26
			0	1	1	1	1	2	1	1	1	09	27
			0	1	1	2	1	1	1	1	1	09	28
			0	1	1	1	1	0	2	1	1	08	29
			0	1	0	1	2	3	2	2	2	13	30
			1	1	2	2	3	3	3	2	3	19	31
$E_g = 5.48$ $E_H = 2.98$ $E_z = 5.38$							$K_g = 550$						

Львов
φ 49°54'
λ 23°45'

Таблица
С и К-индексов
Суточные характеристики

Июнь 1959 г.
ЛНВ. № 2419-III

Амплитуды			Характер C	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	2	2	1	2	2	2	2	2	15	1
			1	1	1	2	2	3	2	2	3	16	2
			1	2	2	2	2	3	2	1	2	16	3
			1	2	2	3	3	2	2	2	2	18	4
			1	2	1	2	3	3	2	2	2	17	5
			1	1	1	2	3	2	2	2	2	15	6
			1	2	2	1	2	2	2	2	2	15	7
			0	1	2	2	3	2	2	2	2	16	8
			1	2	2	2	2	3	2	2	1	16	9
			0	2	2	2	3	2	1	1	2	15	10
			1	1	1	2	3	4	4	2	1	18	11
			0	1	0	2	1	1	2	2	2	11	12
			0	0	1	2	2	2	2	1	1	11	13
			0	0	2	2	1	3	2	2	2	14	14
			0	1	1	2	3	2	1	1	1	12	15
			0	1	1	1	1	1	2	2	1	10	16
			0	1	1	2	2	2	2	2	2	14	17
			0	1	2	1	3	2	2	1	2	14	18
			1	1	2	2	2	2	2	1	2	14	19
			0	1	1	2	1	3	1	2	2	13	20
			0	1	1	1	2	1	2	2	2	12	21
			1	1	1	2	2	2	3	2	2	15	22
			1	1	1	1	1	2	3	2	2	13	23
			0	3	2	2	2	3	2	2	2	18	24
			0	2	1	1	2	2	2	2	3	15	25
			0	2	2	3	1	2	3	1	1	15	26
			1	1	0	1	2	4	3	3	3	17	27
			1	3	2	2	2	4	2	2	3	20	28
			1	1	2	2	3	3	3	2	3	19	29
			1	2	1	3	3	4	3	2	2	20	30
													31

ε_δ=5.48 ε_H=2.88 ε_z=5.38

K₉=550

Львов
 $\varphi 49^{\circ}54'$
 $\lambda 23^{\circ}45'$

Таблица
 С и К-индексов
 Суточные характеристики

Июль 1959 г.
 Инв. № 2564-III ч. 54

Амплитуды			Характер C	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	1	2	2	1	2	1	1	11	1
			0	2	3	3	3	2	2	1	1	17	2
			0	1	0	0	1	2	1	1	1	7	3
			1	1	1	2	3	3	4	3	4	21	4
			1	1	3	3	3	3	3	3	1	20	5
			0	1	1	2	3	3	3	2	2	17	6
			0	1	2	2	3	4	3	1	1	17	7
			0	1	2	3	1	4	3	2	1	17	8
			0	1	2	3	2	2	3	3	3	19	9
			0	2	3	2	2	2	2	1	-	-	10
			1	2	3	2	2	3	5	3	3	23	11
			0	4	3	2	1	3	2	1	1	17	12
			0	1	2	2	2	3	3	2	3	18	13
			0	1	3	3	2	4	3	3	1	20	14
			2	2	3	7	9	6	7	7	6	47	15
			1	4	2	4	3	3	3	4	3	26	16
			2	2	3	3	2	3	6	6	7	32	17
			1	6	5	5	4	4	5	3	3	35	18
			0	3	3	3	4	3	4	3	2	25	19
			0	2	2	3	3	3	3	2	3	21	20
			0	4	2	2	2	3	3	3	3	22	21
			0	2	2	2	3	2	2	2	4	19	22
			0	2	2	1	2	3	3	2	3	18	23
			1	3	2	1	4	3	3	4	3	23	24
			1	2	3	3	4	3	4	4	3	26	25
			1	3	3	3	3	3	4	3	3	25	26
			1	3	3	3	2	2	3	3	3	22	27
			0	2	1	2	3	3	3	2	2	18	28
			0	2	3	2	3	2	2	2	1	17	29
			0	1	1	0	2	2	2	2	0	10	30
			0	1	3	1	3	4	3	2	2	19	31
$\bar{\epsilon}_D = 5.4^{\circ}$ $\bar{\epsilon}_H = 2.9^{\circ}$ $\bar{\epsilon}_Z = 5.3^{\circ}$				$H_9 = 550$									

16606
 φ 49°54'
 λ 23°45'

Таблица
 С и К-индексов
 Суточные характеристики

54н Август 1959г.

№ 2600-Ш

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	3	3	3	4	4	3	2	1	23	1
			0	3	3	2	3	2	3	3	1	20	2
			1	1	1	4	3	3	4	3	1	20	3
			0	1	2	2	4	4	3	2	3	21	4
			0	1	0	1	2	3	3	2	2	14	5
			1	1	2	2	3	4	3	4	2	21	6
			1	2	2	2	3	2	4	3	2	18	7
			1	2	1	2	3	3	2	1	3	17	8
			1	2	1	3	3	3	3	4	2	21	9
			0	2	3	1	2	3	3	3	2	19	10
			0	2	2	2	2	2	1	1	2	14	11
			0	1	1	1	1	2	2	1	1	10	12
			0	2	1	1	2	2	1	2	1	12	13
			0	1	2	1	2	2	1	2	1	12	14
			1	1	1	1	3	3	4	3	3	19	15
			2	3	3	5	6	6	6	3	4	36	16
			1	5	5	4	4	5	5	3	3	34	17
			1	2	3	4	3	3	4	4	2	25	18
			1	2	3	3	3	2	3	3	2	21	19
			1	5	4	4	4	4	2	4	3	30	20
			1	4	2	3	4	3	4	4	3	27	21
			1	2	2	2	3	3	3	4	4	23	22
			1	2	2	3	3	4	4	3	3	24	23
			0	3	3	4	4	2	2	2	2	22	24
			0	1	3	2	3	3	3	1	3	19	25
			0	2	2	3	3	2	2	2	2	18	26
			0	1	2	1	3	3	1	1	1	13	27
			0	1	1	2	1	1	1	0	1	8	28
			0	3	1	2	3	2	3	2	2	18	29
			0	2	3	1	2	2	2	2	1	15	30
			0	1	1	2	2	2	3	2	1	14	31
ε _D 5.48	ε _H 2.98	ε _Z 5.38				149	= 550						

φ $49^{\circ}54'$
 λ $23^{\circ}45'$

Таблица
С и К - индексов
Суточные характеристики

Сентябрь 1959г.

2658 - 111 54

Дата	Амплитуды			Характер ζ	K-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	3	2	2	3	3	2	3	2	20
2				1	3	4	3	3	2	3	3	3	24
3				1	3	2	3	3	3	3	3	6	26
4				2	5	4	4	4	4	4	4	4	33
5				1	4	3	3	3	3	3	3	4	26
6				0	3	2	2	2	2	2	1	1	15
7				0	1	0	1	2	3	3	2	2	14
8				0	2	2	3	3	3	4	2	3	22
9				0	1	2	1	2	2	2	1	2	13
10				0	1	1	3	2	2	2	2	4	17
11				1	2	2	2	2	3	2	2	2	17
12				0	4	2	2	3	2	3	2	1	19
13				0	2	1	2	2	3	3	2	5	20
14				0	3	2	2	3	4	3	3	4	24
15				0	3	1	2	3	2	2	4	4	21
16				0	3	3	3	2	2	3	4	3	23
17				0	3	1	2	3	3	4	4	3	23
18				1	3	2	3	3	4	4	3	4	26
19				1	4	3	2	4	4	3	2	3	25
20				1	3	3	3	4	4	4	5	4	30
21				1	4	4	3	4	5	5	-	-	-
22				1	-	-	4	3	4	3	5	2	-
23				0	2	2	3	3	3	4	4	5	26
24				1	3	3	3	2	4	3	2	2	22
25				1	3	3	3	4	3	4	2	4	26
26				1	3	2	3	4	2	3	4	3	24
27				1	2	3	3	4	3	5	3	3	26
28				0	3	2	3	3	3	3	3	2	22
29				0	2	1	3	4	3	3	1	3	20
30				0	2	2	2	4	3	4	3	3	23
31													
Среднее	$E_D = 5.48$	$E_H = 3.08$	$E_Z = 5.48$		$K_9 = 550$								

Л6606
φ 49° 54'
λ 23° 45'

Таблица
С и К-индексов

Октябрь 1959г.

Суточные характеристики

2909-111

Дата	Амплитуды			Характер Г	К-индекс								
	ΔD	ΔH	ΔZ		0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	ΣК
1				1	4	3	3	5	2	4	4	3	28
2				0	2	4	3	4	3	3	2	1	22
3				1	1	2	2	3	3	4	4	5	24
4				1	4	5	4	3	5	3	3	2	29
5				1	4	3	3	3	3	3	4	4	27
6				1	4	3	3	4	4	5	5	5	33
7				0	3	2	3	3	2	-	-	-	-
8				0	-	-	3	3	2	3	1	1	-
9				0	2	3	2	3	1	2	3	1	17
10				0	1	2	2	3	2	3	3	1	17
11				0	1	0	2	2	1	1	2	1	10
12				0	2	0	1	2	2	3	2	2	14
13				0	1	0	1	3	3	2	1	1	12
14				0	1	1	2	3	3	1	3	3	17
15				0	3	3	2	3	3	2	2	3	21
16				0	1	1	2	3	2	2	2	2	15
17				1	1	1	2	3	2	3	3	4	19
18				1	3	4	3	4	3	4	4	4	29
19				0	3	2	2	2	2	1	3	4	19
20				0	2	1	2	1	1	1	1	0	10
21				0	0	1	2	3	1	3	1	3	14
22				1	2	3	3	3	3	4	2	2	22
23				0	3	2	3	3	1	0	2	1	15
24				0	1	0	2	2	2	1	1	2	11
25				1	2	4	3	3	2	2	2	3	21
26				1	2	2	2	3	4	4	3	3	23
27				0	1	2	3	2	2	3	1	1	15
28				0	1	2	1	2	1	2	1	1	11
29				0	0	1	1	1	2	1	1	4	11
30				1	4	2	3	3	3	3	4	5	27
31				2	3	3	3	4	2	5	5	4	29
реднее	$E_D=5.4\%$	$E_H=3.0\%$	$E_Z=5.4\%$										$K_9 \approx 550$

Л6806

Таблица
С и К-индексов
Суточные характеристики

54 Ноябрь 1959 г.

Инв. №3209

III

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	2	3	4	4	4	2	3	4	26	1
			2	4	4	4	4	5	5	5	4	35	2
			2	4	3	3	3	3	4	4	4	28	3
			1	2	2	3	3	4	4	5	3	26	4
			1	3	3	3	3	3	3	4	2	24	5
			1	3	1	2	3	2	3	4	4	22	6
			0	1	2	1	1	2	2	4	3	16	7
			0	1	3	2	2	3	2	3	1	17	8
			0	1	2	2	1	1	4	4	4	19	9
			0	3	3	3	3	2	2	2	4	22	10
			0	2	2	1	1	1	1	1	2	11	11
			0	2	1	1	1	1	1	2	3	12	12
			0	2	2	2	2	2	2	3	4	19	13
			1	3	2	3	4	4	4	4	3	27	14
			0	2	2	2	0	1	1	0	1	09	15
			0	1	1	2	2	3	3	2	2	16	16
			0	1	3	2	2	3	1	2	1	15	17
			0	1	1	2	1	3	4	5	2	19	18
			0	2	2	3	2	3	3	1	2	18	19
			0	2	2	1	1	1	0	1	1	09	20
			0	1	2	1	3	5	4	-	-	-	21
			0	-	-	2	3	3	3	4	3	-	22
			1	4	4	3	4	3	3	5	1	27	23
			0	1	1	2	2	3	3	2	1	15	24
			0	1	2	1	3	4	3	2	3	19	25
			0	2	1	2	3	3	1	2	3	17	26
			0	3	2	2	2	2	1	2	4	18	27
			2	5	6	4	5	4	3	4	4	35	28
			0	3	1	1	3	3	3	4	2	20	29
			1	1	1	3	4	4	6	4	4	27	30
													31
$\epsilon_3 = 5.48$	$\epsilon_4 = 3.08$	$\epsilon_2 = 5.48$				$K_9 = 550$							

54 Декабрь 1959 г.
Инд. № 3241 - III

1009