

Львов

LV0V

Таблица
с К-индексов
Суточные характеристики

Январь 1961г

Инв. № 5062-5

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ К	
1				0	2	1	2	1	1	1	2	2	12	1
2				0	2	2	2	1	1	1	2	2	13	2
3				0	1	1	2	2	2	2	1	1	12	3
4				0	1	1	1	2	2	2	2	1	12	4
5				0	1	0	1	2	2	2	3	2	13	5
6				0	2	2	2	2	2	2	2	2	16	6
7				0	2	2	3	2	2	2	1	3	17	7
8				1	3	3	3	2	3	4	5	4	27	8
9				1	3	3	3	3	4	4	5	5	30	9
10				0	3	3	2	2	1	2	2	1	16	10
11				0	0	0	1	1	1	0	1	0	4	11
12				0	1	1	2	1	1	2	3	3	14	12
13				0	2	2	3	3	3	2	3	3	21	13
14				0	2	2	1	1	2	2	3	3	16	14
15				1	3	2	3	3	3	3	3	5	25	15
16				0	3	3	3	2	2	1	2	3	19	16
17				0	2	2	2	1	2	2	2	2	15	17
18				1	2	1	2	3	4	3	4	3	22	18
19				1	3	3	2	2	4	5	5	4	28	19
20				1	4	4	3	4	4	4	3	3	29	20
21				0	2	2	2	3	4	5	3	2	23	21
22				1	2	2	3	4	4	3	3	2	23	22
23				0	2	2	2	1	0	2	2	2	13	23
24				1	2	2	3	3	4	5	4	3	26	24
25				0	3	3	3	4	4	2	2	2	23	25
26				1	2	2	3	3	4	4	3	3	24	26
27				0	3	2	2	2	2	2	2	2	17	27
28				-	3	2	3	3	4	-	-	-		28
29				0	-	-	3	2	2	3	3	2		29
30				0	2	2	2	1	2	2	2	2	15	30
31				0	2	2	1	1	1	1	1	1	10	31
реднее	c1 no 10 $E_D = 5,55$ c11 no 31 $E_D = 5,36$	c1 no 10 $E_H = 3,00$ c11 no 20 $E_H = 2,91$ c21 no 31 $E_H = 2,94$	c1 no 10 $E_Z = 5,48$ c11 no 20 $E_Z = 5,40$ c21 no 31 $E_Z = 5,32$				Kg = 550							

Львов

Таблица
с К-индексов
Суточные характеристики

Февраль 1961

5100 III

Дата	Амплитуды			Характер С	К — индекс									Лата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	0	0	1	1	1	1	0	6	1
2				0	0	0	0	0	1	1	2	1	5	2
3				1	1	1	2	3	4	3	2	2	18	3
4				1	1	1	2	2	4	4	6	6	26	4
5				1	5	4	3	3	3	2	2	2	24	5
6				1	2	2	3	3	4	5	3	3	25	6
7				0	2	2	3	3	2	2	3	4	21	7
8				0	2	2	2	2	2	3	3	3	19	8
9				0	3	2	2	2	2	2	2	2	17	9
10				0	2	2	1	0	2	2	2	2	13	10
11				0	3	2	1	3	3	1	1	1	15	11
12				0	0	0	1	0	0	1	0	0	2	12
13				1	0	1	3	5	5	5	3	2	24	13
14				0	2	1	1	1	1	1	3	3	13	14
15				0	2	2	2	3	2	2	2	2	17	15
16				1	3	2	3	5	5	4	3	2	27	16
17				1	2	2	2	3	4	4	4	5	26	17
18				1	5	5	2	2	4	3	4	3	28	18
19				1	3	2	3	4	4	5	5	3	29	19
20				1	3	3	3	3	4	5	3	3	27	20
21				1	3	3	3	3	4	5	5	4	30	21
22				0	3	3	2	3	2	3	3	3	22	22
23				0	3	2	2	2	2	2	3	2	18	23
24				0	2	2	1	0	1	1	1	0	8	24
25				0	0	0	1	2	2	2	2	2	11	25
26				0	2	1	2	2	3	2	1	1	14	26
27				0	2	2	1	1	2	2	2	2	14	27
28				0	2	2	2	2	2	2	3	2	17	28
29														29
30														30
31														31
Среднее	с/но 20 $\varepsilon_D = 5,33^\circ$ с/но 28 $\varepsilon_D = 5,28^\circ$	$\varepsilon_H = 2,95^\circ$	с/но 20 $\varepsilon_Z = 5,31^\circ$ с/но 28 $\varepsilon_Z = 5,32^\circ$		K ₉ = 550									

Львов

Таблица
Суточные характеристики
с и к индексов

Март 1961.

5134-III

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	1	2	2	3	1	2	2	14	1
2				0	2	2	2	2	2	2	2	3	17	2
3				0	3	2	1	1	2	2	1	1	13	3
4				0	0	1	1	1	1	1	1	1	7	4
5				0	1	1	1	1	2	2	4	5	17	5
6				1	4	4	3	3	3	3	2	1	28	6
7				0	1	1	0	1	2	2	2	3	12	7
8				0	2	2	1	0	1	1	3	3	13	8
9				1	2	2	1	1	3	3	3	3	18	9
10				1	3	3	4	6	5	3	2	1	27	10
11				0	1	1	1	1	1	1	3	2	11	11
12				0	3	2	0	0	0	0	0	1	6	12
13				0	3	1	-	0	1	3	2	1	-	13
14				1	3	3	3	3	2	3	3	3	29	14
15				1	0	3	2	3	4	2	2	5	21	15
16				0	3	1	4	3	3	2	1	0	17	16
17				0	2	1	2	2	2	4	3	3	19	17
18				0	1	2	4	3	1	1	2	1	15	18
19				1	2	1	2	2	3	4	4	3	20	19
20				1	3	2	2	3	3	2	3	2	20	20
21				0	3	2	1	1	2	2	2	1	14	21
22				0	1	3	3	2	3	2	0	0	14	22
23				0	0	-	1	1	2	2	2	2	-	23
24				0	1	1	0	3	2	2	1	3	13	24
25				0	2	0	1	2	2	1	2	3	13	25
26				0	1	1	1	2	3	5	4	2	19	26
27				1	3	2	2	3	2	2	2	2	18	27
28				0	0	0	1	2	2	1	3	2	11	28
29				0	2	2	0	1	2	1	2	2	12	29
30				0	1	1	3	2	2	1	0	1	11	30
31				1	0	-	2	2	1	3	2	1	-	31
Среднее	$\epsilon_D = 5,28$	$\epsilon_H = 2,95$ $\epsilon_H = 2,99$	$\epsilon_Z = 5,32$ $\epsilon_Z = 5,40$					$K_g = 550$						

Львов

Таблица
С. К. индексов
Суточные характеристики

Апрель 1961г

№ 5166 II

Дата	Амплитуды			Характер С	K — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
				1	4	3	3	2	3	2	3	3	23	1
				0	3	3	4	1	2	1	2	3	19	2
				0	2	2	4	3	1	2	3	3	20	3
				0	2	0	1	1	1	1	2	1	9	4
				0	0	0	1	1	1	2	2	1	8	5
				0	1	0	3	2	2	3	3	4	18	6
				0	2	2	1	1	2	2	2	2	14	7
				0	1	1	2	2	2	2	1	2	13	8
				1	-	-	3	5	4	3	2	2	-	9
				1	2	2	2	3	3	2	3	2	19	10
				1	3	4	2	3	4	3	3	2	24	11
				0	1	1	2	1	3	3	3	2	16	12
				0	1	1	1	1	1	4	3	2	14	13
				1	2	1	2	3	4	3	5	4	24	14
				1	5	5	5	3	3	3	2	3	29	15
				1	1	2	1	1	2	3	3	3	16	16
				0	0	0	1	0	0	1	1	0	3	17
				0	0	0	1	2	1	1	1	1	7	18
				0	1	2	2	2	2	2	2	1	14	19
				0	3	1	2	2	1	1	1	2	13	20
				0	1	0	2	1	1	2	1	0	8	21
				0	0	0	3	1	3	3	3	2	15	22
				0	1	1	2	3	2	1	2	2	14	23
				0	3	1	2	2	2	3	3	3	19	24
				-	2	2	-	-	-	-	-	-	-	25
				0	-	-	2	1	3	3	3	1	-	26
				1	2	3	2	3	3	3	2	2	20	27
				0	2	2	2	2	2	2	2	2	16	28
				0	2	1	2	3	2	2	2	2	16	29
				0	2	1	2	3	-	-	-	-	-	30
														31
среднее С1 no 10 $\epsilon_D = 5,28$ С11 no 30 $\epsilon_D = 5,30$ С1 no 10 $\epsilon_H = 2,99$ С11 no 30 $\epsilon_H = 2,98$ С1 no 10 $\epsilon_Z = 5,40$ С11 no 20 $\epsilon_Z = 5,35$ С21 no 30 $\epsilon_Z = 5,38$				Kg = 550										

Львов

таблица
Суточные характеристики
С. К. индекс

Май 1961

Инв. № 5352 -НТ

м. 54

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	-	-	2	3	4	3	2	3	-	1
			1	5	3	2	3	2	3	2	1	21	2
			0	1	1	1	1	2	3	2	2	13	3
			0	1	1	2	3	2	3	3	4	19	4
			1	3	2	2	2	3	5	3	3	23	5
			1	2	-	4	5	4	2	2	4	-	6
			1	2	2	4	4	3	4	2	3	24	7
			0	2	2	3	3	2	3	4	3	22	8
			0	1	1	2	4	3	2	2	1	16	9
			0	1	1	1	2	2	1	1	2	11	10
			1	3	3	2	2	3	3	3	2	21	11
			0	2	3	3	2	2	2	2	2	18	12
			1	3	4	2	2	5	2	2	1	19	13
			0	2	3	3	3	1	1	0	0	13	14
			0	0	2	1	2	2	2	1	2	12	15
			1	3	4	4	3	4	4	2	2	26	16
			0	2	2	1	1	3	2	1	1	13	17
			0	0	1	1	0	1	1	0	1	5	18
			0	0	2	1	2	2	3	1	3	14	19
			0	2	3	1	2	-	-	-	-	-	20
			0	-	-	2	1	2	2	2	1	-	21
			0	2	1	3	2	2	3	3	2	18	22
			0	1	3	3	3	3	3	1	1	18	23
			0	2	2	2	1	1	3	1	2	14	24
			1	3	5	3	3	3	4	2	0	23	25
			0	2	2	2	2	2	2	1	1	14	26
			0	2	1	1	1	2	0	0	0	7	27
			0	1	2	2	2	3	3	3	2	18	28
			0	1	2	1	2	2	1	1	1	11	29
			0	0	1	1	3	4	3	2	2	16	30
			1	2	3	2	3	4	4	3	3	24	31
С. К. по 10 ЕВ = 5,30 С. К. по 20 ЕВ = 5,32 С. К. по 31 ЕВ = 5,32	1. по 10 ЕВ = 2,98 11 по 20 ЕВ = 2,96 21 по 31 ЕВ = 2,98	1 по 10 ΣΣ = 5,40 11 по 20 ЕВ = 5,43 21 по 31 ΣΣ = 5,42											

Kg = 550

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	3	2	3	4	5	5	2	2	26	1
			1	2	2	3	4	3	2	0	0	16	2
			0	1	3	2	3	2	1	0	0	12	3
			0	1	1	1	1	3	1	0	1	9	4
			0	1	2	1	2	1	2	2	2	13	5
			0	—	—	1	1	3	5	3	3	—	6
			1	1	1	3	3	4	4	2	3	21	7
			1	3	2	3	2	4	4	3	2	23	8
			0	1	2	1	1	1	0	0	0	6	9
			0	0	1	2	1	2	2	2	1	11	10
			0	0	1	1	1	1	2	1	0	7	11
			0	0	3	1	2	3	2	0	0	11	12
			0	0	2	0	2	2	2	0	0	8	13
			0	1	1	2	2	1	0	1	3	11	14
			0	2	2	1	3	4	3	2	2	19	15
			0	1	1	2	3	2	3	2	1	15	16
			0	1	2	2	2	3	2	2	2	16	17
			1	1	1	3	2	3	3	3	4	20	18
			0	2	2	3	1	1	2	2	2	15	19
			0	0	1	3	2	0	3	3	3	15	20
			1	3	3	4	5	5	3	3	5	31	21
			2	5	4	2	4	5	6	5	4	35	22
			0	2	2	2	1	3	3	1	1	15	23
			0	1	1	1	1	1	1	1	0	7	24
			0	0	0	0	1	2	3	2	3	11	25
			0	0	1	1	1	3	3	2	1	12	26
			0	0	1	1	3	3	1	0	0	9	27
			0	0	2	1	1	1	1	1	1	8	28
			1	0	5	2	3	3	3	1	1	18	29
			0	1	2	0	0	0	2	1	1	7	30
													31
$\epsilon_D = 5,38$ $C1 \approx 20$ $\epsilon_H = 2,98$ $C21 \approx 30$ $\epsilon_H = 3,00$			$\epsilon_Z = 5,10$ $K_g = 550$										

n. 541

[illegible]

5776-11
n.54

5776-11
n.54

еднее

$\epsilon_D = 5.38$	$\epsilon_H = 2.96$	$\epsilon_x = 5.26$
с.п. № 30	с.п. № 30	с.п. № 30
$\epsilon_D = 4.30$	$\epsilon_H = 1.60$	$\epsilon_y = 2.60$

В 145
Повов

Таблица
сик индексов
Суточные характеристики

Октябрь 1961
5872, III

Амплитуды			Характер С	К — индекс									Лата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			2	7	6	5	6	4	3	2	3	36	1
			0	0	2	1	1	3	4	0	0	11	2
			0	1	0	2	2	3	1	0	1	10	3
			0	3	1	2	2	3	3	3	1	18	4
			0	3	1	1	0	2	0	0	0	7	5
			0	3	2	2	2	3	3	3	2	20	6
			0	4	2	2	1	1	1	0	2	13	7
			0	2	3	2	2	1	1	2	2	15	8
			0	2	1	0	0	1	0	0	0	4	9
			0	3	1	0	0	0	0	1	0	5	10
			0	0	1	2	3	2	1	1	1	11	11
			0	3	2	3	3	3	4	2	3	23	12
			0	2	1	3	3	0	3	2	2	16	13
			0	3	1	2	2	2	1	1	0	12	14
			0	1	1	1	1	1	0	2	1	8	15
			0	1	0	1	1	1	1	1	1	7	16
			0	1	1	0	1	1	1	1	2	8	17
			0	1	1	1	1	1	2	1	1	9	18
			0	1	2	1	1	1	1	2	3	12	19
			0	4	3	2	1	1	2	1	0	14	20
			0	1	1	1	3	2	3	3	3	17	21
			0	2	1	2	2	1	3	2	1	14	22
			0	0	1	1	2	1	3	2	4	14	23
			0	2	2	1	2	1	1	1	0	10	24
			0	1	0	3	2	3	3	2	4	18	25
			0	1	3	5	3	3	5	5	5	30	26
			0	3	5	3	4	4	5	4	4	32	27
			2	3	2	4	7	6	7	7	7	43	28
			0	5	4	5	4	2	1	2	3	26	29
			0	0	1	1	3	3	4	2	2	16	30
			0	1	1	3	2	2	1	2	1	13	31
cl no 10 εp = 4.30 clt no 31 εp = 5.27	cl no 10 εH = 1.60 clt no 31 εH = 2.62	cl no 10 ε2 = 2.60 clt no 31 ε2 = 3.52		K _g = 550.									

m.54

Львов

Таблица
с и к индексов
Суточные характеристики

6060-III
Декабрь 1961г

n.54

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			2	1	3	4	5	7	6	5	5	36	1
			1	4	3	4	5	6	6	6	5	39	2
			1	5	5	4	4	5	3	4	4	34	3
			0	1	2	3	2	2	4	1	3	18	4
			0	2	2	2	1	3	5	4	3	22	5
			0	2	3	1	1	5	5	4	3	24	6
			0	2	3	2	2	3	1	1	1	15	7
			0	1	1	1	1	1	1	1	1	8	8
			0	2	1	2	2	2	2	2	2	15	9
			0	2	2	1	2	1	2	2	2	14	10
			0	1	2	3	3	2	4	4	3	22	11
			0	1	3	1	1	1	2	2	2	13	12
			0	1	1	1	3	1	2	2	4	15	13
			0	2	1	1	2	3	1	3	3	16	14
			0	1	1	1	1	3	2	2	4	15	15
			0	1	1	1	2	2	2	2	3	14	16
			0	2	2	1	2	1	1	1	1	11	17
			0	1	1	1	1	1	1	2	1	9	18
			0	1	1	1	2	2	1	1	1	10	19
			0	1	1	2	2	3	2	2	2	15	20
			0	1	2	3	1	2	2	2	1	14	21
			0	2	1	3	2	3	3	3	1	18	22
			0	2	3	3	3	4	2	1	5	23	23
			0	3	2	3	3	3	3	1	5	23	24
			0	1	1	2	1	2	2	1	1	11	25
			0	1	1	2	2	3	3	2	2	16	26
			0	3	3	1	1	2	2	2	1	15	27
			φ	1	2	2	5	3	6	4	4	27	28
			0	4	2	1	2	2	3	1	5	20	29
			0	3	1	2	4	3	4	4	2	23	30
			0	2	2	2	2	2	1	2	3	16	31
$\varepsilon_D = 5,28$	$\varepsilon_H = 2,62$ $\varepsilon_H = 2,63$	$\varepsilon_Z = 3,52$											

$$K_9 = 550 \approx 550$$