

L'vov
Львов

Таблица
с и К индексов
Суточные характеристики

Январь 1962
6097-14
н.54

Дата	Амплитуды			Характер С	К -- индексы									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	2	2	1	1	1	2	13	1
2				0	3	2	2	3	2	3	3	2	20	2
3				0	1	1	1	1	2	1	1	2	10	3
4				0	2	1	1	1	1	1	0	0	7	4
5				0	1	1	2	1	1	1	1	1	9	5
6				0	1	2	3	2	2	2	3	1	16	6
7				0	1	1	3	2	2	3	2	2	16	7
8				0	2	1	1	2	3	2	2	0	13	8
9				0	1	2	2	3	4	2	4	2	20	9
10				2	3	5	4	7	6	5	7	4	41	10
11				0	2	3	3	2	4	3	3	2	22	11
12				0	2	2	3	2	3	1	1	1	15	12
13				0	1	1	3	2	1	1	2	1	12	13
14				1	1	1	2	2	2	5	4	4	21	14
15				0	2	1	1	2	3	2	2	3	16	15
16				0	1	2	3	3	4	3	3	3	22	16
17				0	2	1	1	2	2	2	2	1	13	17
18				0	1	1	2	1	2	2	1	0	10	18
19				0	2	2	2	2	5	5	4	2	24	19
20				0	2	1	2	2	1	1	3	1	13	20
21				0	2	1	2	4	3	1	2	2	17	21
22				0	1	1	2	1	1	1	1	1	9	22
23				0	1	1	1	1	2	1	1	1	9	23
24				0	1	1	2	1	1	1	1	1	9	24
25				0	1	1	2	1	1	1	1	1	9	25
26				0	1	1	2	2	2	2	3	2	15	26
27				0	2	2	2	3	1	1	3	3	17	27
28				0	1	1	2	1	1	1	1	1	9	28
29				0	1	1	1	2	3	2	1	2	13	29
30				0	2	2	2	2	2	2	2	1	15	30
31				0	2	1	1	1	1	1	1	1	9	31
Среднее	с 1 по 20 $\varepsilon_D = 5.23$ с 21 по 31 $\varepsilon_D = 5.21$	с 1 по 20 $\varepsilon_H = 2.63$ с 21 по 31 $\varepsilon_H = 2.61$	с 1 по 20 $\varepsilon_Z = 3.56$ с 21 по 31 $\varepsilon_Z = 3.62$		$K_g = 550$									

Лвов
Львов

Таблица
с К индексов
Суточные характеристики

февраль

6314-III

1962

м. 54

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	0	1	1	1	1	1	1	1	7	1
2				0	1	1	1	1	1	1	1	2	9	2
3				0	2	1	1	1	1	2	1	1	10	3
4				1	1	1	2	3	5	4	3	3	22	4
5				0	3	2	2	1	2	2	2	1	15	5
6				0	1	1	1	1	1	2	2	2	11	6
7				0	3	2	2	3	3	3	4	2	22	7
8				0	1	1	1	2	2	1	1	2	11	8
9				0	2	2	2	2	1	1	1	1	12	9
10				0	1	1	2	2	2	2	1	1	12	10
11				0	2	2	1	3	3	2	3	3	19	11
12				0	3	3	2	2	2	2	4	3	21	12
13				0	2	2	3	3	3	3	3	3	22	13
14				0	4	3	2	2	2	2	4	5	24	14
15				0	2	3	3	2	5	4	3	2	24	15
16				1	2	2	2	5	4	5	5	5	30	16
17				0	4	3	3	2	3	3	3	2	23	17
18				0	1	1	2	2	2	1	4	2	15	18
19				0	1	1	2	2	2	2	1	1	12	19
20				0	1	1	1	1	2	1	2	2	11	20
21				0	1	1	2	2	3	3	2	2	16	21
22				0	3	2	2	3	2	3	2	1	18	22
23				0	1	2	2	3	3	3	2	2	18	23
24				0	2	2	2	2	2	2	3	2	17	24
25				0	1	1	1	2	2	2	3	2	14	25
26				1	2	2	2	2	3	4	4	3	22	26
27				0	2	2	2	4	3	4	4	2	23	27
28				0	2	1	1	2	1	1	1	1	10	28
29														29
30														30
31														31
среднее	с1 № 10 $\Sigma D = 5.21$ с11 № 20 $\Sigma P = 5.20$ с11 № 23 $\Sigma Z = 2.60$	с1 № 10 $\Sigma H = 2.61$ с11 № 20 $\Sigma H = 2.67$ с21 № 23 $\Sigma H = 2.60$	с1 № 10 $\Sigma Z = 3.62$ с11 № 23 $\Sigma Z = 3.69$		$K_g = 550$									

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	1	2	2	3	3	2	2	16	1
2				0	2	1	3	2	2	2	3	1	16	2
3				0	1	1	2	2	4	2	2	3	17	3
4				0	2	2	3	2	2	2	1	2	16	4
5				0	2	2	2	3	5	4	4	3	25	5
6				1	2	4	4	4	5	5	5	2	31	6
7				0	3	2	3	1	2	2	1	1	15	7
8				0	1	1	3	2	1	0	1	1	10	8
9				0	1	1	1	0	1	1	2	2	9	9
10				0	2	1	2	3	3	2	2	3	18	10
11				0	3	3	2	2	2	3	3	2	20	11
12				1	2	2	3	4	4	5	4	3	27	12
13				0	4	2	2	2	2	1	1	1	15	13
14				0	1	1	2	2	3	3	3	1	16	14
15				0	2	2	2	3	3	2	2	3	19	15
16				0	1	1	2	2	1	1	2	1	11	16
17				0	1	2	2	2	2	2	1	1	13	17
18				0	1	2	2	3	3	2	3	2	18	18
19				1	3	2	2	3	3	4	3	3	23	19
20				0	2	1	2	2	2	3	3	3	18	20
21				0	2	2	2	2	3	3	3	3	20	21
22				0	1	1	1	1	1	1	1	3	10	22
23				0	1	1	1	3	2	1	1	1	11	23
24				0	2	2	2	2	1	2	2	1	14	24
25				0	2	2	2	3	3	2	1	2	17	25
26				0	2	2	1	1	1	1	1	1	10	26
27				0	1	1	1	2	1	2	1	1	10	27
28				0	1	1	1	2	2	2	2	2	13	28
29				0	2	1	2	2	2	1	1	1	12	29
30				0	1	1	2	1	2	1	1	1	10	30
31				0	2	2	2	2	1	1	1	1	12	31
Среднее	$cI \approx 10$ $E_D = 5.19$ $cII \approx 21$ $E_D = 5.20$ $c21 \approx 31$ $E_D = 5.25$	$cI \approx 10$ $E_H = 2.60$ $cII \approx 31$ $E_H = 2.63$	$cI \approx 10$ $E_Z = 3.63$ $cII \approx 31$ $E_Z = 3.62$		$K_g = 550$									

Lvov

Львов

Таблица
с индексом
Суточные характеристики

Апрель

6825-III

1962

н.54

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	3	3	3	2	2	2	13	1
2				0	2	2	2	2	2	2	3	4	19	2
3				0	4	2	3	2	2	3	3	3	22	3
4				0	2	2	3	3	2	2	2	3	19	4
5				0	3	2	2	2	2	2	2	2	17	5
6				0	2	2	3	3	3	3	4	5	25	6
7				1	4	3	4	3	3	4	5	5	31	7
8				0	4	3	2	3	3	6	4	3	28	8
9				0	3	2	3	2	3	3	2	2	20	9
10				1	2	3	2	4	5	4	5	5	30	10
11				1	3	4	3	3	4	4	3	3	27	11
12				0	3	2	2	2	2	3	2	3	19	12
13				0	3	3	2	1	2	2	2	2	17	13
14				0	2	2	2	1	1	1	1	2	12	14
15				1	2	3	2	2	3	3	2	3	20	15
16				0	3	3	2	3	2	2	3	3	21	16
17				0	3	2	2	3	2	2	2	2	18	17
18				0	2	2	2	2	3	3	4	2	20	18
19				0	2	2	3	2	2	1	1	2	15	19
20				0	2	2	2	2	1	3	2	2	16	20
21				0	4	3	4	4	3	5	4	4	31	21
22				0	5	4	3	4	3	4	3	4	30	22
23				0	3	3	3	3	3	2	2	1	20	23
24				0	1	1	2	1	3	2	2	1	13	24
25				0	2	1	3	4	3	4	3	2	22	25
26				0	2	3	4	3	3	2	2	2	21	26
27				0	3	2	2	3	2	2	3	1	18	27
28				0	2	2	2	2	2	3	2	3	18	28
29				0	2	2	3	2	3	1	2	2	17	29
30				0	1	1	3	2	3	3	3	2	18	30
31														31
реднее	с/молл $E_D = 5.20$ с/молл 30 $E_D = 4.20$	с/молл $E_H = 2.62$ с/молл 30 $E_H = 2.62$	с/молл $E_Z = 3.64$ с/молл 30 $E_Z = 3.62$		$K_g = 550$									

Дата	Амплитуды			Характер С	К — индекс									Лета
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	2	2	2	2	2	3	2	18	1
2				0	2	3	3	2	2	2	2	3	19	2
3				0	2	1	2	2	2	2	2	2	15	3
4				0	2	3	2	2	1	1	1	1	13	4
5				0	1	2	2	2	2	2	2	3	16	5
6				1	2	2	2	3	3	3	3	4	22	6
7				0	2	1	2	2	2	2	2	2	15	7
8				0	2	2	2	1	2	2	2	3	16	8
9				0	2	2	2	1	1	1	1	1	11	9
10				0	1	2	2	2	2	3	1	1	14	10
11				0	1	2	2	2	4	4	3	3	21	11
12				0	1	2	2	2	1	2	1	1	12	12
13				0	2	3	1	2	3	2	2	3	18	13
14				0	2	3	3	4	3	3	2	2	22	14
15				0	3	2	1	1	3	4	4	2	20	15
16				0	1	4	3	3	3	1	2	2	19	16
17				0	2	3	1	1	1	2	2	1	13	17
18				0	1	3	1	3	2	2	1	1	14	18
19				0	1	2	3	5	3	3	1	2	20	19
20				0	1	3	1	3	2	3	1	1	15	20
21				0	1	2	1	3	2	2	1	1	15	21
22				0	1	2	1	4	1	2	1	1	13	22
23				0	1	1	1	2	2	2	1	1	11	23
24				0	1	1	2	1	2	2	1	1	11	24
25				0	1	1	2	2	1	1	1	2	11	25
26				0	1	2	1	2	2	2	2	2	14	26
27				0	1	3	2	3	3	3	2	3	20	27
28				0	1	3	2	2	3	2	3	3	19	28
29				0	1	2	2	2	2	1	2	1	13	29
30				0	1	3	1	2	3	1	1	2	14	30
31				1	1	2	4	4	5	3	3	4	26	31
Среднее	$C1 \approx 10$ $E_D \approx 5.24$ $C11 \approx 20$ $E_D \approx 5.24$ $C21 \approx 31$ $E_D \approx 5.24$	$C1 \approx 10$ $E_H \approx 2.62$ $C11 \approx 20$ $E_H \approx 2.64$ $C21 \approx 31$ $E_H \approx 2.70$	$C1 \approx 10$ $E_H \approx 3.64$ $C11 \approx 20$ $E_Z \approx 3.70$ $C21 \approx 31$ $E_Z \approx 3.67$		$K_g \approx 550$									

Львов
Львов

Таблица С и К индексов
Суточные характеристики Июнь 1962

Инд. А 7102-VI

н.54

Дата	Амплитуды			Характер С	К — индекс									Лета
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	3	3	3	3	2	2	2	21	1
2				0	1	3	3	3	2	2	1	3	18	2
3				0	1	1	1	2	2	2	2	3	14	3
4				0	4	2	2	3	3	3	4	4	25	4
5				0	1	2	2	2	2	3	4	4	20	5
6				0	3	2	3	4	3	2	2	3	22	6
7				0	2	3	4	3	3	3	2	1	21	7
8				0	1	2	2	3	1	2	2	2	15	8
9				0	2	3	3	4	4	3	3	4	26	9
10				0	3	3	3	4	4	2	2	2	23	10
11				0	1	2	2	2	2	2	2	1	14	11
12				0	2	1	3	3	3	3	2	2	19	12
13				0	2	3	4	3	2	2	1	1	18	13
14				0	1	4	2	3	2	2	2	2	18	14
15				0	3	2	2	2	3	3	3	2	20	15
16				0	3	3	2	3	3	2	2	1	19	16
17				0	2	3	2	3	2	2	1	1	16	17
18				0	3	3	2	3	2	2	1	1	17	18
19				0	1	2	2	2	3	2	2	1	15	19
20				0	2	2	2	1	2	1	1	1	12	20
21				0	2	3	1	3	4	4	4	2	23	21
22				0	2	3	1	2	3	2	2	2	17	22
23				0	2	2	4	3	2	3	4	2	22	23
24				0	2	2	2	3	2	2	2	3	18	24
25				0	1	3	2	2	2	2	2	1	15	25
26				0	1	1	2	2	2	3	3	3	17	26
27				0	2	3	4	3	5	3	3	2	25	27
28				0	2	2	4	4	3	3	2	4	24	28
29				0	2	3	2	2	4	3	2	2	20	29
30				0	2	3	2	3	3	4	2	2	21	30
31														31
реднее	С/но 10 $\Sigma D = 5,22$ С/но 30 $\Sigma D = 5,23$	С/но 10 $\Sigma H = 2,68$ С/но 30 $\Sigma H = 2,64$	С/но 10 $\Sigma Z = 3,72$ С/но 30 $\Sigma Z = 3,63$		$K_g = 550$									

Lvov

Львов

Таблица
с индексом
Суточные характеристики

Инв. № 7135-III

Июль 1962

n 54

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	3	2	3	3	2	2	2	19	1
2				0	2	3	3	3	2	2	3	3	21	2
3				0	2	2	3	4	3	3	2	2	21	3
4				0	2	2	3	3	4	3	5	5	27	4
5				0	2	3	4	3	3	3	4	3	25	5
6				0	3	3	2	4	3	2	2	2	21	6
7				0	2	2	1	2	2	2	3	3	17	7
8				0	2	3	3	3	4	3	2	3	23	8
9				0	2	2	2	1	3	2	1	1	14	9
10				0	2	2	1	1	3	4	3	2	18	10
11				0	2	1	3	2	3	2	2	1	16	11
12				0	1	3	2	2	2	2	2	1	15	12
13				0	3	1	1	1	3	3	2	3	17	13
14				0	3	3	2	1	2	3	1	3	18	14
15				0	2	1	1	1	1	2	2	2	12	15
16				0	2	2	2	1	2	1	1	0	11	16
17				0	1	2	1	2	1	1	1	1	10	17
18				0	1	1	1	2	2	2	2	1	12	18
19				0	2	3	3	4	2	2	2	2	20	19
20				0	3	4	3	3	2	2	2	2	21	20
21				0	2	2	2	3	2	3	3	2	19	21
22				0	1	1	2	2	2	2	2	2	14	22
23				0	1	1	1	1	2	3	3	2	14	23
24				0	2	2	3	3	3	4	3	3	23	24
25				0	3	2	3	2	2	2	2	3	19	25
26				1	3	5	4	5	4	4	4	3	32	26
27				1	3	2	3	3	5	5	3	4	28	27
28				0	3	4	3	3	3	3	3	2	24	28
29				0	3	3	3	2	1	3	2	2	19	29
30				0	2	3	3	2	1	0	1	1	13	30
31				1	2	1	3	2	2	2	4	3	19	31
реднее	С/но 10 $E_D = 5,23$ С/II нo 20 $E_D = 5,25$ С/21 нo 31 $E_D = 5,23$	С/но 10 $E_H = 2,64$ С/II нo 20 $E_H = 2,66$ С/21 нo 31 $E_H = 2,65$	С/но 10 $E_Z = 3,63$ С/II нo 20 $E_Z = 3,67$ С/21 нo 31 $E_Z = 3,71$		$K_9 = 550$									

Лвов

Львов

Таблица
с к индексом
Суточные характеристики

Август 1962

7289-III

н. 54

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	4	4	4	5	4	3	4	4	32	1
2				0	2	3	3	2	3	4	4	2	23	2
3				0	2	2	3	3	3	4	4	4	25	3
4				0	1	2	3	1	3	3	3	2	18	4
5				0	2	2	2	3	2	3	2	1	17	5
6				0	3	3	3	3	4	4	3	3	26	6
7				0	3	2	2	2	4	4	4	4	25	7
8				1	4	3	5	4	4	4	3	4	31	8
9				0	4	4	4	3	3	3	4	2	27	9
10				0	1	3	2	2	2	3	2	1	16	10
11				0	1	1	2	2	3	1	2	0	12	11
12				0	1	2	2	2	3	1	2	1	14	12
13				0	0	2	2	2	2	2	1	3	14	13
14				0	3	2	3	1	3	1	2	3	18	14
15				0	3	4	3	3	3	3	2	4	25	15
16				0	4	1	4	2	2	1	3	3	20	16
17				1	3	2	2	3	3	3	4	5	25	17
18				0	2	4	4	2	4	3	2	2	23	18
19				0	2	3	2	3	3	3	2	1	19	19
20				0	1	0	1	2	1	1	0	2	8	20
21				0	2	0	2	1	3	3	1	3	15	21
22				0	3	3	4	1	4	2	4	5	26	22
23				0	3	2	2	2	4	3	3	2	21	23
24				0	3	1	3	1	3	3	2	2	18	24
25				0	2	2	3	1	3	3	2	3	19	25
26				0	2	0	2	3	3	1	2	2	15	26
27				0	0	1	3	1	3	1	1	1	11	27
28				0	1	1	3	2	3	1	1	1	13	28
29				0	3	3	2	4	3	3	3	2	20	29
30				0	3	4	3	2	3	2	3	3	23	30
31				0	1	1	4	3	4	2	4	3	22	31
реднее	$cI \approx 10$ $z_0 = 5.25$ $cII \approx 31$ $\epsilon_0 = 5.28$	$cI \approx 10$ $\epsilon_H = 2.65$ $cII \approx 31$ $\epsilon_H = 2.61$	$cI \approx 10$ $\epsilon_z = 3.71$ $cII \approx 31$ $\epsilon_z = 3.66$		$K_g = 550$									

Таблица
с к индексом
Суточные характеристики

7394-III
Сентябрь 1962

Пьвовская

н.51

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	3	2	3	5	5	4	4	28	1
2				0	2	3	3	3	3	3	4	4	25	2
3				1	3	4	2	4	3	3	5	4	28	3
4				0	3	3	2	3	3	4	3	3	24	4
5				0	1	1	3	3	3	3	3	3	20	5
6				0	3	3	3	4	2	2	3	3	23	6
7				0	3	2	4	2	3	1	2	1	18	7
8				0	1	3	3	2	3	3	1	2	18	8
9				0	1	2	3	3	3	2	3	3	20	9
10				0	3	3	2	1	1	1	0	0	11	10
11				0	1	2	2	3	3	1	2	2	16	11
12				1	2	2	5	3	4	3	5	4	28	12
13				0	3	3	4	2	3	4	4	1	24	13
14				0	2	2	3	1	3	1	3	2	17	14
15				0	2	3	3	2	1	2	3	3	19	15
16				0	2	2	2	2	2	2	4	4	20	16
17				0	1	1	3	2	2	1	2	2	14	17
18				0	1	1	2	1	2	1	2	3	13	18
19				1	3	3	3	3	3	3	5	3	26	19
20				0	3	2	2	3	3	1	1	1	16	20
21				0	1	2	4	1	2	3	4	3	20	21
22				0	3	2	1	2	2	1	1	1	13	22
23				0	1	1	2	3	3	3	3	3	19	23
24				0	2	3	1	1	3	1	3	1	15	24
25				0	1	1	1	2	1	1	2	3	12	25
26				0	4	4	3	2	4	3	3	1	24	26
27				0	2	2	1	2	3	2	1	2	15	27
28				0	1	1	3	1	3	2	2	3	16	28
29				0	2	2	3	2	3	3	3	3	21	29
30				0	3	3	2	2	3	2	2	2	19	30
31														31
реднее	$E_D = 5.20$	$c1 \approx 10$ $E_H = 2.67$ $c11 \approx 20$ $E_H = 2.69$ $c21 \approx 30$ $E_H = 2.57$	$c1 \approx 20$ $E_2 = 3.69$ $c21 \approx 30$ $E_2 = 3.51$		$K_0 = 550$									

Lvov

Таблица
с и к индексов
Суточные характеристики

Октябрь

4501-III
1962.

Львов

n.54

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	3	3	3	3	3	4	4	3	26	1
2				0	3	3	3	2	3	4	2	2	22	2
3				0	1	2	3	2	3	1	2	3	17	3
4				0	2	2	2	1	2	2	2	2	15	4
5				0	0	1	2	2	2	2	4	2	15	5
6				0	4	3	2	2	4	3	2	2	22	6
7				0	1	2	0	2	2	1	3	4	15	7
8				1	5	2	3	3	3	2	3	3	24	8
9				1	4	3	3	4	3	3	2	4	26	9
10				0	2	3	1	4	4	3	5	3	25	10
11				0	3	3	2	2	3	3	3	3	22	11
12				0	2	1	1	2	3	1	1	1	12	12
13				0	1	1	1	3	3	3	2	3	17	13
14				0	3	3	1	3	3	3	4	3	23	14
15				0	2	3	1	1	3	3	2	2	17	15
16				0	3	2	1	5	3	2	4	3	23	16
17				0	3	1	1	2	2	1	1	1	12	17
18				0	4	4	2	1	2	3	3	2	21	18
19				1	1	1	0	0	5	4	4	4	19	19
20				0	4	4	0	1	3	2	3	3	20	20
21				0	3	3	1	2	4	3	3	2	21	21
22				0	1	2	2	4	5	4	3	5	26	22
23				0	2	4	2	2	4	4	3	4	25	23
24				1	2	2	2	3	3	4	6	4	26	24
25				1	4	2	3	2	4	4	6	5	30	25
26				1	3	3	4	3	4	6	4	3	30	26
27				0	3	3	4	3	5	4	2	2	26	27
28				0	3	4	2	3	3	4	4	3	26	28
29				0	3	2	2	2	3	4	3	3	22	29
30				0	2	2	3	3	2	4	4	2	22	30
31				0	2	2	3	3	3	4	3	3	23	31
Среднее	с/н 10 $E_D = 5.20$ с/н 21 $E_D = 5.22$ с/н 31 $E_D = 5.24$	с/н 10 $E_H = 2.60$ с/н 21 $E_H = 2.57$ с/н 31 $E_H = 2.64$	с/н 10 $E_Z = 3.69$ с/н 21 $E_Z = 3.58$ с/н 31 $E_Z = 3.67$		$K_g = 550$									

Lvov

Таблица
с и к индексов
Суточные характеристики

Инв. № 8123-III

Ноябрь 1962. n. 54

Пьвов

Дата	Амплитуды			Характер σ	K — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	1	2	2	2	2	3	2	15	1
2				0	2	2	1	2	3	3	4	4	21	2
3				0	3	1	1	3	2	3	3	3	19	3
4				0	2	1	3	3	3	3	3	4	22	4
5				0	1	2	2	1	1	1	1	2	11	5
6				0	2	3	3	2	2	3	5	5	25	6
7				0	2	2	2	3	3	1	2	3	18	7
8				0	2	2	2	3	2	3	2	3	19	8
9				0	1	2	3	3	3	2	2	4	20	9
10				0	2	3	2	1	1	1	1	2	13	10
11				0	2	2	2	3	3	3	2	2	19	11
12				0	1	1	2	1	1	1	1	2	10	12
13				0	1	2	2	2	1	1	2	1	12	13
14				0	1	2	2	1	1	2	5	1	15	14
15				1	1	1	2	6	5	2	4	4	25	15
16				1	3	3	3	3	3	4	3	3	25	16
17				0	3	2	2	2	3	3	2	1	18	17
18				0	1	1	2	1	2	1	2	2	12	18
19				0	1	2	2	2	2	1	3	3	16	19
20				0	2	1	3	2	1	2	1	2	14	20
21				1	2	1	3	4	3	4	3	3	23	21
22				1	3	3	3	4	4	5	4	4	30	22
23				0	3	3	2	3	3	3	3	3	23	23
24				0	1	2	2	4	3	3	3	3	21	24
25				0	2	2	3	3	2	3	2	2	19	25
26				0	2	2	3	3	3	1	2	1	17	26
27				0	2	1	4	1	2	4	3	2	19	27
28				0	2	2	3	3	2	1	2	1	16	28
29				0	1	2	3	3	3	2	4	3	21	29
30				0	4	4	2	4	4	3	2	3	26	30
31														31
иже	$\varepsilon_D = 5.23$ $\varepsilon_n = 2.65$ $\varepsilon_z = 3.65$				$K_3 = 550$									

Lvov

Таблица
с к индексом
Суточные характеристики

1701-III

Декабрь 1962. н.54

Пьвов

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	3	2	2	2	3	2	3	1	18	1
2				0	0	0	2	3	3	1	3	2	14	2
3				0	1	1	2	2	3	2	3	1	15	3
4				0	1	3	3	4	5	2	3	1	22	4
5				0	2	1	3	3	4	1	2	1	17	5
6				0	1	1	3	2	3	1	2	2	15	6
7				0	1	1	1	2	2	1	3	2	13	7
8				0	1	1	1	3	3	2	3	2	16	8
9				0	1	2	2	2	2	1	2	2	14	9
10				0	1	1	2	2	3	3	3	3	18	10
11				0	3	1	2	2	4	2	5	3	22	11
12				0	3	2	2	2	2	2	4	3	20	12
13				0	3	3	3	3	3	3	3	3	24	13
14				0	2	2	2	4	3	2	4	3	22	14
15				0	2	3	3	1	3	2	2	2	18	15
16				0	1	1	3	2	3	1	2	1	14	16
17				2	2	1	3	1	4	4	5	4	24	17
18				1	3	3	3	4	4	3	4	2	26	18
19				2	4	3	3	4	4	5	5	4	32	19
20				1	2	2	3	3	3	4	4	4	25	20
21				0	3	2	3	3	3	3	3	3	23	21
22				0	2	2	2	2	3	3	3	3	20	22
23				0	2	1	3	2	2	1	1	0	12	23
24				0	1	3	2	3	3	1	1	2	16	24
25				0	1	1	2	1	1	1	1	1	9	25
26				0	1	2	2	3	5	3	2	3	21	26
27				0	1	1	2	2	3	1	3	3	16	27
28				0	1	1	2	2	2	2	3	3	16	28
29				0	1	1	1	1	-	1	1	1	-	29
30				0	0	0	2	1	3	0	2	3	11	30
31				0	1	1	2	4	3	0	2	2	15	31
не	с1 ~ 20 E _D = 5.30 с21 ~ 31 E _D = 5.	с1 ~ 10 E _H = 2.65 с11 ~ 20 E _H = 2.72 с21 ~ 31 E _H = 2.69	с1 ~ 10 E _Z = 3.79 с11 ~ 20 E _Z = 3.80 с21 ~ 31 E _Z = 3.76		K ₉ = 550									