

Лвов
Львов

Таблица с к индексов
Суточные характеристики

14658-11
н.54
Январь 1966

Дата	Амплитуды			Характер Σ	К — индекс									Лата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	1	1	1	1	1	1	1	8	1
2				0	3	2	2	2	3	2	3	3	20	2
3				0	3	1	1	2	2	2	2	2	15	3
4				0	1	1	1	1	2	3	5	5	19	4
5				0	1	1	1	1	1	1	1	1	8	5
6				0	1	1	1	1	1	1	1	2	9	6
7				0	1	1	1	1	1	3	3	3	14	7
8				0	2	2	2	2	2	2	1	1	14	8
9				0	3	1	1	1	1	3	3	4	17	9
10				0	2	1	1	2	2	3	3	2	16	10
11				0	1	1	1	1	2	1	1	1	9	11
12				0	1	1	1	1	1	1	1	1	8	12
13				0	1	1	2	1	2	1	1	1	10	13
14				0	1	1	1	2	2	1	1	2	11	14
15				0	1	1	1	1	2	2	1	1	10	15
16				0	1	1	1	1	1	1	1	1	8	16
17				0	1	1	1	1	2	1	1	1	9	17
18				0	1	1	1	1	2	4	3	1	14	18
19				0	1	1	1	2	2	1	1	1	10	19
20				1	2	2	2	2	4	4	4	3	23	20
21				1	3	2	3	2	4	3	5	3	25	21
22				1	3	2	3	3	4	3	4	4	26	22
23				0	2	1	2	3	3	2	3	2	18	23
24				0	2	1	3	3	2	3	3	3	20	24
25				0	2	1	1	1	3	4	3	1	16	25
26				0	1	1	3	3	3	3	3	3	20	26
27				0	2	1	1	1	1	1	1	1	9	27
28				0	1	1	1	1	1	1	3	4	13	28
29				0	1	1	2	3	2	2	1	1	13	29
30				0	1	1	1	2	3	3	1	1	13	30
31				0	1	1	1	1	1	1	1	1	8	31
среднее	$\bar{E}_D = 5.05$	$\bar{E}_H = 2.50$ $\bar{E}_H = 2.53$	$\bar{E}_Z = 4.00$ $\bar{E}_Z = 4.05$		$K_g = 550$									

Аббоб

Суточные характеристики февраль 1966.

4.54

1966.

Дата	Амплитуды			Характер С	K — интервал										Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
1				0	1	1	1	1	1	1	1	1	8	1	
2				0	1	1	2	1	3	1	1	1	11	2	
3				1	1	1	1	2	4	2	4	3	18	3	
4				1	2	2	2	1	2	3	3	4	19	4	
5				1	3	3	1	3	3	3	4	4	24	5	
6				0	2	2	1	1	1	1	2	1	11	6	
7				0	1	1	1	1	2	1	2	2	11	7	
8				0	1	1	1	2	3	3	1	1	13	8	
9				0	1	1	1	2	3	1	1	2	12	9	
10				0	2	1	1	2	1	3	2	3	15	10	
11				0	2	1	2	2	3	3	3	3	19	11	
12				0	3	1	1	1	2	2	1	1	12	12	
13				0	1	1	2	1	1	3	1	1	11	13	
14				0	1	1	1	1	2	2	1	1	10	14	
15				0	1	1	1	2	3	1	2	2	13	15	
16				0	1	2	3	2	2	1	1	2	14	16	
17				0	1	1	2	1	3	1	3	3	15	17	
18				0	2	1	2	2	1	1	1	1	11	18	
19				1	1	1	1	2	4	4	3	3	19	19	
20				1	2	2	3	3	3	3	1	1	18	20	
21				0	1	1	2	2	2	1	1	1	11	21	
22				1	1	1	2	2	4	4	3	3	20	22	
23				1	2	4	4	4	3	3	4	4	28	23	
24				1	2	3	3	3	3	2	4	2	22	24	
25				0	2	2	1	2	2	3	3	2	17	25	
26				0	2	1	1	1	1	1	1	1	9	26	
27				0	1	1	1	2	1	1	1	1	9	27	
28				0	1	1	1	1	1	1	1	1	8	28	
29														29	
30														30	
31														31	
сумма	$E_D = 6.05$	$E_H = 2.53$	$E_Z = 4.05$		$K_5 = 550$										

7.54

Таблица с к индексов

Суточные характеристики

mau 1966.

[illegible]

n. 54

Таблица с к индексов

Аббоб

Суточные характеристики

июнь 1966.

Амплитуды			Характер С	K — индекс										Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
			0	5	3	3	2	2	1	1	1	18	1	
			1	1	1	3	4	3	3	3	1	19	2	
			0	1	1	1	2	1	4	3	2	15	3	
			0	1	1	3	2	1	2	1	1	12	4	
			0	1	2	3	2	3	1	2	1	15	5	
			0	1	1	3	1	2	2	2	1	13	6	
			0	1	2	3	3	3	2	2	1	17	7	
			0	1	2	3	2	2	2	1	1	14	8	
			0	1	1	3	3	1	1	1	2	13	9	
			0	1	1	2	1	2	1	1	1	10	10	
			0	1	1	2	1	1	1	1	1	9	11	
			0	1	2	1	3	3	3	1	2	16	12	
			0	1	1	2	2	1	2	1	1	11	13	
			0	1	1	1	1	1	1	2	1	9	14	
			0	1	2	1	2	2	2	2	2	14	15	
			0	2	2	1	2	2	2	1	1	13	16	
			0	1	1	1	1	2	2	2	2	12	17	
			0	1	1	2	2	2	1	1	1	11	18	
			0	1	1	2	2	4	2	3	2	17	19	
			0	1	2	2	1	2	2	1	1	12	20	
			0	1	1	2	1	2	2	1	1	11	21	
			0	1	2	1	2	1	1	1	1	10	22	
			0	1	1	2	3	3	3	3	2	18	23	
			0	1	1	2	3	2	3	4	3	19	24	
			0	1	1	1	1	2	3	2	3	14	25	
			0	1	1	1	2	2	3	2	1	13	26	
			0	1	1	1	3	2	2	2	1	13	27	
			0	1	1	1	2	2	3	2	2	14	28	
			0	1	1	1	1	2	1	2	2	11	29	
			0	1	1	1	1	1	1	1	1	8	30	
													31	
$\Sigma_D = 5.00$ $\Sigma_H = 2.50$ $\Sigma_Z = 4.00$ $\Sigma_{\Sigma} = 11.50$				$K_g = 550$										

Львов

Таблица с K индексов
Суточные характеристики

16/58-17
июль 1966 г. 54

Амплитуды			Характер С	K — индекс										Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
			0	1	1	1	1	1	2	1	1	9	1	
			0	1	1	2	1	1	2	1	1	10	2	
			0	1	1	2	1	1	2	1	1	10	3	
			1	1	1	1	1	2	3	4	3	16	4	
			0	1	1	2	2	1	2	1	1	11	5	
			0	1	1	2	2	1	2	1	1	11	6	
			0	1	1	3	2	2	2	1	1	13	7	
			1	3	2	4	3	1	2	3	5	23	8	
			1	3	5	3	3	3	2	2	2	23	9	
			0	3	3	2	4	4	3	2	1	22	10	
			0	1	2	2	2	2	2	2	3	16	11	
			1	3	3	4	2	3	2	1	1	19	12	
			0	1	1	1	2	2	1	1	1	10	13	
			0	1	1	1	2	1	2	2	1	11	14	
			1	1	1	1	1	2	2	2	3	13	15	
			0	2	1	2	3	2	2	2	2	16	16	
			0	3	3	3	3	2	3	2	1	20	17	
			0	1	2	1	2	2	2	2	1	13	18	
			0	1	2	2	2	2	2	2	2	15	19	
			0	2	2	2	2	1	2	1	3	15	20	
			1	2	2	3	3	2	3	3	3	21	21	
			0	3	2	3	2	2	3	3	2	20	22	
			0	2	2	3	2	2	3	2	1	17	23	
			0	3	2	2	2	2	1	1	1	14	24	
			0	1	1	2	1	2	2	1	1	11	25	
			0	1	1	3	1	2	2	2	3	15	26	
			1	2	1	3	2	4	4	2	2	20	27	
			0	2	3	3	2	3	3	2	1	19	28	
			0	3	2	2	2	2	1	2	2	16	29	
			0	1	2	3	2	2	2	1	1	14	30	
			0	1	1	3	2	2	2	1	3	15	31	
$E_D = 5.00$ $E_H = 2.50$ $E_Z = 7.05$				$K_0 = 550$										

Лвов
Лвов

Таблица с-к индексов
Суточные характеристики

16322-III
n.54
Август 1966.

Амплитуды			Характер С	К - индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	1	1	1	2	1	1	2	10	1
			0	2	1	2	2	2	2	1	1	13	2
			0	2	2	2	2	3	3	3	1	18	3
			0	1	2	3	3	3	3	2	3	20	4
			0	1	1	4	3	3	3	1	1	17	5
			0	1	1	3	3	2	2	2	2	16	6
			0	2	2	2	2	1	1	1	2	13	7
			0	1	1	2	2	2	1	2	3	14	8
			0	2	2	2	2	2	2	3	2	17	9
			0	2	2	2	3	3	3	2	2	19	10
			1	1	2	3	2	3	4	3	4	22	11
			0	2	3	4	3	2	3	3	3	23	12
			0	3	3	1	1	1	2	1	1	13	13
			0	2	1	3	2	2	2	2	1	15	14
			0	1	2	2	1	1	1	2	2	12	15
			0	1	2	3	2	1	2	2	1	14	16
			0	1	2	3	3	2	2	3	1	17	17
			0	1	2	2	2	3	3	3	1	17	18
			1	2	3	3	4	4	3	3	2	24	19
			0	1	1	3	2	1	1	1	2	12	20
			0	2	2	3	2	1	2	1	1	14	21
			0	2	1	3	2	1	3	2	2	16	22
			1	3	1	4	3	3	3	4	3	24	23
			0	3	2	2	3	3	2	2	3	20	24
			0	2	2	2	2	2	2	2	3	17	25
			0	1	1	1	2	2	2	2	2	13	26
			0	1	2	2	3	2	2	2	1	15	27
			0	2	2	1	1	1	2	2	2	13	28
			1	1	1	2	2	3	3	3	5	20	29
			1	4	3	4	5	4	5	6	6	37	30
			0	3	3	3	2	3	3	3	2	22	31

$\varepsilon_D = 5.06$
 $\varepsilon_H = 3.72$
 $\varepsilon_Z = 4.00$
 $\varepsilon_L = 2.52$
 $\varepsilon_{21} = 3.1$
 $\varepsilon_H = 2.55$

$K_9 = 550$

Дата	Амплитуды			Характер С	К - индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	2	4	4	3	5	3	25	1
2				0	3	2	2	4	3	4	3	3	24	2
3				2	3	3	3	4	4	3	4	7	31	3
4				2	6	6	6	4	3	3	2	2	32	4
5				0	2	1	2	3	3	3	1	3	18	5
6				0	2	2	3	4	4	4	1	2	22	6
7				0	2	2	2	2	3	3	3	2	19	7
8				0	1	3	3	3	3	4	3	3	23	8
9				0	3	3	3	3	3	4	2	3	24	9
10				0	3	3	2	2	2	3	3	3	21	10
11				0	2	3	1	3	1	1	1	2	14	11
12				0	1	2	2	4	1	2	2	1	15	12
13				0	1	3	1	2	3	1	1	1	13	13
14				0	1	3	3	3	2	3	3	4	22	14
15				0	3	3	1	3	1	2	3	2	18	15
16				0	2	3	2	3	2	2	3	3	20	16
17				0	2	3	1	3	2	2	1	1	15	17
18				0	1	2	2	3	1	1	1	2	13	18
19				0	2	2	3	2	3	3	3	2	20	19
20				1	3	2	3	3	3	4	3	2	23	20
21				0	2	3	2	3	3	1	1	1	16	21
22				0	1	2	2	3	3	2	1	1	15	22
23				0	1	2	2	3	4	4	2	2	20	23
24				0	2	2	2	3	3	3	3	3	21	24
25				0	3	3	3	1	2	1	1	2	16	25
26				1	3	2	3	3	3	3	5	5	27	26
27				0	3	3	3	3	3	3	3	3	24	27
28				0	2	3	1	3	4	3	1	3	20	28
29				0	3	2	3	3	2	2	4	2	21	29
30				0	2	3	3	3	3	3	2	4	23	30
31														31
Среднее	ε _D = 5,06	с 1 по 20 ε _H = 2,53 с 21 по 30 ε _H = 2,55	с 1 по 20 ε _Z = 4,02 с 21 по 30 ε _Z = 4,03		K _g = 550									

Лвов
Львов

Таблица С ~ К индексов
Суточные характеристики октябрь 1966

17930-111

н. 54

Дата	Амплитуды			Характер	К - индекс								
	$\Delta \Phi$	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	2	2	2	2	2	2	1	1	14
2				0	1	2	3	2	1	2	1	1	13
3				0	1	1	2	2	1	1	1	1	10
4				1	2	2	2	2	3	3	5	5	24
5				1	5	3	3	5	3	3	5	2	29
6				0	1	2	2	3	3	2	2	1	16
7				0	2	1	1	2	1	2	2	3	14
8				0	1	1	3	1	1	1	1	1	10
9				0	1	2	3	3	3	3	1	2	18
10				0	1	2	1	1	3	1	3	1	13
11				0	1	1	1	1	2	0	1	1	8
12				0	1	1	1	2	3	2	3	3	16
13				0	2	1	1	2	2	2	2	3	15
14				0	2	2	2	2	2	2	2	2	16
15				1	1	2	2	3	2	2	4	3	19
16				1	3	3	5	3	4	4	3	1	26
17				0	2	2	2	1	1	3	2	2	15
18				0	3	1	2	1	1	1	1	1	11
19				0	1	2	1	1	1	1	2	2	11
20				0	2	1	2	1	1	1	2	1	11
21				0	1	1	2	2	2	1	1	1	11
22				0	1	1	1	1	2	1	1	2	10
23				0	2	1	1	1	1	1	1	2	10
24				1	1	1	2	2	2	3	2	3	16
25				1	3	2	2	3	3	2	4	3	22
26				1	3	2	2	2	3	4	3	2	21
27				0	2	1	1	1	1	2	2	2	12
28				0	3	1	3	1	1	1	2	2	14
29				0	1	1	2	2	1	1	1	2	11
30				1	2	2	2	3	2	4	3	4	22
31				1	4	4	2	3	5	3	4	4	29
Средние	с 1 по 10 $E_D = 5.05$ с 11 по 20 $E_F = 5.07$ с 21 по 31 $E_D = 5.05$	с 1 по 10 $E_H = 2.53$ с 11 по 20 $E_H = 2.52$ с 21 по 31 $E_H = 2.53$	с 1 по 10 $E_Z = 2.03$ с 11 по 20 $E_Z = 2.05$ с 21 по 31 $E_Z = 2.03$		$K_g =$	SSO							

Львов Таблица С ~ К индексом 1797-11
 Львов Суточные характеристики ноябрь 1966

Дата	Амплитуды			Характер	K-индекс									ΣK
	ΔΦ	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		
1				1	2	3	4	3	4	4	3	3	26	
2				0	3	1	1	1	3	2	4	2	17	
3				1	3	2	3	4	3	4	3	3	25	
4				0	2	2	2	2	2	1	4	2	17	
5				0	1	1	2	2	2	2	4	1	15	
6				0	1	1	3	2	1	3	2	2	15	
7				0	1	2	3	1	1	1	1	3	13	
8				0	3	2	2	2	1	1	2	1	14	
9				0	1	1	2	1	1	1	1	1	9	
10				0	1	1	2	3	2	2	2	2	15	
11				0	1	2	2	3	1	1	1	1	12	
12				0	1	1	1	1	1	1	3	3	12	
13				0	1	1	3	3	2	2	3	2	17	
14				0	1	1	1	2	1	1	1	1	9	
15				0	1	1	1	2	1	1	1	1	9	
16				0	1	2	3	1	2	1	2	1	13	
17				1	2	2	3	2	1	3	3	2	18	
18				1	1	1	2	2	2	4	3	4	19	
19				0	3	3	2	2	3	2	2	2	19	
20				0	2	2	2	2	2	3	3	3	19	
21				0	1	2	1	1	2	1	1	3	12	
22				0	2	1	1	1	1	1	1	1	9	
23				0	2	1	1	2	2	1	1	1	11	
24				0	1	3	1	1	2	1	1	2	12	
25				0	1	1	1	1	2	2	1	2	11	
26				1	3	2	1	3	4	2	1	1	17	
27				0	1	2	2	2	2	2	3	1	15	
28				1	1	1	1	3	3	3	4	3	19	
29				1	3	2	2	2	3	3	3	1	19	
30				1	2	2	4	3	3	3	3	4	24	
31														
Среднее	$\bar{\epsilon}_0 = 8,05$	$\bar{\epsilon}_H = 2,53$	$\bar{\epsilon}_Z = 4,05$		$K_g =$	550								

