

Лвов
Львов

Таблица с к индексов
Суточные характеристики

Январь 1967

18576-111
4.54

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	1	1	2	3	4	4	3	2	20	1
			0	2	1	1	2	1	1	2	2	12	2
			0	1	2	1	2	3	3	3	1	16	3
			0	2	1	2	1	1	1	1	1	10	4
			0	1	1	2	2	2	2	1	1	12	5
			0	1	1	3	3	2	2	3	1	16	6
			1	1	1	3	3	5	5	4	4	26	7
			1	4	5	3	3	4	4	3	3	29	8
			0	1	2	2	2	3	2	2	2	16	9
			0	1	1	1	2	1	2	2	2	12	10
			1	2	2	3	3	3	3	4	3	23	11
			0	2	2	1	1	1	1	1	1	10	12
			2	2	1	3	2	4	3	5	5	25	13
			1	5	5	4	4	2	2	1	2	25	14
			0	3	1	1	1	2	2	2	3	15	15
			0	3	2	3	2	3	1	2	2	18	16
			0	2	1	1	2	3	2	1	2	14	17
			0	1	1	2	1	2	2	2	1	12	18
			0	1	1	2	2	2	2	3	1	14	19
			1	2	2	3	1	4	4	3	1	20	20
			0	2	2	2	2	2	3	2	2	17	21
			0	2	1	2	2	1	2	2	1	13	22
			0	2	1	2	2	1	1	2	2	13	23
			0	1	1	2	1	1	1	1	1	9	24
			0	1	1	1	2	2	2	2	2	13	25
			0	2	2	2	2	3	2	1	1	15	26
			0	1	1	1	3	2	2	1	1	12	27
			0	1	2	3	1	2	1	3	1	14	28
			0	1	1	3	1	1	1	2	1	11	29
			0	1	1	2	1	2	1	1	1	10	30
			0	1	1	3	2	3	1	1	2	14	31
$\sigma = 5,30$ $\varepsilon_n = 2,60$ $\varepsilon_z = 4,20$				$K_g = 550$									

Лвов
Львов

Таблица с к индексов
Суточные характеристики

18556-м
4.54
Февраль 1967

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	1	1	3	2	1	1	1	1	11	1
			0	1	1	2	2	1	1	2	1	11	2
			0	1	1	1	2	1	1	1	2	10	3
			0	1	1	2	2	2	3	2	3	16	4
			1	3	3	2	2	3	4	2	2	21	5
			0	1	1	2	3	1	2	2	3	15	6
			1	2	1	2	2	2	5	4	5	23	7
			1	5	4	4	3	3	3	4	4	30	8
			0	3	1	2	1	2	1	1	1	12	9
			0	1	1	2	2	2	1	1	1	11	10
			0	1	1	3	2	2	2	2	2	15	11
			0	1	1	3	2	1	1	1	2	12	12
			0	2	1	2	2	2	3	2	1	15	13
			0	2	2	1	2	1	3	1	2	14	14
			0	1	1	1	1	2	2	1	2	11	15
			2	4	2	4	6	5	3	5	4	33	16
			0	2	2	1	2	3	3	2	3	18	17
			0	2	1	1	2	3	1	1	1	12	18
			0	1	1	1	2	3	2	3	2	15	19
			0	2	2	1	1	1	2	1	2	12	20
			0	1	1	2	2	2	2	2	2	14	21
			0	2	2	1	1	2	2	1	2	13	22
			1	2	2	1	2	4	3	4	3	21	23
			0	1	1	3	1	3	1	1	1	12	24
			1	1	3	3	2	3	3	3	3	21	25
			0	3	2	2	2	3	2	3	2	19	26
			0	1	1	3	2	1	2	2	1	13	27
			0	2	1	3	3	1	1	1	2	14	28
													29
													30
													31
$\varepsilon_D = 5.30$	$\varepsilon_L = 2.60$	$\varepsilon_Z = 4.20$		$K_g = 550$									

Лнов
Львов

Таблица с к индексов
Суточные характеристики

18596-111
Март 1967 н.54

Амплитуды			Характер С	К—индекс									Дата
				0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	К	
			0	2	2	2	2	2	2	1	1	14	1
			0	1	1	3	1	2	3	2	2	15	2
			0	1	2	3	3	3	2	1	2	17	3
			0	3	1	2	1	2	2	2	3	16	4
			0	3	3	3	1	2	3	3	2	20	5
			0	3	3	2	2	2	2	3	3	20	6
			0	1	1	3	2	2	2	1	2	14	7
			0	1	1	2	2	2	2	1	1	12	8
			1	2	1	3	2	2	3	2	3	18	9
			0	3	2	1	1	2	2	2	1	14	10
			0	1	1	3	2	2	2	1	1	13	11
			0	1	1	2	1	1	1	1	1	9	12
			0	1	1	1	2	2	2	1	2	12	13
			0	2	1	3	1	1	1	3	2	14	14
			0	1	1	2	1	1	1	2	1	10	15
			0	1	1	2	1	1	1	2	3	12	16
			0	1	2	2	1	1	1	1	2	11	17
			1	1	2	3	4	3	3	3	2	21	18
			1	3	2	2	2	3	5	3	3	23	19
			0	2	2	3	2	3	2	2	3	19	20
			0	3	2	2	2	2	1	2	3	17	21
			0	2	1	3	1	1	1	1	1	11	22
			0	1	1	1	1	1	2	3	3	13	23
			0	1	1	2	1	2	1	1	1	10	24
			0	1	1	3	1	2	1	1	2	12	25
			0	1	1	3	1	2	2	1	2	13	26
			1	3	2	3	2	3	3	2	3	21	27
			0	1	1	3	2	3	2	1	2	15	28
			0	1	1	2	3	2	3	1	1	14	29
			0	1	1	3	3	2	2	3	2	17	30
			0	2	1	2	2	1	1	1	1	11	31
$\varepsilon_D = 5,30$	$\varepsilon_n = 2,60$	$\varepsilon_z = 4,20$		$K_g = 550$									

Ливон
Львов

Таблица с - к индексов
Суточные характеристики

18636-ти ч.
Апрель 1967 г. 54

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	2	1	3	4	3	3	5	4	25	1
			0	1	1	3	3	3	3	3	3	20	2
			0	2	2	2	1	1	1	1	1	11	3
			1	1	3	3	3	4	1	1	2	18	4
			0	2	2	3	3	3	3	2	2	20	5
			0	3	2	2	2	3	3	1	2	18	6
			0	3	2	2	3	1	2	3	2	18	7
			0	1	2	3	1	1	2	2	2	14	8
			0	3	2	2	2	1	1	1	3	15	9
			0	2	1	2	1	2	2	3	1	14	10
			0	1	1	1	1	1	1	1	1	8	11
			0	2	2	2	2	1	1	1	1	12	12
			0	1	1	2	1	2	1	1	1	10	13
			0	1	1	1	1	2	1	1	1	9	14
			0	1	1	2	1	1	1	2	2	11	15
			1	1	2	2	2	2	3	2	1	15	16
			0	2	3	2	3	2	1	1	2	16	17
			0	2	1	2	2	3	2	2	3	17	18
			1	3	3	3	3	2	3	3	2	22	19
			0	2	1	1	3	3	3	1	1	15	20
			0	1	2	3	2	1	2	2	2	15	21
			1	3	3	3	3	3	3	3	2	23	22
			1	3	1	2	3	2	5	4	1	21	23
			1	4	3	3	3	3	4	4	3	27	24
			0	3	2	3	3	2	2	1	2	18	25
			0	1	2	3	3	1	2	1	1	14	26
			0	1	2	2	2	2	2	1	1	13	27
			0	1	1	2	3	1	2	1	1	12	28
			0	1	1	3	2	2	3	2	3	17	29
			0	2	2	3	2	2	2	1	1	15	30
													31
$\varepsilon_D = 5.30$	$\varepsilon_n = 2.60$	$\varepsilon_z = 4.20$		$K_g =$	SSO								

Львов
Львов

Таблица с к индексов
Суточные характеристики

18846-11
Май 1967 г 54

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	1	2	1	2	2	2	4	4	18	1
			1	3	1	1	4	3	4	3	3	22	2
			1	4	5	4	4	5	5	4	3	34	3
			0	3	3	1	3	3	1	2	2	18	4
			0	2	3	1	2	2	4	1	2	17	5
			0	2	1	1	1	1	1	1	1	9	6
			0	3	3	3	3	2	2	1	1	18	7
			0	1	1	1	2	1	2	2	1	11	8
			0	1	1	1	2	2	2	1	1	11	9
			0	1	2	3	2	3	2	2	2	17	10
			0	3	2	1	2	2	1	2	3	16	11
			0	2	3	2	3	2	2	3	3	20	12
			0	2	3	2	1	2	2	2	2	16	13
			0	1	3	2	3	3	3	3	2	20	14
			0	3	3	2	2	1	2	2	2	17	15
			0	3	2	1	2	1	1	2	3	15	16
			0	3	3	2	2	3	2	2	3	20	17
			0	2	2	2	1	2	2	2	2	15	18
			0	2	2	2	2	2	2	1	2	15	19
			0	1	2	1	2	2	2	1	2	13	20
			0	2	2	1	3	2	2	3	2	17	21
			0	2	2	1	2	1	1	1	1	11	22
			0	1	3	1	2	2	2	3	3	17	23
			1	3	4	3	3	3	3	3	3	25	24
			2	2	3	1	4	5	6	5	6	32	25
			2	7	6	6	5	5	4	3	4	40	26
			1	3	3	2	2	3	3	4	3	23	27
			1	2	3	4	4	5	5	4	4	31	28
			0	4	5	4	3	4	3	2	2	27	29
			1	2	3	2	2	5	5	4	5	28	30
			1	5	5	3	3	3	3	3	2	27	31
$\varepsilon_D = 5.30$			$\varepsilon_H = 2.60$			$\varepsilon_2 = 4.20$			$K_g = 550$				

Львов
Львов

Таблица с к индексов
Суточные характеристики

18923-III
июнь 1967 454

Амплитуды			Характер С	К-индекс								Дата	
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		К
			0	1	1	3	2	2	1	3	1	14	1
			0	1	1	2	3	2	3	3	2	17	2
			0	2	2	3	2	1	2	3	1	16	3
			0	2	2	1	3	4	3	3	3	21	4
			1	1	2	1	3	4	2	6	5	24	5
			1	5	5	1	3	3	3	3	3	26	6
			0	3	2	3	3	1	1	1	1	15	7
			0	1	1	3	4	3	3	4	4	23	8
			0	3	2	3	2	2	2	2	4	20	9
			0	2	3	3	1	2	2	2	1	16	10
			0	1	1	3	1	2	2	2	1	13	11
			0	1	2	2	2	3	3	1	1	15	12
			0	2	1	3	2	2	2	2	1	15	13
			1	1	1	2	3	4	2	3	3	19	14
			0	4	2	2	1	3	3	1	1	17	15
			0	1	1	2	3	2	2	1	1	13	16
			0	1	2	2	3	3	2	2	1	16	17
			0	3	1	2	3	1	2	1	1	14	18
			0	1	1	1	1	2	3	2	1	12	19
			0	1	3	2	1	2	1	1	1	12	20
			0	1	2	2	2	2	2	2	1	14	21
			0	1	2	3	2	3	1	1	1	14	22
			0	1	1	2	2	1	2	1	2	12	23
			0	1	2	1	1	1	1	2	1	10	24
			1	2	3	2	3	3	4	4	4	25	25
			1	3	2	3	3	2	4	2	3	22	26
			0	2	4	4	3	3	3	3	2	24	27
			0	2	1	3	3	3	2	3	1	18	28
			0	1	2	3	3	3	4	2	1	19	29
			0	3	2	3	3	3	3	3	3	23	30
													31
$\varepsilon_D=5,30$ $\varepsilon_H=2,60$ $\varepsilon_z=4,20$			$K_g=550$										

Лвов
Львов

Таблица с - к индексов
Суточные характеристики

18963-III
июль 1967 4.54

Амплитуды			Характер	К—индекс									Дата
				0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	К	
			1	3	2	4	3	2	4	3	2	23	1
			0	2	2	1	1	1	1	1	1	10	2
			0	1	2	2	1	1	2	2	1	12	3
			0	1	2	1	2	2	3	2	2	15	4
			0	3	2	4	4	3	3	2	2	23	5
			0	1	2	2	2	3	3	2	2	17	6
			0	3	3	2	2	3	2	2	1	18	7
			0	1	1	2	2	2	2	1	1	12	8
			0	1	1	1	1	2	2	2	1	11	9
			0	1	1	2	2	1	1	1	1	10	10
			1	3	3	2	3	4	4	3	3	25	11
			0	2	1	2	2	1	2	2	2	14	12
			0	1	1	2	2	2	2	3	3	16	13
			0	3	2	3	3	3	3	2	2	21	14
			0	1	2	1	1	2	3	3	2	15	15
			0	2	2	1	1	1	2	2	1	12	16
			0	1	2	2	1	1	2	2	2	13	17
			0	2	2	3	3	3	2	2	1	18	18
			0	1	2	1	2	2	1	2	2	13	19
			0	1	1	2	2	1	2	1	2	12	20
			0	1	2	1	1	2	1	1	1	10	21
			0	1	1	1	2	1	1	1	1	9	22
			1	1	1	1	1	3	3	4	4	18	23
			0	2	2	2	3	1	2	3	2	17	24
			0	1	1	1	3	3	3	3	2	17	25
			0	1	1	1	2	2	2	1	1	11	26
			0	1	1	1	1	1	1	1	1	8	27
			0	2	1	1	3	3	3	3	2	18	28
			0	1	2	2	2	1	2	2	3	15	29
			0	2	5	4	2	1	1	1	1	17	30
			0	1	1	1	2	2	1	1	1	10	31
C1 ~ 10 E _D = 5.30 C11 ~ 31 E ₀ = 5.25			E _H = 2.60 E ₂ = 4.20	K _g = 550									

Л von
Львов

Таблица с к индексов
Суточные характеристики

1922 III
август 1967

Амплитуды			Характер С	К—индекс									Дата
				0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	К	
			0	1	1	1	3	3	1	1	1	12	1
			0	1	1	1	1	1	1	1	1	8	2
			0	1	1	1	2	1	1	1	2	10	3
			1	1	2	3	2	4	3	2	2	19	4
			0	2	1	2	2	3	3	1	1	15	5
			0	1	1	1	1	1	1	2	2	10	6
			0	2	1	3	2	3	2	3	3	19	7
			1	3	2	2	3	3	1	2	2	18	8
			0	1	1	3	2	3	3	1	2	16	9
			0	1	2	3	3	3	2	2	3	19	10
			1	1	1	4	3	3	4	4	4	24	11
			0	3	1	1	1	1	1	1	2	11	12
			0	1	1	1	1	1	2	1	2	10	13
			0	2	2	3	2	2	1	2	2	16	14
			0	1	1	1	2	1	1	1	1	9	15
			0	1	1	1	2	2	2	2	2	13	16
			1	2	1	2	4	3	3	2	2	19	17
			0	2	1	3	2	3	2	2	2	17	18
			0	1	2	2	2	2	2	2	1	14	19
			0	1	2	2	2	2	3	1	2	15	20
			0	1	1	3	1	3	2	2	2	15	21
			0	1	1	1	1	1	1	1	1	8	22
			0	1	2	2	2	3	2	2	1	15	23
			0	2	2	3	3	2	2	2	2	18	24
			1	2	2	3	3	3	3	3	3	22	25
			0	4	2	2	1	3	2	3	2	19	26
			0	1	2	1	3	2	1	1	2	13	27
			0	1	2	2	2	2	2	2	1	14	28
			0	1	1	1	2	3	2	1	2	13	29
			0	1	2	2	2	1	2	3	3	16	30
			0	2	1	3	2	3	3	1	2	17	31
с1 мс 20 ε _D = 5,25 с21 мс 31 ε _D = 5,30			ε _H = 2,60 ε ₂ = 4,20	K _g = 550									

Лвов
Львов

Таблица с к индексов
Суточные характеристики

1926318
n. 54
сентябрь 1967

Амплитуды			Характер С	К—индекс								Дата	
				0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24		К
			1	2	3	3	2	3	3	4	4	24	1
			0	3	3	3	3	2	3	2	1	20	2
			0	1	2	1	3	1	2	1	2	13	3
			0	1	2	2	3	2	1	1	1	13	4
			0	1	2	2	2	2	1	1	1	12	5
			0	1	2	2	1	3	2	1	2	14	6
			0	1	1	2	1	3	3	1	1	13	7
			0	1	2	2	2	2	2	3	2	16	8
			0	2	2	2	2	2	1	3	2	16	9
			0	1	1	1	1	1	1	1	1	8	10
			0	1	1	1	1	2	1	1	1	9	11
			0	1	1	1	1	2	1	2	1	10	12
			1	2	3	4	4	3	4	3	3	26	13
			1	2	2	3	2	3	3	3	3	21	14
			0	2	3	3	2	1	2	2	2	17	15
			0	3	2	1	2	2	3	1	2	16	16
			0	2	1	1	1	3	2	2	1	13	17
			1	1	1	1	1	2	2	3	2	13	18
			1	2	2	2	2	3	2	3	2	18	19
			1	2	3	3	4	4	5	4	3	28	20
			1	5	5	3	4	4	5	4	4	34	21
			0	3	2	1	3	2	2	1	0	14	22
			0	0	0	2	1	1	1	1	1	7	23
			0	1	1	1	2	3	3	3	3	17	24
			0	1	1	1	1	2	1	2	2	11	25
			0	1	1	3	2	2	1	2	3	15	26
			0	2	2	2	1	3	2	1	1	14	27
			1	1	3	3	4	3	3	4	3	24	28
			1	3	4	3	3	3	3	4	3	26	29
			1	4	3	3	4	4	4	2	3	27	30
													31
$\varepsilon_0 = 5,30$	$\varepsilon_1 = 2,80$	$\varepsilon_2 = 4,00$		$K_9 =$	SSO								

Л'нов
Л'вов

Таблица с х к индексов
Суточные характеристики

19318-III
октябрь 1967 г. 54

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	3	2	2	2	2	1	2	1	15	1
			0	1	1	1	1	2	1	3	1	11	2
			0	1	1	1	2	2	2	2	2	13	3
			0	1	2	2	1	3	1	1	2	13	4
			0	1	1	1	2	2	2	2	1	12	5
			0	1	2	1	2	1	2	1	1	11	6
			0	2	1	2	1	2	3	1	1	13	7
			1	1	1	2	2	4	3	2	3	18	8
			1	2	1	2	2	1	2	3	4	17	9
			1	3	3	1	4	3	3	3	3	23	10
			0	1	1	2	2	4	2	2	1	15	11
			1	2	2	1	3	1	3	0	3	15	12
			0	4	1	2	1	2	2	2	2	16	13
			1	1	1	2	2	2	3	3	3	17	14
			0	3	1	3	1	2	2	2	2	16	15
			0	1	1	1	1	1	1	2	2	10	16
			0	1	2	2	2	3	2	3	3	18	17
			0	1	2	2	1	1	1	1	3	12	18
			0	1	1	2	1	1	2	1	2	11	19
			0	1	2	1	1	1	1	1	1	9	20
			0	0	0	2	1	2	1	1	1	8	21
			0	1	1	2	1	1	2	3	2	13	22
			0	2	2	3	2	1	1	2	2	15	23
			0	1	1	3	1	3	3	1	1	14	24
			0	1	1	1	1	2	1	2	1	10	25
			0	1	1	1	2	1	2	1	1	10	26
			1	1	1	3	2	3	3	2	1	16	27
			1	2	1	3	3	2	3	4	4	22	28
			1	2	1	3	3	4	5	3	2	23	29
			0	2	3	3	1	1	2	2	1	15	30
			0	1	2	1	2	3	2	3	2	16	31
$\varepsilon_0 = 5.30$	$\varepsilon_1 = 2.80$	$\varepsilon_2 = 4.00$		$K_3 = 550$									

2000
Львов

Таблица С и К
Суточные характеристики

1992-11
ноябрь 1967г.

Амплитуды				Характер С	К—индекс									Дата
					0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	К	
				0	1	1	1	1	1	2	2	1	10	1
				0	2	1	2	2	1	2	4	2	16	2
				1	2	2	2	2	4	5	5	2	24	3
				0	3	2	2	2	2	2	1	2	16	4
				0	2	2	1	3	2	2	4	2	18	5
				0	2	2	2	2	1	4	2	2	12	6
				0	1	1	2	2	2	2	1	1	12	7
				1	2	2	2	2	2	3	4	2	19	8
				0	2	1	2	2	3	3	3	1	12	9
				0	1	1	1	2	1	1	1	1	9	10
				0	1	1	1	1	1	2	4	5	16	11
				0	2	2	2	2	1	3	4	3	19	12
				0	2	2	1	2	2	3	3	3	18	13
				0	2	1	2	2	1	3	2	1	14	14
				0	1	1	1	1	2	3	4	3	16	15
				0	1	2	1	2	2	1	1	1	11	16
				0	1	1	1	1	2	1	1	1	9	17
				0	1	1	1	1	1	1	1	1	8	18
				0	1	1	1	1	1	1	1	1	8	19
				0	1	1	1	1	1	1	1	1	8	20
				0	1	1	1	2	2	1	2	2	12	21
				0	2	3	3	2	3	2	2	1	18	22
				0	1	1	2	2	3	2	2	3	16	23
				1	3	3	2	2	2	3	3	2	20	24
				0	2	2	1	3	2	2	2	1	15	25
				0	1	1	2	3	2	2	2	3	16	26
				0	2	1	2	2	2	2	3	1	15	27
				0	2	3	2	2	2	3	3	4	21	28
				0	3	2	3	3	3	2	1	1	18	29
				1	1	1	2	3	2	3	4	3	19	30
														31
С11020 E _D =50 C211030 E _D =53				E _N =2.80	E _Z =4.0	K ₉ 350								

Лвов
Львов

Таблица С и К
Суточные характеристики

20085-III
Декабрь 1967г. 54

Амплитуды			Характер С	К—индекс									Дата
				0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	К	
			1	1	3	3	4	4	3	4	4	26	1
			0	4	3	1	2	2	1	2	3	18	2
			0	1	1	1	2	3	2	3	3	16	3
			0	2	2	1	2	1	1	2	2	13	4
			0	1	1	1	1	2	3	3	4	16	5
			1	1	3	1	3	3	4	3	4	22	6
			1	3	2	2	3	4	3	3	2	22	7
			1	2	3	3	2	3	3	5	3	24	8
			0	2	2	2	1	2	3	3	2	17	9
			0	2	2	1	2	2	1	1	1	12	10
			0	1	1	1	1	1	1	1	1	8	11
			0	2	1	1	1	1	2	2	2	12	12
			0	1	1	1	1	1	2	1	1	9	13
			0	1	1	1	1	1	1	1	1	8	14
			0	3	2	1	1	2	2	2	3	16	15
			0	2	2	1	2	2	3	2	2	16	16
			0	1	1	3	2	2	2	1	2	14	17
			1	2	2	2	3	4	3	3	1	20	18
			1	1	1	1	3	2	3	5	4	20	19
			1	2	3	2	4	4	4	5	1	25	20
			0	1	1	1	3	3	4	3	3	19	21
			0	2	1	2	2	2	1	2	3	15	22
			0	3	1	1	2	3	2	4	1	17	23
			0	1	1	1	2	1	1	2	1	10	24
			0	1	1	1	1	1	1	1	1	8	25
			0	1	1	1	3	2	3	2	1	14	26
			0	3	1	1	1	3	3	1	1	14	27
			0	1	1	1	1	1	1	2	2	10	28
			0	2	1	1	1	1	1	1	1	9	29
			0	1	1	1	2	3	2	2	2	14	30
			1	3	3	3	3	4	6	5	3	30	31
c1 no10 $\varepsilon = 5.30$ c11 no31 $\varepsilon = 5.42$	c1 no10 $\varepsilon = 2.80$ c11 no31 $\varepsilon = 2.88$	c1 no10 $\varepsilon = 4.00$ c11 no31 $\varepsilon = 4.04$		$K_9 = 550$									