

L VOV  
Львов

Таблица Сик

20124-04

Суточные характеристики

Январь 1968г.

11.84

Амплитуды			Характер С	К-индекс										Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К		
			0	3	2	2	3	2	3	3	2	20	1	
			1	1	2	4	4	3	4	3	2	23	2	
			0	1	1	2	2	1	1	1	2	11	3	
			0	1	1	1	1	2	1	2	3	12	4	
			1	1	1	1	2	4	2	3	3	17	5	
			1	3	3	1	3	3	3	4	2	22	6	
			0	1	2	2	3	2	1	1	1	13	7	
			0	1	1	1	3	1	2	1	1	11	8	
			0	1	1	1	1	1	1	1	1	8	9	
			0	1	1	1	1	2	1	1	1	9	10	
			1	1	1	1	2	3	4	3	3	18	11	
			0	1	1	2	2	1	2	3	3	15	12	
			0	2	2	1	1	1	2	1	1	11	13	
			0	2	2	1	1	1	2	3	3	15	14	
			0	1	1	2	1	3	2	3	2	15	15	
			1	2	2	1	1	2	3	3	3	17	16	
			1	1	1	2	2	1	2	3	1	13	17	
			0	3	1	2	2	2	2	1	1	14	18	
			1	1	1	1	2	3	3	3	4	18	19	
			1	3	1	2	2	4	1	2	1	16	20	
			0	1	1	2	1	1	2	1	2	11	21	
			0	1	1	2	2	2	3	2	2	15	22	
			0	1	1	2	1	1	3	3	2	14	23	
			0	1	1	2	2	2	1	3	3	15	24	
			0	1	1	2	1	2	2	2	1	12	25	
			1	1	1	1	1	3	4	3	2	16	26	
			0	1	1	2	1	2	2	2	3	14	27	
			0	3	1	1	1	2	3	4	3	18	28	
			0	3	2	1	2	1	1	3	3	16	29	
			0	2	2	3	1	2	2	2	2	16	30	
			0	1	2	2	1	2	2	1	1	12	31	

с 1 no 10    с 1 no 10    с 1 no 10  
 $\epsilon_D = 5.23$      $\epsilon_H = 2.90$      $\epsilon_2 = 4.14$   
с 11 no 31    с 11 no 31    с 11 no 20  
 $\epsilon_D = 5.62$      $\epsilon_H = 2.94$      $\epsilon_2 = 4.18$   
с 21 no 31

$K_g = 550$

$\epsilon_2 = 4.17$

L VOV  
Львов

Таблицы C и K-индексов  
Суточные характеристики

20340-III  
Февраль 1968г.

Дата 145	Амплитуды			Характер C	K-индекс									Дата н. 54
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	K	
				0	1	1	3	2	1	2	2	2	14	1
				1	3	1	2	3	3	3	2	3	20	2
				1	3	2	2	2	3	3	2	2	19	3
				0	3	2	2	3	2	2	1	1	16	4
				0	1	1	2	2	1	2	4	3	16	5
				0	1	1	2	1	1	1	1	1	9	6
				0	1	1	2	1	1	2	2	3	13	7
				1	3	3	3	2	2	3	3	3	22	8
				0	2	2	2	2	3	1	2	2	16	9
				2	2	2	1	2	3	5	5	5	25	10
				1	4	3	3	4	4	3	4	3	28	11
				0	3	3	2	1	1	2	2	1	15	12
				1	1	1	3	2	3	1	1	1	13	13
				0	1	1	1	1	1	1	1	1	8	14
				1	1	1	3	4	4	5	3	3	24	15
				0	1	1	1	3	2	3	3	2	16	16
				1	3	1	2	2	3	2	4	4	21	17
				1	1	1	3	2	3	2	3	3	18	18
				0	3	3	2	1	1	1	1	1	13	19
				1	2	1	3	5	4	3	3	4	25	20
				1	4	2	3	2	3	3	4	3	24	21
				0	1	2	3	3	2	3	1	1	16	22
				0	1	1	2	2	1	2	2	1	12	23
				0	1	1	2	2	1	1	1	1	10	24
				0	1	1	2	2	1	1	2	1	11	25
				0	1	1	1	1	1	1	1	1	8	26
				1	2	1	1	1	1	2	4	3	15	27
				1	2	2	2	2	4	4	4	4	24	28
				1	4	3	2	3	3	2	3	2	22	29
														30
														31

$\epsilon_D = 5,59$   $\epsilon_H = 2,90$   $\epsilon_Z = 4,17$

$K_0 = 550$

Львов

Таблица С и К-индексов  
Суточные характеристики

20413-III  
Март 1968 г. н. 54

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
195														
1				0	2	2	2	3	1	3	2	1	16	1
2				0	1	3	2	3	1	2	3	2	17	2
3				1	2	1	2	1	2	3	3	3	17	3
4				1	2	2	2	3	2	2	4	4	21	4
5				1	2	2	3	3	3	3	3	3	22	5
6				0	2	2	1	2	1	1	2	2	13	6
7				0	1	1	1	1	2	2	1	1	10	7
8				0	2	1	1	1	1	1	1	2	10	8
9				0	1	1	1	2	1	1	1	2	10	9
10				0	3	3	1	1	3	3	2	2	18	10
11				0	1	2	1	2	1	1	1	2	11	11
12				0	1	1	1	3	1	3	2	3	15	12
13				0	1	2	2	2	1	1	1	1	11	13
14				1	2	3	3	2	3	4	3	4	24	14
15				1	2	2	4	2	3	3	4	3	23	15
16				1	3	3	2	2	4	1	2	2	19	16
17				0	1	2	2	1	1	2	1	3	13	17
18				0	1	2	2	2	2	2	1	1	13	18
19				1	1	1	2	3	2	2	2	1	14	19
20				1	2	3	1	4	2	1	1	3	17	20
21				0	1	1	1	1	2	3	2	2	13	21
22				0	2	1	2	2	1	2	1	1	12	22
23				1	1	1	2	2	2	2	3	4	17	23
24				1	2	3	3	3	3	2	4	4	24	24
25				1	3	2	3	2	3	2	3	3	21	25
26				1	1	1	2	3	2	2	3	3	17	26
27				1	3	3	2	2	1	3	2	3	19	27
28				1	2	2	3	2	2	2	2	3	18	28
29				1	2	2	3	2	2	3	2	4	20	29
30				1	2	3	3	3	2	3	3	2	21	30
31				1	2	1	3	2	2	3	4	4	21	31

Дата  
 С1 n010  
 E<sub>D</sub> = 5,62  
 С11 n020  
 E<sub>Z</sub> = 5,42  
 С21 n031  
 E<sub>D</sub> = 5,40  
 С4 = 2,90

K<sub>g</sub> = 550

С1 n010  
 E<sub>Z</sub> = 4,14  
 С11 n020  
 E<sub>Z</sub> = 4,13  
 С21 n031  
 E<sub>Z</sub> = 4,15

Lvov  
Львов

Таблица С и К  
Суточные характеристики

Апрель 1968г

20738-III  
н. 54

15	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				1	3	3	3	3	3	3	3	3	24	1
				1	2	2	2	2	2	2	3	2	17	2
				0	2	3	1	2	3	3	1	2	17	3
				0	2	2	2	2	2	2	2	2	16	4
				1	2	2	1	2	2	3	5	5	22	5
				1	3	2	4	4	3	4	4	2	26	6
				0	2	2	2	3	2	2	1	1	15	7
				0	1	2	1	2	2	1	1	1	11	8
				0	1	1	1	2	1	2	1	2	11	9
				0	1	1	1	2	2	2	3	2	14	10
				1	1	1	2	2	2	3	3	2	16	11
				1	2	2	2	2	1	2	3	3	17	12
				1	2	3	2	3	3	3	3	4	23	13
				1	2	2	2	4	3	3	3	3	22	14
				1	2	2	2	2	2	3	2	3	18	15
				0	2	2	2	2	2	2	2	3	17	16
				0	1	1	3	3	2	2	1	3	16	17
				0	1	2	2	2	2	2	2	2	15	18
				0	1	1	2	2	1	1	1	1	10	19
				0	1	2	2	2	1	1	1	1	11	20
				0	1	1	3	2	3	2	2	1	15	21
				0	1	1	2	1	2	2	1	1	11	22
				1	3	2	2	2	2	3	2	2	18	23
				0	2	1	1	1	1	2	1	1	20	24
				0	1	1	1	2	1	2	1	3	12	25
				1	2	2	2	2	2	3	4	3	20	26
				1	3	2	4	4	2	3	3	2	23	27
				0	2	2	2	2	1	2	2	2	15	28
				0	1	2	2	2	2	1	2	2	14	29
				0	2	2	2	3	2	2	1	2	16	30
														31

$\epsilon_D = 5.40$   $\epsilon_H = 2.90$   $\epsilon_2 = 4.15$

$K_g = 550$

LV0V  
Львов

Таблица СИК

20774-III

Суточные характеристики Май 1968г и. 54

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	1	1	1	2	3	2	3	3	16	1
			1	2	2	2	3	3	2	2	2	18	2
			0	2	3	2	2	3	1	1	1	15	3
			0	2	1	2	2	1	1	1	1	11	4
			0	1	1	1	3	1	1	1	1	10	5
			0	1	1	1	2	1	2	2	1	11	6
			1	3	5	5	3	5	4	3	3	31	7
			0	2	2	3	2	2	2	1	1	15	8
			1	3	3	3	3	3	3	3	2	23	9
			1	1	2	2	1	2	3	2	2	15	10
			1	3	3	2	3	3	2	2	2	20	11
			1	3	4	3	3	2	2	3	3	23	12
			1	2	2	2	3	2	3	3	2	19	13
			0	2	2	1	2	2	2	2	1	14	14
			0	1	1	3	2	1	1	2	2	13	15
			0	2	1	1	3	3	2	1	1	14	16
			1	1	1	2	1	3	3	2	3	16	17
			1	1	2	1	2	3	5	2	3	19	18
			1	1	1	3	3	2	3	2	3	18	19
			1	3	2	2	2	2	2	2	2	17	20
			1	2	1	3	2	3	3	3	3	20	21
			0	2	4	3	1	2	2	1	2	17	22
			0	2	1	1	2	2	2	2	2	14	23
			0	3	2	3	1	2	2	2	1	16	24
			0	1	1	1	2	1	2	1	2	11	25
			0	1	1	1	1	2	1	1	1	9	26
			0	1	1	1	1	3	2	1	1	11	27
			0	1	2	1	1	2	3	3	1	14	28
			0	1	1	2	2	3	2	2	2	15	29
			0	2	2	2	1	3	2	2	3	17	30
			0	2	1	1	1	3	2	1	1	12	31

$\epsilon_D = 5.40$   $\epsilon_H = 2.90$   $\epsilon_2 = 4.15$

$K_9 = 550$

LVOV  
Львов

Таблица С и К  
Суточные характеристики Июнь 1968

20813 М  
и.с.ч

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				1	1	2	2	3	3	3	3	3	20	1
				0	2	3	1	2	3	3	3	2	19	2
				0	2	2	2	4	3	3	2	2	20	3
				0	1	1	2	2	1	2	2	2	13	4
				0	1	1	2	2	1	1	2	1	11	5
				0	1	1	2	2	2	2	1	1	12	6
				1	2	2	2	3	3	3	1	1	17	7
				1	1	1	2	2	3	4	3	2	18	8
				0	1	2	2	3	1	2	2	3	16	9
				1	3	3	3	3	3	2	2	4	23	10
				1	4	6	5	5	5	4	4	4	37	11
				1	4	4	2	3	4	4	3	3	27	12
				1	2	3	4	3	3	3	3	2	23	13
				1	1	1	4	3	2	3	3	2	19	14
				0	1	1	2	2	2	2	2	2	14	15
				0	1	2	1	3	3	2	3	4	19	16
				0	2	4	3	3	2	2	2	2	20	17
				0	1	3	2	2	3	3	3	2	19	18
				0	2	3	3	2	3	2	3	3	21	19
				0	1	3	3	2	2	2	2	2	17	20
				0	1	1	1	1	3	2	2	2	13	21
				0	1	2	2	2	3	2	2	2	16	22
				0	1	2	1	2	3	2	1	2	14	23
				0	1	2	2	1	3	1	2	2	14	24
				0	1	3	1	2	1	3	2	2	15	25
				1	3	2	1	3	3	3	2	2	19	26
				0	2	2	2	4	3	2	3	3	21	27
				0	1	2	1	1	1	3	2	2	13	28
				0	1	2	1	1	1	3	3	3	15	29
				0	2	3	1	2	1	2	2	2	15	30
														31

не  $\epsilon = 5.40$   
 $\epsilon_1$  по 10  $\epsilon_H = 2.90$   
 $\epsilon_{II}$  по 20  $\epsilon_2 = 4.15$   
 $\epsilon_H = 2.60$   
 $\epsilon_{21}$  по 30  
 $\epsilon_H = 2.90$

$K_9 = 550$

Львов  
Львов

Таблица  
с и к индексов  
Суточные характеристики

20852-10  
июль 1968 н.54

Амплитуды			Характер С	К-индекс								Дата	
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		К
			0	2	2	3	2	2	2	2	17	1	
			0	3	2	3	3	2	2	2	19	2	
			1	2	2	3	3	2	3	2	18	3	
			0	1	2	2	1	3	2	2	15	4	
			0	1	2	1	2	2	3	2	15	5	
			0	2	2	1	2	2	2	2	15	6	
			0	1	2	2	2	3	2	1	15	7	
			0	1	2	2	1	2	3	2	15	8	
			0	1	3	1	2	1	2	1	13	9	
			1	4	3	1	3	4	2	3	4	24	10
			0	2	2	1	2	2	2	2	15	11	
			0	2	2	1	2	2	3	1	1	14	12
			1	1	2	2	1	1	4	4	2	17	13
			1	3	3	1	2	3	2	3	2	19	14
			0	2	2	3	1	1	1	1	2	13	15
			0	2	2	3	2	2	3	3	1	18	16
			0	2	2	1	2	2	2	2	15	17	17
			0	1	2	1	2	3	3	2	2	16	18
			0	1	3	1	3	1	3	2	2	16	19
			0	1	1	1	1	2	1	1	2	10	20
			1	1	2	2	2	2	2	2	3	16	21
			1	2	3	3	3	4	3	2	2	22	22
			0	2	2	2	2	2	3	2	2	17	23
			0	1	1	1	1	3	1	1	1	10	24
			0	1	1	1	2	3	2	1	1	12	25
			1	1	2	3	3	3	3	3	4	22	26
			0	3	3	3	2	2	2	1	1	17	27
			0	1	2	2	2	2	2	1	1	13	28
			0	1	2	2	1	1	1	1	2	11	29
			0	1	2	1	1	2	2	2	2	13	30
			0	2	2	1	3	1	1	1	1	12	31

$\epsilon_0 = 5,40$   $\epsilon_n = 2,90$   $\epsilon_z = 4,15$

$K_g = 550$

Львов  
Львов

Таблица с к индексов  
Суточные характеристики

21007 III

н.54

август 1968

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	1	1	1	1	1	1	1	2	9	1
			0	1	3	2	2	2	1	1	2	14	2
			0	1	1	3	2	2	3	3	2	17	3
			0	2	2	1	1	1	1	1	2	11	4
			1	1	2	2	3	3	3	3	3	20	5
			1	3	3	2	3	2	2	3	2	20	6
			0	3	3	1	2	3	3	2	1	18	7
			0	3	3	3	1	3	1	1	2	17	8
			0	3	2	1	2	2	3	2	3	18	9
			0	1	2	2	2	2	3	1	3	16	10
			0	2	2	1	2	2	1	2	2	14	11
			0	1	1	1	2	2	2	2	2	13	12
			0	1	2	1	1	2	2	2	2	13	13
			1	3	3	3	3	4	3	2	3	24	14
			1	2	2	3	3	3	3	3	2	21	15
			1	3	3	3	1	4	4	4	3	25	16
			1	3	4	3	3	3	4	3	3	26	17
			0	1	3	3	3	2	3	3	4	22	18
			0	3	3	2	3	2	3	2	2	20	19
			0	2	3	2	2	2	2	2	2	17	20
			0	1	1	1	1	3	1	1	1	10	21
			0	1	2	1	2	2	2	1	2	13	22
			0	1	3	1	1	2	3	3	3	17	23
			0	3	3	3	3	3	2	3	3	23	24
			0	2	2	2	1	2	2	2	2	15	25
			0	1	2	1	3	2	1	1	1	12	26
			0	2	2	1	2	3	1	2	1	14	27
			0	1	2	1	2	1	2	1	1	11	28
			0	1	1	1	2	1	1	1	1	9	29
			0	1	1	1	1	1	1	1	1	8	30
			1	1	2	3	3	3	3	4	2	21	31

ннз  $\epsilon_D = 5,40$   $\epsilon_n = 2,90$   $\epsilon_z = 4,15$

$K_0 = 550$



Lvov

Таблица С и К

21265-Ш

Львов

Суточные характеристики Сентябрь 1968 г. 54

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	2	1	3	3	1	1	1	1	13	1
			0	1	2	1	3	3	2	2	3	17	2
			1	2	3	3	3	3	3	4	3	24	3
			0	2	3	3	3	3	2	2	2	20	4
			0	1	3	3	2	3	2	2	2	18	5
			0	2	3	3	1	2	3	2	3	19	6
			0	2	2	3	2	3	2	3	3	20	7
			1	4	4	3	2	3	4	3	1	24	8
			0	2	2	2	3	2	1	3	2	17	9
			0	1	2	3	2	1	3	1	1	14	10
			0	1	2	1	2	1	1	1	1	10	11
			1	1	2	3	1	4	3	3	2	19	12
			1	4	4	3	4	3	4	4	4	30	13
			1	4	3	4	3	3	4	3	3	27	14
			0	3	3	3	2	3	5	4	2	25	15
			0	1	2	0	1	1	0	2	2	9	16
			0	2	1	2	2	1	2	1	1	12	17
			0	1	1	2	2	2	1	0	0	9	18
			0	1	1	3	2	2	1	1	2	13	19
			0	3	1	2	1	2	1	2	2	14	20
			0	1	2	3	2	3	3	1	1	16	21
			0	2	2	2	2	2	2	2	3	17	22
			1	3	3	3	3	3	3	1	2	21	23
			0	1	1	0	2	2	1	2	1	10	24
			0	1	1	1	1	1	2	1	1	9	25
			0	1	1	2	2	2	2	1	1	12	26
			0	1	1	1	2	1	1	1	1	9	27
			0	1	1	2	2	2	2	3	2	15	28
			0	2	2	1	1	2	3	2	1	14	29
			0	1	1	1	1	2	2	2	3	13	30
													31
$\varepsilon_D = 5.40$	$\varepsilon_H = 2.90$	$\varepsilon_2 = 4.15$					$K_g = 550$						

Львов  
Львов

Таблица с к индексов  
Суточные характеристики

213 88-III  
н. 84

октябрь 1968

Дата	Амплитуды			Характер С	К индекс									Дата
	$\Delta D$	$\Delta H$	$\Delta Z$		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	3	2	3	3	3	2	3	3	22	
2				1	4	2	2	4	4	4	2	3	25	
3				0	4	4	4	4	2	2	1	1	22	
4				0	1	1	2	2	2	2	1	1	12	
5				0	1	1	2	2	2	2	1	1	12	
6				0	1	1	2	2	2	2	2	2	14	
7				1	2	2	3	2	2	3	4	3	21	
8				0	2	1	1	1	1	1	2	1	10	
9				0	1	1	1	2	3	3	1	2	14	
10				0	3	2	1	2	2	1	1	1	13	
11				0	1	1	2	1	2	2	1	1	11	
12				1	2	3	4	4	3	5	5	4	30	
13				1	4	3	3	3	3	4	2	3	25	
14				0	3	2	2	2	2	2	3	3	19	
15				0	1	1	1	1	2	2	1	1	10	
16				0	1	1	1	1	2	3	2	1	12	
17				0	1	1	2	1	1	2	1	1	10	
18				0	2	2	2	2	2	2	1	1	14	
19				0	1	1	1	2	2	2	4	3	16	
20				0	2	1	2	1	1	2	1	1	11	
21				0	1	1	1	1	2	2	1	1	10	
22				0	1	1	1	1	1	1	1	1	8	
23				0	1	1	1	1	2	2	2	1	11	
24				0	1	2	1	1	2	3	3	1	14	
25				0	1	1	3	2	2	2	1	2	14	
26				0	1	1	2	2	1	2	2	2	13	
27				0	2	2	2	1	2	2	1	1	13	
28				0	1	1	1	1	2	2	1	3	12	
29				1	2	2	4	3	4	6	6	4	31	
30				1	2	2	2	3	3	3	3	3	21	
31				1	4	2	4	6	6	6	5	3	36	
среднее	$\epsilon_D = 5,40$	$\epsilon_n = 2,90$	$\epsilon_2 = 4,14$		$K_B = 550$									

Лвов  
Львов

Таблица с к индексом  
Суточные характеристики

21447-III  
ноябрь 1968 г. 54

ВКС Дата	Амплитуды			Характер С	К-индекс									Дата
					0-8	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				2	4	2	3	3	6	5	4	6	33	1
2				1	5	3	2	3	4	4	3	4	28	2
3				1	4	3	3	1	3	4	3	3	24	3
4				1	2	2	3	3	3	3	5	2	23	4
5				0	2	2	2	2	2	2	3	2	17	5
6				0	1	2	2	1	2	1	3	3	15	6
7				0	2	3	2	2	3	2	2	1	17	7
8				0	1	1	1	2	2	3	2	3	15	8
9				1	2	3	2	3	3	4	3	2	22	9
10				0	1	2	2	3	3	4	2	2	19	10
11				0	3	2	3	2	3	3	1	2	19	11
12				0	2	2	1	1	1	2	1	1	11	12
13				0	1	2	1	3	1	2	2	2	14	13
14				0	1	3	1	2	1	1	1	2	12	14
15				0	1	1	2	2	2	1	1	1	11	15
16				0	1	1	1	2	3	4	3	3	18	16
17				1	2	2	3	2	3	3	3	3	21	17
18				0	3	3	3	2	1	2	3	3	20	18
19				0	2	1	1	2	2	2	1	1	12	19
20				1	1	2	3	3	5	4	2	1	21	20
21				0	1	2	2	2	2	2	2	3	16	21
22				0	1	2	1	2	3	2	2	2	15	22
23				0	1	2	1	2	2	1	0	1	10	23
24				0	1	1	2	1	2	2	1	1	11	24
25				0	1	1	3	2	3	2	3	1	16	25
26				0	1	1	2	2	3	3	2	1	15	26
27				0	3	1	2	2	3	2	2	2	17	27
28				0	1	2	2	3	1	1	3	2	15	28
29				0	2	1	2	2	2	2	0	1	12	29
30				0	1	1	1	2	2	1	1	1	10	30
31														31
ини	$\epsilon_D = 5,40$	$\epsilon_H = 2,90$	$\epsilon_2 = 4,14$		$K_5 = 550$									

Львов  
Львов

Таблица с к индексов  
Суточные характеристики

декабрь 1968

21718-III  
и. 54

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	2	2	2	3	3	2	1	16	1
2				1	1	1	2	2	2	2	2	1	13	2
3				1	1	3	2	2	3	3	3	4	21	3
4				1	2	1	2	3	3	4	4	2	21	4
5				0	2	2	4	4	3	3	4	2	24	5
6				0	3	2	2	1	1	1	2	2	14	6
7				1	1	1	2	2	2	3	1	1	13	7
8				0	1	2	2	2	3	2	2	3	17	8
9				0	1	1	2	2	2	2	2	3	15	9
10				0	3	2	2	2	1	2	2	3	17	10
11				0	2	2	1	1	2	3	3	2	16	11
12				0	2	2	2	2	2	2	2	1	15	12
13				0	2	2	2	1	2	2	3	1	15	13
14				0	1	1	2	1	3	1	1	1	11	14
15				0	1	1	2	1	2	2	1	2	12	15
16				0	2	2	2	2	3	2	2	2	17	16
17				0	2	1	2	2	2	1	1	1	12	17
18				0	2	2	2	2	3	3	3	2	19	18
19				0	3	1	1	2	2	1	1	1	12	19
20				0	2	1	1	1	2	1	1	1	10	20
21				0	3	3	2	3	2	3	3	4	23	21
22				0	3	2	1	2	3	3	1	1	16	22
23				1	1	1	2	1	4	4	4	4	21	23
24				0	4	1	2	2	3	2	1	4	19	24
25				0	2	3	3	3	3	2	2	2	20	25
26				0	1	1	1	2	3	1	1	1	11	26
27				0	2	2	2	3	3	2	1	1	16	27
28				0	1	1	1	2	2	2	1	2	12	28
29				0	1	1	1	2	3	2	3	3	16	29
30				0	1	2	2	2	2	2	3	2	16	30
31				0	3	1	1	1	3	3	3	4	19	31
Среднее	c1 no 10 $E_D = 5,35$ c11 no 31 $E_D = 5,40$	$\epsilon_H = 2,90$	c1 no 10 $E_2 = 4,10$ c11 no 20 $E_2 = 4,15$ c21 no 31 $E_2 = 4,15$		$K_3 = 550$									