

Львов
Львов

Таблица с к индексов
Суточные характеристики

январь 1969, 4.54

21858-III

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-8	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	0	1	2	3	2	2	2	13	1
2				0	0	2	0	0	2	2	0	0	6	2
3				0	0	0	1	1	2	0	1	0	5	3
4				0	1	0	0	1	2	0	1	1	6	4
5				0	0	0	1	2	2	1	1	1	8	5
6				0	0	1	1	2	1	1	1	0	7	6
7				0	0	2	1	2	2	1	3	2	13	7
8				0	2	2	1	2	2	1	3	3	16	8
9				0	1	2	1	1	1	1	1	2	10	9
10				0	1	1	1	1	2	1	1	0	8	10
11				0	1	1	2	2	2	2	3	2	15	11
12				0	2	1	1	2	3	2	2	1	14	12
13				0	1	1	2	1	1	1	1	2	10	13
14				0	2	2	1	2	1	1	2	3	14	14
15				1	3	2	2	1	1	2	4	1	16	15
16				1	1	2	1	2	3	3	1	3	16	16
17				1	3	2	2	2	2	3	4	3	21	17
18				1	3	2	2	4	2	3	3	3	22	18
19				0	2	2	2	3	7	1	3	2	16	19
20				1	2	2	2	1	2	2	3	3	17	20
21				0	2	2	1	2	2	2	3	2	16	21
22				0	1	1	2	1	1	1	1	2	10	22
23				0	1	1	1	2	2	2	2	3	14	23
24				1	1	1	2	3	4	3	3	3	20	24
25				1	3	2	3	3	3	4	4	2	24	25
26				0	4	2	1	3	2	2	1	3	18	26
27				0	1	1	3	2	3	2	3	2	17	27
28				0	2	2	1	1	2	1	1	2	12	28
29				0	1	1	1	1	1	1	1	1	8	29
30				0	2	1	2	3	3	2	1	1	15	30
31				0	1	1	1	2	3	3	2	1	14	31
реднее	$E_D = 5,40$	$E_H = 2,90$	$E_1 \approx 2,0$ $E_2 = 4,14$ $c21 \approx 31$ $E_2 = 4,15$		$K_3 = 550$									

Л'нов
Л'вов

Таблица с и к индексов

Суточные характеристики

февраль 1969 н.54

22046-III

Дата	Амплитуды			Характер С	К—индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	0	1	1	0	1	2	1	7	1
2				2	1	1	2	1	1	4	7	6	23	2
3				1	4	3	3	3	4	3	5	5	30	3
4				0	2	2	2	2	2	3	2	3	18	4
5				0	2	1	2	2	2	1	1	3	14	5
6				0	2	2	3	3	1	1	2	2	16	6
7				0	0	0	1	3	1	2	2	3	12	7
8				0	4	2	1	1	2	3	2	1	16	8
9				0	2	0	1	0	1	1	1	1	7	9
10				1	1	1	1	2	1	2	2	5	15	10
11				1	4	3	3	4	4	4	6	5	33	11
12				0	3	1	1	2	1	2	3	4	17	12
13				0	3	2	2	3	3	2	2	3	20	13
14				0	1	2	2	2	2	2	1	4	16	14
15				0	1	3	2	2	2	3	3	2	18	15
16				0	2	2	2	2	2	2	2	1	15	16
17				0	1	1	2	1	1	1	2	1	10	17
18				0	1	1	2	1	1	1	2	1	10	18
19				0	1	2	3	1	2	1	1	1	12	19
20				0	1	2	3	3	2	2	2	2	17	20
21				0	3	1	3	1	3	1	1	0	13	21
22				0	0	1	3	1	1	2	1	1	10	22
23				0	1	2	2	2	2	1	1	2	13	23
24				0	2	2	3	2	2	2	1	1	15	24
25				0	2	1	3	2	2	1	1	1	13	25
26				0	2	2	4	3	2	2	2	3	20	26
27				1	2	3	4	2	4	5	4	2	26	27
28				0	2	2	3	3	2	3	2	3	20	28
29														29
30														30
31														31
Среднее	$\varepsilon_D = 5,40$	$\varepsilon_H = 2,90$	с 1 по 10 $\varepsilon_z = 4,15$ с 11 по 20 $\varepsilon_z = 4,14$ с 21 по 28 $\varepsilon_z = 4,15$		$K_0 = 550$									

Львов
Львов

Таблица с к индексов
Суточные характеристики

26516 III п 54

март 1969

Дата	Амплитуды			Характер С	К—индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				0	2	1	1	2	2	4	3	2	17	1
				0	3	2	1	1	3	2	2	2	16	2
				0	1	2	2	1	2	1	1	1	11	3
				0	1	1	2	1	2	2	4	4	17	4
				0	1	1	1	3	3	4	3	3	19	5
				0	2	2	2	2	3	3	3	2	19	6
				0	2	2	1	3	3	3	3	3	20	7
				0	2	2	2	3	3	1	3	3	19	8
				0	3	2	3	2	2	3	3	2	20	9
10				0	1	2	2	2	1	1	2	1	12	10
11				1	1	2	2	2	2	3	4	4	20	11
12				0	4	4	3	3	3	4	3	2	26	12
13				0	3	2	2	1	1	2	2	3	16	13
14				0	2	1	1	1	2	1	2	3	13	14
15				0	2	2	3	2	2	4	2	4	21	15
16				1	1	1	3	4	3	2	1	1	16	16
17				1	4	4	3	3	3	4	4	4	29	17
18				0	1	3	3	2	1	2	2	2	16	18
19				1	1	2	2	2	2	2	3	5	19	19
20				0	4	2	3	2	2	3	3	3	22	20
21				0	2	2	3	2	1	1	2	3	16	21
22				0	2	3	3	2	2	2	2	2	18	22
23				1	2	2	3	2	2	4	5	6	26	23
24				1	5	3	5	5	3	3	1	1	26	24
25				0	2	2	3	3	4	3	2	4	23	25
26				0	2	2	2	3	2	2	2	2	17	26
27				0	2	2	2	2	3	2	1	1	15	27
28				0	1	1	2	2	2	1	1	1	11	28
29				0	1	1	3	2	3	3	2	3	18	29
30				0	3	3	2	2	1	2	3	4	20	30
31				0	3	2	2	2	3	3	4	3	22	31

с1 по 10
E₂ = 4,15
с11 по 20
E₂ = 4,14
с21 по 31
E₂ = 4,15

K₉ = 550

днее E_D = 5,40 E_H = 2,90

Лвов
Львов

Таблица
Си К-индексов
Суточные характеристики Апрель 1969

22528 ш

н. 54

145 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	2	2	3	3	3	3	3	20	1
2				0	2	2	2	3	3	3	4	2	21	2
3				0	3	2	2	1	1	1	4	3	17	3
4				0	2	2	2	1	3	2	4	3	19	4
5				0	2	1	2	3	1	3	1	3	16	5
6				0	2	2	2	2	2	2	4	3	19	6
7				0	3	2	2	2	2	3	4	2	20	7
8				0	3	1	1	1	2	2	2	3	15	8
9				0	1	1	2	3	2	2	4	2	17	9
10				0	1	2	2	2	2	3	2	1	15	10
11				0	1	2	3	1	3	1	1	2	14	11
12				0	1	1	1	2	2	2	4	3	16	12
13				1	3	2	2	2	2	3	3	3	20	13
14				0	3	2	2	1	2	2	3	3	18	14
15				0	2	1	3	3	3	2	2	2	18	15
16				1	1	2	2	3	3	3	3	3	20	16
17				1	3	2	3	3	4	3	3	3	24	17
18				0	4	3	3	2	2	2	2	2	20	18
19				0	2	2	1	2	2	2	2	2	15	19
20				0	2	2	2	2	2	1	2	3	16	20
21				0	2	2	2	2	1	1	1	3	14	21
22				0	2	2	3	3	2	2	2	2	18	22
23				0	1	1	1	2	2	2	2	2	13	23
24				0	2	2	2	2	1	2	2	2	15	24
25				0	3	2	3	3	2	2	1	1	17	25
26				0	2	1	2	2	2	2	2	3	16	26
27				0	3	2	2	3	2	3	3	2	20	27
28				1	2	4	4	4	5	4	2	2	27	28
29				0	2	2	3	2	2	3	3	3	20	29
30				0	3	3	3	3	4	2	4	3	25	30
31														31
еднее	$E_D = 5.40$	$E_H = 2.90$	$E_Z = 4.25$						$K_g = 550$					

4.54

Тип. „Фан“ УзССР-1047-3 000-67 г.

Лвов
Львов

Таблица
с и К-индексов
Суточные характеристики Июнь 1970 г. 54

В/45 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	2	3	3	3	3	2	1	19	
2				0	1	2	3	2	2	2	1	2	15	
3				0	1	3	4	2	2	1	2	4	19	
4				0	4	3	3	2	1	1	1	1	16	
5				0	2	4	2	2	4	3	3	2	22	
6				0	2	2	4	4	3	2	1	1	19	
7				0	1	1	3	1	2	2	1	2	13	
8				0	1	1	1	2	3	2	1	4	15	
9				1	3	4	4	4	6	5	4	3	33	
10				0	5	2	2	2	4	4	4	5	28	
11				0	3	1	2	2	2	2	3	3	18	
12				0	3	2	3	3	3	3	3	3	23	
13				0	2	2	1	3	2	3	2	2	17	
14				0	2	1	2	2	3	2	3	2	17	
15				0	2	2	1	2	2	2	1	2	14	
16				0	2	1	2	2	2	2	2	1	14	
17				0	1	1	1	2	2	3	2	4	16	
18				0	1	2	2	2	2	2	2	2	15	
19				0	1	1	2	2	3	1	1	2	13	
20				0	1	2	2	1	1	2	2	3	14	
21				0	3	1	3	4	5	4	3	2	25	
22				0	2	2	3	2	3	3	2	2	19	
23				0	2	1	1	2	3	3	2	1	15	
24				1	2	3	4	3	4	3	2	3	24	
25				1	5	4	3	4	4	4	2	4	30	
26				0	3	2	3	3	3	2	2	3	21	
27				0	2	3	2	3	3	4	4	2	23	
28				0	2	1	1	1	1	2	1	1	10	
29				1	3	3	3	3	5	3	3	1	24	
30				0	1	2	2	2	2	2	2	3	16	
31				0	2	2	1	2	2	3	2	3	17	
Среднее	ΣD = 5.40	ΣH = 2.90	ΣZ = 4.20		K _p = 550									

Lvov
Львов

С и К-индексов

Суточные характеристики *Август 1970.*

h. 57

[illegible]

Lvov
Львов

Таблица
с и к - индексов
Суточные характеристики

27627-III
54⁺_н

Октябрь 1970

В145 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	1	2	2	2	2	3	3	17	
2				0	3	1	2	2	2	2	2	2	16	
3				0	2	2	1	2	1	3	4	2	18	
4				0	3	4	3	3	3	2	3	2	23	
5				0	1	2	2	2	1	1	3	2	14	
6				0	1	1	2	2	1	1	2	3	13	
7				0	1	1	1	1	1	1	1	2	9	
8				0	2	2	2	1	1	1	1	1	11	
9				0	1	1	2	1	2	2	2	1	12	
10				0	1	2	2	2	2	2	2	3	16	
11				0	3	2	-	-	-	-	-	-	-	
12				0	-	-	2	2	1	1	1	1	-	
13				0	1	1	1	1	2	3	3	2	14	
14				0	3	2	2	2	1	1	1	2	14	
15				0	2	1	2	2	2	2	2	1	14	
16				1	1	2	2	4	3	5	5	3	25	
17				1	3	2	1	3	3	4	4	5	25	
18				0	5	5	3	3	2	4	4	3	29	
19				0	1	3	3	2	3	2	2	1	17	
20				0	1	1	1	2	1	1	1	1	9	
21				0	1	2	2	1	1	1	2	2	12	
22				0	2	2	3	2	3	3	2	4	21	
23				0	2	3	2	2	3	4	3	3	22	
24				0	2	2	3	3	2	2	3	1	18	
25				0	1	2	1	1	2	3	2	1	13	
26				0	1	2	1	1	2	1	2	1	11	
27				0	2	1	1	2	1	2	2	3	14	
28				0	2	2	2	2	3	2	3	4	20	
29				0	3	1	2	2	2	3	4	3	20	
30				0	2	2	1	2	2	2	2	1	14	
31				0	1	1	2	2	2	2	2	1	13	
Среднее														
с 1 по 8			с 1 по 8	с 1 по 8										
ΣD = 5.40			ΣH = 2.90	ΣZ = 4.20										
с 8 по 31			с 8 по 31	с 8 по 31										
ΣD = 3.0			ΣH = 3.0	ΣZ = 2.0										
11 окт.			11 окт.	11 окт.										
ΣD = 10.0			ΣH = 10.0	ΣZ = 10.0										
K ₉ = 550														

Таблица
С и К-индексов
Суточные характеристики

27664-
54_n
Ноябрь 1970

Таблица
Сик-индексов

27664-III
5Y_n

Суточные характеристики *Ноябрь 1970*

В195		Амплитуды			Характер С	К индекс									Дата
Дата		ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1					0	1	1	1	2	1	1	1	1	9	
2					0	1	1	2	3	2	2	1	2	14	
3					0	2	2	2	2	1	2	3	3	17	
4					0	2	2	2	2	2	1	2	3	16	
5					0	2	2	3	3	1	3	3	3	20	
6					0	2	2	3	3	2	3	2	2	19	
7					1	5	4	4	3	4	4	4	3	31	
8					0	2	2	1	2	2	2	2	1	14	
9					0	1	1	1	1	2	2	3	2	13	
10					0	2	2	3	4	3	3	3	2	22	
11					0	4	2	2	2	2	3	3	3	21	
12					0	2	2	2	2	3	3	2	1	17	
13					0	1	2	2	2	3	1	2	2	15	
14					0	2	2	2	2	3	4	3	2	20	
15					0	1	0	1	1	2	1	2	2	10	
16					0	1	1	2	2	2	3	2	2	15	
17					0	2	3	2	2	2	1	2	1	15	
18					1	4	1	2	2	4	4	2	4	20	
19					0	3	3	3	2	2	2	1	1	17	
20					0	1	1	2	2	2	1	1	2	12	
21					1	1	2	4	3	4	4	2	2	22	
22					0	3	2	3	2	2	3	3	3	21	
23					1	3	2	3	2	4	4	4	3	25	
24					0	1	3	3	3	2	3	3	2	20	
25					0	2	2	2	2	2	4	4	1	19	
26					0	1	3	1	1	2	2	3	2	15	
27					0	1	2	2	2	3	2	2	3	17	
28					0	1	2	1	2	3	3	2	2	16	
29					0	2	2	1	1	1	1	1	1	10	
30					0	1	1	2	1	1	1	1	1	9	
31															
Среднее		$\Sigma D = 30$	$\Sigma H = 30$	$\Sigma Z = 20$											
														$K_g = 550$	

Аббас

С и К-индексов

28061 $\sqrt{14}$

Суточные характеристики

Декабрь 1970 ч. 54

Тип. „Фан“ УзССР-1047—3 000—67 г.