

Lvov

Таблица

2500234

Сик-индекс

Суточные характеристики

Январь 1970 г. 54

Львов

195 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	1	1	2	3	3	3	3	17	1
2				1	2	3	4	3	4	5	4	3	28	2
3				0	2	2	2	2	2	1	1	3	15	3
4				0	1	1	1	2	3	2	1	2	13	4
5				0	1	2	2	2	3	2	1	1	14	5
6				0	3	1	1	2	3	2	1	1	14	6
7				0	1	1	2	1	3	3	3	1	15	7
8				0	1	1	1	1	2	3	2	2	13	8
9				0	3	1	1	1	3	1	1	2	13	9
10				0	3	1	1	1	2	2	2	1	13	10
11				0	1	1	2	2	3	1	1	2	13	11
12				0	2	1	2	1	3	2	2	3	16	12
13				0	1	1	2	1	3	3	1	1	13	13
14				0	1	1	1	2	2	2	2	2	13	14
15				0	3	2	1	2	2	2	2	2	16	15
16				0	3	2	2	4	3	4	3	2	23	16
17				0	2	4	1	2	1	1	2	2	15	17
18				0	2	2	2	1	2	2	1	1	13	18
19				0	1	1	1	1	2	2	2	3	13	19
20				0	2	2	1	2	3	1	3	1	15	20
21				0	1	1	2	2	3	1	1	3	14	21
22				0	2	1	1	1	2	1	1	1	10	22
23				0	1	1	1	1	2	1	2	2	11	23
24				0	1	1	2	3	2	2	1	3	15	24
25				0	1	1	1	1	2	1	1	2	10	25
26				0	1	1	1	1	3	2	1	1	11	26
27				0	1	2	1	1	3	2	2	2	14	27
28				0	1	1	2	2	2	2	3	2	15	28
29				0	2	1	1	3	2	1	1	1	12	29
30				0	2	1	3	3	2	3	3	3	20	30
31				0	2	2	2	1	2	2	2	1	14	31
$\bar{\sigma} = 5.40$ $\bar{\epsilon}_H = 2.90$ $\bar{\epsilon}_Z = 4.20$ Среднее $\bar{\epsilon}_L$					$K_9 = 550$									

Львов

Суточные характеристики

февраль 1970 и. 59

В145 Дата	Амплитуды			Характер С	К индекс										Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
1				0	1	1	1	1	2	1	2	3	12		
2				0	2	2	2	3	2	3	4	4	22		
3				0	2	1	1	2	2	1	1	1	11		
4				0	1	1	2	2	3	3	3	2	17		
5				0	2	2	2	1	3	2	1	3	16		
6				0	1	1	1	1	2	1	1	1	9		
7				0	1	1	1	1	2	1	1	1	9		
8				0	1	1	1	2	3	1	1	2	12		
9				0	1	1	1	2	1	1	1	1	9		
10				0	1	1	2	2	2	3	3	1	15		
11				0	1	1	2	2	2	2	2	1	13		
12				0	1	1	2	1	3	2	1	1	12		
13				0	1	2	1	2	3	1	2	1	13		
14				0	1	2	1	3	3	2	1	1	14		
15				0	1	2	2	3	2	2	2	1	15		
16				0	1	1	2	1	3	2	1	1	12		
17				0	1	1	1	2	2	2	4	3	16		
18				0	1	2	2	1	3	2	2	3	16		
19				0	2	1	1	2	2	2	1	1	12		
20				0	1	1	1	1	3	1	1	1	10		
21				0	1	1	1	1	1	1	1	1	8		
22				0	1	1	2	2	2	1	1	1	11		
23				0	1	1	1	1	1	1	3	1	10		
24				0	1	2	2	2	2	4	3	1	17		
25				0	1	1	2	2	1	1	1	1	10		
26				0	2	1	2	1	3	3	2	1	15		
27				0	1	2	2	1	2	1	3	3	15		
28				0	3	2	2	2	3	2	2	1	17		
29															
30															
31															
Среднее $E_D = 5.40$ $E_H = 2.90$ $E_Z = 4.20$ $K_9 = 550$															

Lvov

Таблица

26516-11

Сик-индексов

Львов

Суточные характеристики

Март 1970

н. 54

В/45 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	4	3	4	4	2	2	23	
2				0	2	3	3	3	2	1	1	1	16	
3				0	3	1	3	1	2	2	4	4	20	
4				0	1	3	2	3	2	4	3	3	21	
5				0	3	1	3	2	1	3	4	2	19	
6				1	2	2	3	3	2	3	4	4	23	
7				1	3	3	3	3	3	4	5	5	29	
8				2	3	3	3	3	5	5	8	7	37	
9				1	4	3	2	3	4	5	2	3	26	
10				0	3	1	1	2	1	2	3	2	15	
11				0	1	1	1	2	2	1	1	1	10	
12				0	1	2	3	3	2	1	1	2	15	
13				0	1	1	2	3	2	2	2	1	14	
14				0	1	1	2	2	1	1	1	1	10	
15				0	2	2	3	2	2	2	2	1	16	
16				0	1	1	1	2	1	1	1	1	9	
17				0	1	1	2	2	2	2	2	1	13	
18				0	1	1	1	4	2	2	2	3	16	
19				0	2	1	3	2	2	2	1	2	15	
20				0	1	2	1	1	2	1	1	2	11	
21				0	1	1	1	2	1	2	1	1	10	
22				0	1	1	2	2	2	1	1	1	11	
23				0	1	1	3	3	2	2	2	2	16	
24				0	1	1	2	1	1	1	1	1	9	
25				0	1	1	1	1	3	1	1	1	10	
26				0	1	2	2	1	2	2	1	1	12	
27				0	1	1	3	3	3	3	2	3	19	
28				0	2	3	3	3	2	3	3	3	22	
29				0	2	2	2	3	3	2	2	2	18	
30				0	4	2	3	3	3	3	2	3	23	
31				1	1	1	5	4	5	5	3	3	27	
Среднее	$\bar{\epsilon}_D = 5.40$	$\bar{\epsilon}_H = 2.90$	$\bar{\epsilon}_Z = 4.20$											

K₉ = 550

Лвов

Суточные характеристики Апрель 1970

В/45 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔP	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	1	2	1	1	2	2	1	3	13	
2				0	2	2	2	2	2	2	2	2	16	
3				0	2	2	3	3	2	3	2	1	18	
4				0	2	2	3	2	3	2	1	1	16	
5				0	1	1	2	3	3	2	2	2	16	
6				0	2	2	3	4	4	3	2	3	23	
7				0	1	1	3	3	1	1	1	1	12	
8				0	3	2	2	2	2	2	1	2	16	
9				0	2	2	3	3	3	2	2	2	19	
10				0	1	1	1	2	1	1	2	2	11	
11				0	2	2	2	2	2	1	1	1	13	
12				0	1	2	2	2	1	2	2	1	13	
13				0	1	1	1	3	3	1	2	1	13	
14				0	1	1	1	2	2	1	1	1	10	
15				0	1	1	2	2	1	1	3	1	12	
16				0	3	2	2	2	3	2	3	4	21	
17				0	4	3	2	4	2	3	4	4	20	
18				1	1	1	3	3	4	3	2	3	20	
19				1	3	3	3	3	3	3	1	2	21	
20				0	1	2	1	3	4	3	3	3	20	
21				1	3	4	4	4	4	5	5	4	33	
22				0	4	3	3	3	2	1	1	1	18	
23				0	2	3	2	2	3	2	4	3	21	
24				0	2	3	2	3	1	2	3	3	19	
25				0	2	2	3	2	3	3	3	2	20	
26				0	2	2	2	2	2	2	3	2	17	
27				0	2	2	1	3	2	2	2	1	15	
28				0	1	1	1	2	3	1	2	2	13	
29				0	1	2	1	2	3	2	2	3	16	
30				0	2	3	3	3	2	3	1	2	19	
31														
Среднее	ΣD = 6.40	ΣP = 2.90	ΣZ = 4.20											
									К ₉ = 550					

3145 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	2	2	2	3	2	3	3	19	
2				0	3	1	3	2	2	2	3	3	19	
3				0	2	1	1	2	3	2	2	3	16	
4				0	2	2	2	2	2	2	2	2	16	
5				0	1	1	2	3	4	3	2	3	19	
6				0	3	2	2	2	2	3	2	1	17	
7				0	1	1	2	2	1	1	1	1	10	
8				0	1	1	1	2	2	2	2	2	13	
9				0	2	1	1	1	1	2	1	1	10	
10				0	1	2	1	2	1	2	1	1	11	
11				0	1	1	1	1	2	2	1	3	12	
12				0	3	2	2	3	3	3	3	3	22	
13				0	2	2	3	2	2	1	2	2	16	
14				0	2	2	2	3	2	3	4	3	21	
15				0	3	2	3	3	2	2	2	1	18	
16				0	1	2	3	3	3	2	1	2	17	
17				0	1	4	3	3	3	2	2	2	20	
18				0	2	2	3	3	2	1	1	1	15	
19				0	1	2	2	3	1	1	3	3	16	
20				0	2	3	2	3	3	2	2	3	20	
21				0	2	2	2	2	2	2	2	2	16	
22				0	2	3	2	2	2	2	2	1	16	
23				0	2	3	2	3	1	2	2	3	18	
24				0	1	3	2	2	3	3	2	2	18	
25				0	2	3	2	2	3	1	1	2	16	
26				0	1	2	2	3	3	2	1	2	16	
27				0	1	2	1	3	3	3	3	3	19	
28				0	4	2	3	5	5	3	3	2	27	
29				0	2	2	2	3	3	3	2	2	19	
30				0	1	2	3	3	2	3	2	1	17	
31				0	1	3	2	3	3	2	2	2	18	
еднее $\Delta D: 5.40$ $\Delta H: 2.90$ $\Delta Z: 4.20$					$K_g = 550$									

16606

Сик-индексов

27004 W

Суточные характеристики 2/июнь 1970 4.59

Тип. „Фан“ УзССР- -1047—3 000—67 г.

Lvov

Lvov

Таблица с и К-индексов

27359-III

Суточные характеристики Июль 1970 г. 54

В/УС Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	2	3	3	3	3	2	1	19	
2				0	1	2	3	2	2	2	1	2	15	
3				0	1	3	4	2	2	1	2	4	19	
4				0	4	3	3	2	1	1	1	1	16	
5				0	2	4	2	2	4	3	3	2	22	
6				0	2	2	4	4	3	2	1	1	19	
7				0	1	1	3	1	2	2	1	2	13	
8				0	1	1	1	2	3	2	1	4	15	
9				1	3	4	4	4	6	5	4	3	33	
10				0	5	2	2	2	4	4	4	5	28	
11				0	3	1	2	2	2	2	3	3	18	
12				0	3	2	3	3	3	3	3	3	23	
13				0	2	2	1	3	2	3	2	2	17	
14				0	2	1	2	2	3	2	3	2	17	
15				0	2	2	1	2	2	2	1	2	14	
16				0	2	1	2	2	2	2	2	1	14	
17				0	1	1	1	2	2	3	2	4	16	
18				0	1	2	2	2	2	2	2	2	15	
19				0	1	1	2	2	3	1	1	2	13	
20				0	1	2	2	1	1	2	2	3	14	
21				0	3	1	3	4	5	4	3	2	25	
22				0	2	2	3	2	3	3	2	2	19	
23				0	2	1	1	2	3	3	2	1	15	
24				1	2	3	4	3	4	3	2	3	24	
25				1	5	4	3	4	4	4	2	4	30	
26				0	3	2	3	3	3	2	2	3	21	
27				0	2	3	2	3	3	4	4	2	23	
28				0	2	1	1	1	1	2	1	1	10	
29				1	3	3	3	3	5	3	3	1	24	
30				0	1	2	2	2	2	2	2	3	16	
31				0	2	2	1	2	2	3	2	3	17	
Среднее	ΣD = 5.40	ΣH = 2.90	ΣZ = 4.20		K ₉ = 550									

27437π

Суточные характеристики - Сентябрь 1970 1984

В/45 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	1	3	4	4	3	3	2	21	
2				0	1	2	2	4	2	3	3	3	20	
3				0	1	2	3	3	3	3	2	3	20	
4				0	1	2	2	3	3	3	2	3	19	
5				0	2	2	1	1	2	3	2	3	16	
6				0	1	1	1	2	2	2	3	3	15	
7				0	1	1	3	3	2	1	3	3	17	
8				0	1	1	2	2	3	2	4	1	16	
9				0	1	1	1	2	1	2	2	3	13	
10				0	2	3	2	1	1	1	1	1	12	
11				0	1	1	1	1	1	2	1	1	9	
12				0	1	2	2	2	2	1	1	1	12	
13				0	1	3	3	3	4	3	3	4	24	
14				0	3	3	2	4	3	3	3	1	22	
15				0	3	3	2	2	2	1	1	2	16	
16				0	2	3	2	2	2	1	1	1	14	
17				0	1	1	2	2	2	2	1	2	13	
18				0	2	2	3	2	2	1	2	2	16	
19				0	1	3	4	3	3	3	3	3	23	
20				0	1	3	3	3	2	3	2	2	19	
21				0	3	3	3	3	3	3	4	1	23	
22				0	2	3	2	3	1	2	1	2	16	
23				0	2	1	2	2	2	2	1	1	13	
24				0	2	2	1	2	1	2	2	1	13	
25				0	1	2	2	2	1	2	2	1	13	
26				0	1	2	2	2	2	2	1	2	14	
27				0	3	2	3	2	3	3	2	4	22	
28				0	1	2	1	2	2	1	1	1	11	
29				0	1	2	2	2	1	1	1	2	12	
30				0	1	3	3	3	2	2	1	2	17	
31														
Среднее $\varepsilon_D = 5.40$ $\varepsilon_H = 2.90$ $\varepsilon_Z = 4.20$ $K_g = 550$														

Lvov
Львов

Таблица
с и к - индексов
Суточные характеристики

27627-III
54^h

Октябрь 1970

В145 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	1	2	2	2	2	3	3	17	
2				0	3	1	2	2	2	2	2	2	16	
3				0	2	2	1	2	1	3	4	3	18	
4				0	3	4	3	3	3	2	3	2	23	
5				0	1	2	2	2	1	1	3	2	14	
6				0	1	1	2	2	1	1	2	3	13	
7				0	1	1	1	1	1	1	1	2	9	
8				0	2	2	2	1	1	1	1	1	11	
9				0	1	1	2	1	2	2	2	1	12	
10				0	1	2	2	2	2	2	2	3	16	
11				0	3	2	-	-	-	-	-	-	-	
12				0	-	-	2	2	1	1	1	1	-	
13				0	1	1	1	1	2	3	3	2	14	
14				0	3	2	2	2	1	1	1	2	14	
15				0	2	1	2	2	2	2	2	1	14	
16				1	1	2	2	4	3	5	5	3	25	
17				1	3	2	1	3	3	4	4	5	25	
18				0	5	5	3	3	2	4	4	3	29	
19				0	1	3	3	2	3	2	2	1	17	
20				0	1	1	1	2	1	1	1	1	9	
21				0	1	2	2	1	1	1	2	2	12	
22				0	2	2	3	2	3	3	2	4	21	
23				0	2	3	2	2	3	4	3	3	22	
24				0	2	2	3	3	2	2	3	1	18	
25				0	1	2	1	1	2	3	2	1	13	
26				0	1	2	1	1	2	1	2	1	11	
27				0	2	1	1	2	1	2	2	3	14	
28				0	2	2	2	2	3	2	3	4	20	
29				0	3	1	2	2	2	3	4	3	20	
30				0	2	2	1	2	2	2	2	1	14	
31				0	1	1	2	2	2	2	2	1	13	
Среднее					K ₉ = 550									
с 1 по 8														
с 8 по 31														
11 окт.														
ε _D = 10.0														
ε _H = 2.90														
ε ₂ = 4.20														
ε _H = 3.0														
ε ₂ = 2.0														
ε _H = 10.0														
ε ₂ = 10.0														

Л'нов
Л'бов

Таблица
Сик-индексов
Суточные характеристики Ноябрь 1970

27664-III
54

В145 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	1	1	2	1	1	1	1	9	
2				0	1	1	2	3	2	2	1	2	14	
3				0	2	2	2	2	1	2	3	3	17	
4				0	2	2	2	2	2	1	2	3	16	
5				0	2	2	3	3	1	3	3	3	20	
6				0	2	2	3	3	2	3	2	2	19	
7				1	5	4	4	3	4	4	4	3	31	
8				0	2	2	1	2	2	2	2	1	14	
9				0	1	1	1	1	2	2	3	2	13	
10				0	2	2	3	4	3	3	3	2	22	
11				0	4	2	2	2	2	3	3	3	21	
12				0	2	2	2	2	3	3	2	1	17	
13				0	1	2	2	2	3	1	2	2	15	
14				0	2	2	2	2	3	4	3	2	20	
15				0	1	0	1	1	2	1	2	2	10	
16				0	1	1	2	2	2	3	2	2	15	
17				0	2	3	2	2	2	1	2	1	15	
18				1	4	1	2	2	4	4	2	4	20	
19				0	3	3	3	2	2	2	1	1	17	
20				0	1	1	2	2	2	1	1	2	12	
21				1	1	2	4	3	4	4	2	2	22	
22				0	3	2	3	2	2	3	3	3	21	
23				1	3	2	3	2	4	4	4	3	25	
24				0	1	3	3	3	2	3	3	2	20	
25				0	2	2	2	2	2	4	4	1	19	
26				0	1	3	1	1	2	2	3	2	15	
27				0	1	2	2	2	3	2	2	3	17	
28				0	1	2	1	2	3	3	2	2	16	
29				0	2	2	1	1	1	1	1	1	10	
30				0	1	1	2	1	1	1	1	1	9	
31														
Среднее	$E_D=8.0$	$E_H=3.0$	$E_Z=2.0$											
									$K_9=550$					

