

Minsk
Минск

Таблица
с индексом
Суточные характеристики

Январь 1963 г. 5016-III п.112

Амплитуды			Характер ϵ	K — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	2	2	2	2	3	3	2	1	17	1
			0	1	2	2	3	2	2	2	2	16	2
			0	2	1	2	3	3	2	2	1	16	3
			0	2	2	2	3	4	3	3	2	21	4
			0	2	2	2	2	2	2	2	2	16	5
			0	2	1	2	3	2	2	2	2	16	6
			0	3	2	-	2	2	4	2	1	-	7
			0	2	2	2	2	2	2	2	2	16	8
			0	2	2	2	2	2	2	2	2	16	9
			0	2	2	2	2	2	1	2	1	14	10
			0	1	2	3	2	3	3	4	4	22	11
			0	2	2	2	2	-	-	2	3	-	12
			1	4	4	3	5	3	5	4	4	32	13
			1	3	3	3	-	-	5	5	2	-	14
			0	3	3	-	3	3	4	3	3	-	15
			-	4	3	-	-	-	-	-	-	-	16
			1	-	-	-	3	3	5	3	3	-	17
			0	3	3	3	2	2	3	3	5	24	18
			0	3	2	3	2	4	4	3	4	25	19
			0	-	-	-	3	2	2	2	-	-	20
			-	-	-	-	-	-	-	-	-	-	21
			-	-	-	-	-	-	-	-	-	-	22
			-	-	-	-	-	-	-	-	-	-	23
			-	-	-	-	-	-	-	-	-	-	24
			-	-	-	-	-	-	-	-	-	-	25
			-	-	-	-	-	-	-	-	-	-	26
			-	-	-	-	-	-	-	-	-	-	27
			-	-	-	-	-	-	-	-	-	-	28
			-	-	-	-	-	-	-	-	-	-	29
			-	-	-	-	-	-	-	-	-	-	30
			-	-	-	-	-	-	-	-	-	-	31

$\delta = 7.84$ $\epsilon_H = 4.05$ $\epsilon_Z = 4.44$

$K_g = 550.$

Minsk
Минск

Таблица
с ч к индексов
Суточные характеристики Апрель 1963

8566-11

н.112

Дата	Амплитуды			Характер С	К-индекс									
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	3	4	3	2	3	2	2	1	20	
2				1	1	1	1	2	2	4	3	2	16	
3				0	3	2	2	2	1	2	2	1	15	
4				1	1	2	2	3	4	4	4	3	23	
5				1	4	4	3	3	2	5	5	4	30	
6				1	3	2	4	4	3	3	3	4	26	
7				0	2	2	3	3	3	3	2	3	21	
8				0	3	1	2	2	1	3	3	1	16	
9				0	1	2	2	2	2	3	3	2	17	
10				0	1	1	1	2	2	2	2	1	12	
11				0	1	1	2	2	1	2	2	-	-	
12				0	3	2	-	2	2	3	3	1	-	
13				-	1	-	-	-	3	4	3	3	-	
14				-	3	-	-	-	-	-	-	-	-	
15				0	-	2	3	2	3	1	2	2	-	
16				0	3	1	2	1	1	2	2	2	14	
17				0	2	2	2	2	2	3	3	1	17	
18				0	1	2	2	3	3	4	4	4	23	
19				0	3	3	3	1	2	3	3	3	21	
20				0	4	2	3	1	3	3	2	1	19	
21				0	1	1	2	3	3	2	3	2	17	
22				0	3	1	2	2	2	2	4	4	20	
23				0	2	3	2	3	3	2	1	1	17	
24				0	1	1	2	3	3	2	2	2	16	
25				0	2	1	2	2	2	2	2	3	16	
26				0	2	3	2	2	1	2	2	3	17	
27				0	1	2	2	2	3	3	4	1	18	
28				0	2	2	3	3	3	2	2	1	18	
29				0	1	2	3	3	2	2	2	1	16	
30				1	1	2	3	2	3	5	5	4	25	
среднее	ε _D = 4.84	c1 ≈ 10 ε _n = 4.14 c11 ≈ 20 ε _n = 4.16 c21 ≈ 30 ε _n = 4.15	ε ₂ = 4.45		K _g = 550									

Таблица
с и н д е к с о в
Суточные характеристики

n. 112 3

Maui 1968

ата	Амплитуды			Характер ζ	K - индекс								
	ΔD	ΔH	ΔZ		У-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				1	5	4	4	4	3	4	2	4	30
2				1	4	3	4	4	3	4	2	4	28
3				0	3	3	3	3	3	3	3	3	24
4				0	3	3	3	4	3	4	2	-	-
5				0	-	3	2	3	2	3	3	2	-
6				0	3	3	2	2	2	2	3	2	19
7				0	1	1	2	3	2	2	2	3	16
8				0	3	2	2	3	3	2	2	4	21
9				0	2	3	3	3	3	2	4	3	23
10				0	3	3	3	3	3	4	3	3	25
11				0	3	2	2	3	4	2	4	4	24
12				0	4	3	3	3	3	3	3	2	24
13				0	3	4	3	3	4	3	3	3	26
14				0	3	3	2	3	2	1	2	3	19
15				0	1	3	3	2	2	2	2	2	17
16				0	3	1	3	2	2	2	1	1	15
17				0	2	1	3	3	3	3	2	1	18
18				0	1	1	3	3	3	3	1	1	16
19				0	1	2	3	3	3	2	2	3	19
20				0	4	3	2	2	2	2	1	1	17
21				0	1	2	2	2	2	2	3	1	15
22				0	1	1	1	2	1	2	1	0	9
23				0	0	0	1	2	2	2	1	0	8
24				0	1	1	0	1	1	1	1	0	6
25				1	2	2	2	3	4	3	3	2	21
26				0	3	3	2	2	2	1	2	2	17
27				0	2	2	2	3	3	3	2	2	19
28				0	3	3	3	3	3	2	2	2	21
29				0	3	3	3	2	3	2	2	2	20
30				0	3	3	4	3	2	2	2	1	20
31				0	1	2	2	-	-	-	-	3	-
среднее	$\bar{\epsilon}_D = 4.84$	$\bar{\epsilon}_H = 4.15$ $\bar{\epsilon}_{H_{max}} = 5.1$ $\bar{\epsilon}_H = 4.14$	$\bar{\epsilon}_Z = 4.45$		$K_0 = 550.$								

Minsk

Минск

Таблица
с и к индексов
Суточные характеристики

8631-111

n. 112

Июнь 1963

[illegible]

Minsk

Минск

Таблица
с и к индексов

Суточные характеристики Июль 1963

9129-41
n. 112

Дата	Амплитуды			Характер С	К - индекс								
	ΔD	ΔH	ΔZ		У-З	З-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	2	2	3	3	2	2	1	1	16
2				0	1	1	1	2	2	1	1	1	10
3				0	1	1	1	1	2	1	2	1	10
4				1	1	3	3	3	4	4	4	3	25
5				1	3	4	3	2	3	2	3	4	24
6				1	4	4	3	3	3	3	3	1	24
7				0	1	2	3	3	4	3	2	2	20
8				0	3	3	3	2	3	4	2	4	24
9				0	4	4	3	3	3	2	3	3	25
10				0	2	3	3	3	3	3	2	3	22
11				0	1	2	3	2	2	2	2	1	15
12				0	1	2	1	2	1	1	1	1	10
13				0	2	2	2	1	1	2	2	1	13
14				0	0	1	1	2	3	3	2	1	13
15				0	0	0	1	2	2	2	2	2	11
16				0	2	2	2	2	2	3	3	2	18
17				1	3	4	3	3	2	4	2	2	23
18				1	2	2	2	3	2	3	3	3	20
19				0	3	2	2	1	2	2	2	0	14
20				0	0	1	1	1	2	3	3	2	13
21				1	1	2	3	4	5	5	4	1	25
22				0	1	2	3	3	3	3	3	2	20
23				0	2	3	3	3	3	3	4	4	25
24				1	4	3	3	4	4	4	2	3	27
25				0	2	3	3	3	3	2	2	3	21
26				0	4	3	2	3	3	2	3	3	23
27				0	4	4	3	2	3	2	1	3	22
28				0	3	2	2	2	1	1	1	0	12
29				0	0	0	0	2	2	2	3	3	12
30				1	2	3	4	2	5	3	5	4	28
31				1	4	3	3	3	4	3	3	5	28

анее

cI no 10 $E_D = 4.84$ cII ~ 31 $E_D = 4.89$	cI no 20 $E_H = 4.14$ c21 ~ 31 $E_H = 4.10$	cI no 10 $E_2 = 4.45$ c11 no 31 $E_2 = 4.40$
--	--	---

$K_3 = 550.$

Минск

9162-III
n. 112
Jcm 1963

[illegible]

Minsk
Минск

Таблица
с и к индексов
Суточные характеристики Сентябрь 1963 г. 112

Дата	Амплитуды			Характер σ	К - индекс								
	ΔD	ΔH	ΔZ		1-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	2	2	2	4	3	3	2	2	20
2				0	2	2	2	3	2	2	4	3	20
3				0	3	2	2	4	3	3	3	2	22
4				0	2	2	3	3	2	1	2	3	18
5				0	3	2	3	3	3	3	2	3	22
6				0	3	3	2	3	2	2	2	3	20
7				0	2	1	2	3	2	2	3	3	18
8				0	3	3	3	4	4	2	2	1	22
9				0	3	3	2	3	4	2	3	2	22
10				0	1	1	2	3	2	2	2	3	16
11				1	3	2	2	3	3	4	4	4	25
12				0	3	3	3	2	3	2	3	2	21
13				0	2	2	3	2	2	2	3	4	20
14				2	4	4	5	5	5	7	5	4	39
15				1	3	3	3	4	7	5	5	4	34
16				1	3	3	3	3	3	5	5	4	29
17				1	4	2	4	3	3	4	5	2	27
18				0	2	1	1	2	3	4	3	2	18
19				1	3	3	3	3	3	4	3	1	23
20				0	1	1	1	2	3	2	3	3	16
21				1	2	3	2	3	5	6	7	5	33
22				1	3	7	6	4	3	4	5	8	40
23				1	7	6	3	4	3	3	3	2	31
24				0	1	2	2	2	2	2	4	4	19
25				1	6	5	4	4	4	5	4	3	35
26				1	1	5	5	4	3	5	3	4	30
27				1	3	3	2	3	3	3	6	5	28
28				1	4	4	4	3	5	5	5	4	34
29				1	2	3	2	3	4	3	4	4	25
30				0	3	2	2	2	3	2	2	2	18
31													
e	$\varepsilon_D = 4,89$	$\varepsilon_H = 4,1$	$\varepsilon_Z = 4,4$		$K_9 = 550$								

Minsk
Минск

Таблица
с и к индексом
Суточные характеристики Октябрь 1963

m. 112

[illegible]

Minsk
Munck

Таблица
с к индексом
Суточные характеристики Ноябрь 1963

Дата	Амплитуды			Характер σ	K-индекс								
	ΔD	ΔH	ΔZ		3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	2	2	2	2	3	3	3	18
2				0	2	2	2	2	2	5	3	3	21
3				0	3	3	3	2	2	1	2	4	20
4				0	2	1	1	2	2	1	3	2	14
5				0	1	2	1	2	1	1	1	1	10
6				0	2	2	1	2	3	3	3	4	20
7				1	3	3	2	4	5	5	6	4	32
8				1	3	4	4	3	4	5	4	4	31
9				1	4	3	3	2	5	5	5	5	32
10				1	4	3	2	3	3	4	3	4	26
11				0	3	3	3	3	2	3	5	3	25
12				0	2	2	3	3	2	4	4	3	23
13				0	1	2	2	2	2	3	1	2	15
14				0	1	3	2	1	1	2	1	1	12
15				0	1	2	2	1	1	1	1	1	10
16				0	1	2	1	1	1	1	1	2	10
17				1	1	1	2	3	2	5	5	2	21
18				0	2	1	1	1	1	1	2	1	10
19				0	1	1	1	2	1	1	1	1	9
20				0	2	2	1	1	1	1	1	1	10
21				0	1	1	2	2	2	1	1	1	11
22				0	1	1	1	1	2	3	3	2	14
23				0	2	2	1	1	2	2	3	1	14
24				1	1	2	2	3	3	4	4	5	24
25				0	4	4	2	3	3	3	3	1	23
26				0	1	1	1	1	2	1	1	1	9
27				0	1	1	1	1	1	1	1	1	8
28				0	2	3	1	1	2	1	1	1	12
29				0	1	2	1	2	2	3	1	4	16
30				0	2	1	2	3	5	3	3	3	22
31													
не	$\varepsilon_D = 4.89$	$\varepsilon_H = 4.15$	$\varepsilon_Z = 4.42$		$K_0 = 550$								

Таблица
с и х индексом
Суточные характеристики Декабрь 1963

v. 112

Суточные характеристики Декабрь 1963

$$K_g = 550$$