

Minsk
Минск

Таблица с к индексов
Суточные характеристики

14655-III
Январь н. 112
1966.

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	0	1	1	1	0	0	1	1	5	1
			0	3	1	2	2	2	3	3	3	19	2
			0	3	1	1	1	1	3	2	2	14	3
			1	1	1	1	1	1	3	5	3	16	4
			0	2	1	1	1	0	0	0	2	7	5
			0	1	1	1	1	1	0	0	2	7	6
			0	1	1	1	1	1	2	3	3	13	7
			0	2	1	2	2	1	2	1	2	13	8
			0	3	1	1	1	1	3	3	3	16	9
			0	2	2	2	2	1	2	3	2	16	10
			0	2	1	1	1	1	1	0	1	8	11
			0	1	1	1	2	1	0	1	1	8	12
			0	1	1	1	1	0	1	1	1	7	13
			0	1	1	1	1	3	2	1	2	12	14
			0	1	1	1	1	1	2	2	1	10	15
			0	1	1	1	1	0	0	0	0	4	16
			0	1	1	1	1	1	1	1	0	7	17
			0	1	1	1	2	1	3	3	1	13	18
			0	1	1	1	2	1	1	0	0	7	19
			1	2	2	2	2	4	5	5	3	25	20
			1	3	2	2	2	4	3	5	2	23	21
			1	3	3	3	3	5	3	4	4	28	22
			1	3	1	2	3	4	3	4	2	22	23
			1	1	1	1	3	2	5	3	2	18	24
			1	2	1	2	1	3	5	3	1	18	25
			1	1	1	2	3	3	4	3	4	21	26
			0	2	1	1	1	1	1	0	0	7	27
			0	0	0	1	1	1	1	2	3	9	28
			0	1	1	1	3	2	3	2	0	13	29
			0	0	0	1	1	2	3	1	1	9	30
			0	1	1	1	2	1	1	1	1	9	31

$\epsilon_D = 310$ $\epsilon_L = 370$ $\epsilon_Z = 360$

$K_g = 550$

Minsk

Таблица с-к индексов

14774-III

м. 112

Минск

Суточные характеристики февраля 1966.

Амплитуды			Характер С	K-индекс								Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	
			0	1	1	1	1	1	1	0	7	1
			0	0	1	1	1	1	2	2	9	2
			1	1	1	2	2	3	1	4	17	3
			1	3	2	2	2	2	3	3	20	4
			1	3	2	2	3	3	3	4	24	5
			1	3	2	2	2	3	1	2	17	6
			0	2	1	1	2	1	1	1	10	7
			0	0	1	1	1	3	3	2	12	8
			0	1	1	1	2	1	1	1	9	9
			0	2	1	1	2	1	1	3	14	10
			0	2	1	2	3	3	3	3	20	11
			0	2	2	1	1	1	1	0	9	12
			0	2	2	2	1	1	2	1	12	13
			0	1	1	2	1	1	2	1	9	14
			0	1	1	1	2	1	1	2	12	15
			0	2	1	2	1	1	1	1	11	16
			0	1	1	1	1	2	1	3	12	17
			0	1	1	1	1	0	1	0	5	18
			1	0	0	0	1	3	4	5	17	19
			1	3	3	3	3	4	3	3	23	20
			0	1	1	2	2	1	1	0	9	21
			1	1	0	1	1	3	4	3	16	22
			1	1	4	3	4	2	3	4	24	23
			1	2	3	3	3	3	3	4	24	24
			0	3	2	2	2	2	3	3	19	25
			0	1	1	1	1	2	1	1	9	26
			0	1	1	2	2	2	1	0	10	27
			0	0	1	1	1	1	1	0	5	28
												29
												30
												31

 $\Delta D = 3,10$ $\Delta H = 3,30$ $\Delta Z = 3,60$ $K_0 = 550$

Minsk

Таблица с к индексов

15641-III

и-112

Минск Суточные характеристики

май 1966

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	3	2	2	1	3	2	2	16	1
			1	3	2	4	3	3	4	3	3	25	2
			0	1	1	1	1	1	2	2	3	12	3
			1	3	3	3	2	3	2	3	4	23	4
			1	2	2	3	3	2	2	3	2	19	5
			0	2	3	3	3	1	2	1	2	17	6
			0	2	2	2	2	1	1	1	3	14	7
			0	0	1	1	3	2	3	2	3	15	8
			0	2	2	2	2	2	2	1	2	15	9
			0	1	2	2	3	1	1	2	2	14	10
			1	2	2	2	3	4	2	3	4	22	11
			0	2	2	1	3	2	3	3	2	18	12
			0	3	2	2	3	2	3	1	2	18	13
			0	3	1	2	2	1	2	1	1	13	14
			0	2	1	1	2	1	1	1	1	10	15
			0	2	2	2	2	2	2	3	2	17	16
			0	2	2	2	3	2	3	2	3	19	17
			0	3	2	2	3	1	2	2	2	17	18
			0	2	1	2	2	1	2	2	2	14	19
			1	2	2	2	3	3	2	4	3	21	20
			0	2	3	1	2	2	2	1	2	15	21
			0	2	1	1	3	2	2	1	2	14	22
			0	2	3	1	3	2	3	1	1	16	23
			0	2	1	2	1	2	2	1	1	12	24
			0	2	1	2	3	2	2	2	3	17	25
			1	2	2	4	5	6	5	5	5	34	26
			0	3	2	3	2	3	1	1	1	16	27
			0	2	2	3	1	2	2	2	3	17	28
			0	2	2	2	2	2	2	2	1	15	29
			1	2	1	2	3	2	2	3	3	18	30
			1	4	4	4	3	4	4	5	4	32	31

 $\varepsilon_D = 3.10$ $\varepsilon_H = 3.75$ $\varepsilon_Z = 3.64$ $K_0 = 550$

Минск
Минск

Таблица с к индексов
Суточные характеристики

июнь 1966 г. 15840-III
n-112

Амплитуды			Характер С	К — индекс								Дата	
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		ΣК
			1	4	3	3	3	2	1	1	1	18	1
			1	3	2	2	3	4	3	3	2	22	2
			0	3	2	2	2	3	2	3	1	18	3
			0	2	1	2	3	2	2	1	2	15	4
			0	1	1	1	2	2	2	2	2	13	5
			0	1	2	2	3	3	2	1	1	15	6
			0	3	3	3	3	3	3	2	2	22	7
			0	3	2	2	3	2	3	2	1	18	8
			0	2	2	2	3	2	2	1	1	15	9
			0	2	1	1	2	2	1	1	1	11	10
			0	1	1	1	1	2	1	2	2	11	11
			0	3	3	2	2	4	3	2	2	21	12
			0	3	2	1	2	2	2	2	2	16	13
			0	2	2	2	1	2	1	1	2	13	14
			0	2	2	1	2	1	1	3	2	14	15
			0	1	2	2	2	3	2	2	2	16	16
			0	2	1	1	2	2	2	1	2	13	17
			0	2	2	1	2	2	1	2	1	13	18
			1	2	2	2	2	4	3	3	3	21	19
			1	2	2	2	3	2	2	2	2	17	20
			0	2	2	1	2	2	2	1	1	13	21
			0	1	2	1	2	2	2	1	1	12	22
			1	2	2	2	4	4	3	4	5	26	23
			1	2	1	3	3	3	3	4	4	23	24
			1	3	3	2	3	3	3	2	3	22	25
			0	1	2	2	2	3	4	2	2	18	26
			0	2	2	2	3	2	2	2	1	16	27
			0	2	1	2	2	2	3	3	2	17	28
			0	2	2	1	2	2	2	3	2	16	29
			0	1	1	2	2	2	2	3	3	16	30
													31

$\epsilon_D = 3,10$ $\epsilon_1 = 3,75$ $\epsilon_2 = 3,64$

$K_g = 550$

Minsk
Минск

Таблица с к индексов
Суточные характеристики

16155-11
июль 1966 г. 112

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	2	2	1	2	2	2	2	1	14	1
			0	1	2	2	1	2	2	1	2	13	2
			0	2	2	1	2	2	2	2	2	15	3
			1	1	1	2	2	3	4	3	4	20	4
			0	2	3	2	2	1	2	2	1	15	5
			0	1	2	2	2	2	2	1	1	13	6
			0	2	2	2	2	2	1	1	1	13	7
			1	3	3	4	3	3	3	2	5	26	8
			1	4	4	4	3	3	4	2	2	26	9
			1	3	4	3	4	4	2	2	2	24	10
			0	3	2	3	2	2	2	2	3	19	11
			1	3	4	3	2	3	2	2	1	20	12
			0	1	2	2	2	2	2	1	1	13	13
			0	1	2	1	2	2	2	2	1	13	14
			0	1	2	1	2	2	2	3	4	17	15
			0	2	2	2	2	2	2	2	2	16	16
			1	3	3	3	3	2	3	3	3	23	17
			0	2	3	2	2	2	2	1	2	16	18
			0	2	3	2	2	2	2	1	2	16	19
			0	2	2	2	2	2	2	2	2	16	20
			1	2	4	3	3	3	3	3	2	23	21
			0	4	2	1	1	2	2	3	2	17	22
			0	2	3	2	2	2	3	1	1	16	23
			0	3	3	1	2	3	2	2	1	17	24
			0	1	2	2	1	2	2	2	2	14	25
			0	2	2	2	2	2	2	2	3	17	26
			1	3	2	3	3	4	4	2	2	23	27
			0	3	4	3	2	3	3	2	3	23	28
			0	3	2	2	2	3	2	2	2	18	29
			0	1	3	3	2	2	2	2	1	16	30
			0	1	1	2	2	2	2	2	3	15	31

$\rho = 3,10$ $\epsilon_n = 3,75$ $\epsilon_z = 3,64$

$K_0 = 550$

Минск Таблица с к индексов
 Минск Суточные характеристики

16319-III
 Август 1966

Амплитуды			Характер С	К - индекс								Дата	
AD	AH	AZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		ΣК
			0	3	3	2	2	2	2	2	2	18	1
			0	1	2	1	2	2	1	1	1	11	2
			1	2	3	2	3	3	3	2	1	19	3
			1	2	3	2	3	3	3	2	3	21	4
			1	2	2	3	3	4	3	2	2	21	5
			0	2	2	2	3	2	2	2	1	16	6
			0	2	1	1	2	2	2	1	2	13	7
			0	1	1	1	2	2	2	2	3	14	8
			1	2	2	2	2	2	3	4	3	20	9
			0	3	2	2	3	3	3	2	2	20	10
			1	1	3	3	2	4	4	4	4	25	11
			1	4	3	3	4	3	2	4	2	25	12
			0	2	3	2	2	1	2	2	1	15	13
			0	3	2	3	3	2	2	3	1	19	14
			0	1	2	2	2	2	1	2	2	14	15
			0	2	2	2	1	1	2	2	1	13	16
			0	2	2	1	2	2	2	2	1	14	17
			1	1	2	2	2	4	3	3	1	18	18
			1	2	3	2	3	4	4	3	2	23	19
			0	2	2	2	2	2	2	2	2	16	20
			0	2	1	2	2	2	2	2	1	14	21
			0	1	1	2	2	1	3	2	2	14	22
			1	3	3	3	4	3	5	4	4	29	23
			1	4	2	2	3	3	2	4	3	23	24
			1	2	1	2	2	3	3	3	3	19	25
			0	2	2	2	2	1	2	2	2	15	26
			0	2	2	1	3	2	2	1	1	14	27
			0	1	1	2	2	2	2	2	2	14	28
			1	2	2	2	2	4	2	3	5	22	29
			1	5	3	3	5	4	5	6	6	37	30
			1	4	3	3	3	4	3	3	3	26	31

$p=3,10$
 $c1 \approx 20$ $c1 \approx 20$
 $\epsilon_H = 3,75$ $\epsilon_2 = 3,64$
 $c21 \approx 31$ $c21 \approx 31$
 $\epsilon_H = 3,80$ $\epsilon_2 = 3,65$

$K_g = 550$

Минск Таблица с к индексом

16394-14

Минск Суточные характеристики

Сентябрь 1966.

н.112

Амплитуды		Характер С	К - индекс									
ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
		1	2	2	2	4	4	4	5	4	27	1
		1	3	3	3	3	3	4	4	3	26	2
		2	3	3	2	5	5	4	5	7	34	3
		2	7	7	4	4	4	4	3	3	36	4
		1	2	2	2	3	4	3	2	3	21	5
		1	3	4	3	4	4	5	2	2	27	6
		1	2	3	2	2	3	4	3	2	21	7
		1	2	3	3	4	4	4	3	4	27	8
		1	3	3	3	3	3	5	2	3	25	9
		1	4	3	2	3	4	4	3	3	26	10
		0	3	2	2	2	1	2	1	1	14	11
		0	1	1	2	3	3	3	1	2	16	12
		0	1	2	2	2	2	2	1	1	13	13
		1	1	2	2	3	2	3	3	4	20	14
		1	4	3	3	3	3	2	4	3	25	15
		1	3	3	3	2	2	2	3	3	21	16
		0	3	2	2	2	2	2	1	1	15	17
		0	1	1	1	2	2	1	1	2	11	18
		1	3	3	3	2	3	3	3	3	23	19
		1	3	2	3	3	4	4	4	3	26	20
		0	3	3	2	3	3	1	1	1	17	21
		0	1	1	1	2	2	2	4	3	16	22
		1	1	2	3	3	3	4	4	2	22	23
		1	2	2	2	3	3	3	3	1	19	24
		0	4	3	3	2	2	1	3	2	20	25
		1	3	2	3	3	3	4	5	4	27	26
		1	3	3	3	4	3	3	3	3	25	27
		1	3	4	2	3	4	4	1	4	25	28
		1	3	4	3	3	2	4	4	2	25	29
		1	2	3	3	3	3	5	2	4	25	30

3,10 c1 no 10 ε_H = 3,80
 c11 no 30 ε_H = 3,75
 c21 no 20 ε_Z = 3,65
 c21 no 30 ε_Z = 3,62

K₀ = 550

ата	Амплитуда			Характер С	К-индекс								
	ΔO	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	2	2	2	2	2	1	2	1	14
2				0	1	1	2	2	2	1	1	1	11
3				0	1	1	2	2	1	1	1	2	11
4				1	2	2	2	2	3	4	5	5	25
5				1	4	4	3	4	3	4	5	3	30
6				1	2	4	4	4	4	3	3	3	27
7				0	1	1	1	1	1	3	3	3	14
8				0	2	1	2	2	1	1	1	2	12
9				1	2	2	2	3	3	4	2	2	20
10				0	1	1	1	2	2	2	3	1	13
11				0	1	1	1	2	2	1	1	1	10
12				0	2	2	3	3	2	1	3	3	19
13				0	2	2	3	2	2	3	2	3	19
14				0	1	2	2	2	1	1	1	1	11
15				1	1	1	2	3	3	3	4	4	21
16				1	3	3	5	3	4	4	4	2	28
17				0	3	2	2	1	2	3	2	1	16
18				0	3	1	1	3	1	1	2	1	13
19				0	1	1	2	2	1	1	3	1	12
20				0	1	1	1	1	1	2	2	1	10
21				0	1	1	1	1	2	1	1	1	9
22				0	1	1	1	1	1	1	1	2	9
23				0	2	1	1	1	1	1	2	2	11
24				1	1	2	2	3	3	4	3	2	20
25				1	4	2	3	3	4	3	5	5	29
26				1	4	4	3	3	3	4	3	2	26
27				0	2	1	1	1	2	2	2	3	14
28				0	2	1	1	1	2	1	2	1	11
29				0	1	1	1	1	1	2	2	1	10
30				1	2	1	1	1	2	5	3	4	19
31				1	5	3	4	3	4	4	4	4	31
Среднее	$\epsilon_D = 310$	$\epsilon_H = 330$	$\epsilon_Z = 362$		$K_3 =$	550							

Дата	Амплитуды			Характер	К - ИНДЕКС								
	ΔЭ	ΔН	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				1	3	3	4	4	4	4	4	3	29
2				1	3	2	3	3	2	3	4	3	23
3				1	2	2	3	4	4	4	3	3	25
4				0	2	3	4	2	2	2	4	3	22
5				0	2	1	3	3	3	4	4	2	22
6				0	1	2	2	2	2	3	3	3	18
7				0	2	2	2	1	2	1	3	4	17
8				0	3	2	2	2	2	2	2	1	16
9				0	1	1	1	2	2	1	1	1	10
10				0	1	1	3	3	2	2	3	2	17
11				0	2	2	2	3	1	1	1	1	13
12				0	1	2	2	2	2	2	3	1	15
13				0	1	2	2	3	2	1	2	2	15
14				0	1	1	1	1	1	1	1	1	8
15				0	1	1	1	2	2	1	1	2	11
16				0	2	1	1	2	2	1	1	1	11
17				0	2	2	2	3	2	3	4	3	21
18				1	1	1	1	2	2	4	4	4	19
19				1	3	3	2	3	3	2	3	3	22
20				0	3	2	2	3	2	2	3	3	20
21				0	2	2	2	2	2	1	1	3	15
22				0	2	2	1	2	2	1	1	1	12
23				0	2	1	1	1	1	1	1	1	9
24				0	2	2	2	2	1	2	2	2	15
25				0	1	1	1	2	1	1	2	2	11
26				0	3	3	2	3	3	3	2	1	20
27				0	1	2	2	2	1	2	3	1	14
28				1	2	1	2	3	3	4	5	3	23
29				1	4	2	2	3	2	3	2	2	20
30				1	2	2	4	4	4	5	4	4	29
31													
Условия	$\epsilon_0 = 3,10$	$\epsilon_n = 3,70$	$\epsilon_2 = 3,62$		$K_9 =$	SSO							

и.112

Minsk

Таблица С и К индексов

18006-117

Минск Суточные характеристики

Декабрь 1966

Дата	Амплитуда			Характер С	К-индекс								
	0D	0H	0E		0-3	3-0	0-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				1	4	3	2	2	3	2	4	2	22
2				0	2	2	1	1	1	2	1	2	12
3				0	1	1	1	1	0	1	1	2	8
4				1	2	1	3	3	3	3	3	3	21
5				1	3	3	2	3	1	4	5	3	24
6				0	3	1	2	2	1	2	2	1	14
7				0	0	1	1	1	1	0	1	1	6
8				0	1	1	1	1	1	0	0	2	7
9				0	1	1	1	1	1	1	1	1	8
10				0	1	1	2	1	1	1	2	1	10
11				0	1	1	1	1	0	1	1	1	7
12				0	1	1	1	1	0	0	1	1	6
13				1	2	3	3	2	3	5	3	2	23
14				2	1	2	2	2	5	6	5	4	27
15				1	4	3	2	2	2	4	2	2	21
16				1	2	1	1	3	2	3	2	2	16
17				1	2	1	1	3	2	3	2	2	16
18				0	2	2	1	2	1	1	1	2	12
19				0	2	1	1	1	1	1	2	2	11
20				0	1	1	1	1	1	2	4	3	14
21				0	2	2	2	2	2	3	3	3	19
22				1	2	2	2	2	2	2	4	4	20
23				0	1	1	2	1	1	3	3	3	15
24				0	1	2	2	2	1	1	2	1	12
25				1	2	1	2	2	2	2	4	3	18
26				1	3	2	2	3	3	4	4	4	25
27				1	4	3	3	3	5	5	4	4	31
28				1	2	1	2	2	5	3	4	3	22
29				0	2	1	2	2	2	1	2	2	14
30				0	1	1	1	2	2	4	1	2	14
31				0	1	1	1	2	1	2	1	1	10
Среднее	$\varepsilon_D = 3,10$	$\varepsilon_H = 3,75$	$\varepsilon_E = 3,62$		$K_g = 550$								

н.112