

Moscow
Москва

Таблица с индексов
Суточные характеристики

Январь 1967

18511-111

н.53

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	2	1	2	3	3	6	3	2	22	1
			0	2	1	2	2	2	3	4	2	18	2
			0	1	1	1	2	4	4	3	2	18	3
			0	1	1	2	1	2	1	2	1	11	4
			0	1	1	2	2	2	1	1	1	11	5
			0	1	1	2	2	2	2	3	1	14	6
			1	1	1	3	3	5	5	6	5	29	7
			1	4	5	5	5	4	5	4	2	34	8
			0	3	2	2	3	3	3	4	3	23	9
			0	2	1	2	2	2	2	3	2	16	10
			1	2	2	3	3	3	5	4	3	25	11
			0	1	1	1	1	2	1	2	1	10	12
			1	1	2	3	2	5	2	5	6	26	13
			2	6	6	5	4	2	2	1	2	28	14
			0	3	1	2	3	2	3	3	3	20	15
			0	2	2	2	2	2	3	3	2	18	16
			0	2	1	2	2	1	3	2	2	15	17
			0	1	1	1	2	2	2	4	2	15	18
			0	2	1	2	2	1	2	2	1	13	19
			0	1	2	3	3	4	5	3	2	23	20
			0	2	1	2	3	3	3	2	1	17	21
			0	2	1	2	2	2	2	2	2	15	22
			0	2	1	2	2	1	1	3	2	14	23
			0	1	1	2	2	1	1	1	2	11	24
			0	2	1	2	2	3	3	2	1	16	25
			0	1	2	2	2	2	2	1	1	13	26
			0	1	2	2	3	2	2	2	2	16	27
			0	1	2	3	2	3	2	3	1	17	28
			0	2	2	3	2	2	1	2	1	15	29
			0	1	1	2	2	2	1	2	2	13	30
			0	1	1	2	2	2	1	1	2	12	31
$\varepsilon_0=1.94$	$\varepsilon_n=2.04$	$\varepsilon_z=1.69$	7	$K_9=$	550								52

18557-111

4.53

Moscow Таблица с индексов
станция Москва Суточные характеристики Февраль 1967

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	1	1	2	2	2	2	1	1	12	B035 1
			0	1	1	2	2	2	1	3	1	13	2
			0	1	1	2	2	1	1	2	2	12	3
			0	1	1	2	2	2	3	2	3	16	4
			1	4	3	2	2	3	4	2	2	22	5
			0	1	2	2	2	2	1	2	3	15	6
			1	2	1	2	2	2	5	6	5	25	7
			1	6	4	3	4	4	3	4	4	32	8
			0	4	1	3	2	1	1	2	1	15	9
			0	0	1	2	2	2	1	1	1	10	10
			0	1	3	3	3	3	1	2	2	18	11
			0	1	1	2	2	2	2	2	2	14	12
			0	1	1	2	2	2	3	2	2	15	13
			0	1	2	2	2	2	1	3	2	15	14
			0	1	1	3	2	2	1	2	4	16	15
			1	3	2	4	6	6	6	5	4	36	16
			0	3	2	2	3	4	4	2	3	23	17
			0	1	2	2	2	2	1	1	1	12	18
			0	1	1	2	3	3	3	3	2	18	19
			0	1	1	2	2	2	2	2	2	14	20
			0	1	1	1	2	2	3	2	2	14	21
			0	2	1	1	2	3	2	2	2	15	22
			1	3	1	2	3	4	4	4	3	24	23
			0	1	1	2	2	1	1	3	2	13	24
			1	1	3	3	3	2	4	3	2	21	25
			0	3	2	2	2	1	3	2	2	17	26
			0	1	2	2	2	2	4	3	1	17	27
			0	1	1	2	2	1	1	1	2	11	28
													29
													30
													31
$\varepsilon_D = 1.94$	$\varepsilon_u = 2.04$	$\varepsilon_z = 1.69$	6	$K_g =$	SSO							48	

Moscow
Москва

Таблица с и к индексов
Суточные характеристики

18591-III
Март 1967 и. 53

Амплитуды			Характер С	К-индекс									Дата B035
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	2	2	2	2	3	2	1	1	15	1
			0	1	1	1	2	2	2	1	2	12	2
			0	1	1	2	3	3	2	2	2	16	3
			0	2	2	2	2	2	2	1	3	16	4
			0	2	2	3	2	4	4	2	3	22	5
			0	2	2	1	1	3	3	2	3	17	6
			0	1	1	2	2	3	2	1	2	14	7
			0	1	1	2	2	2	1	1	2	12	8
			0	1	1	2	3	2	3	4	4	20	9
			0	4	3	2	2	2	1	3	1	18	10
			0	1	1	2	2	2	2	1	1	12	11
			0	1	2	2	2	1	1	1	0	10	12
			0	1	1	2	3	3	2	2	2	16	13
			0	3	2	1	1	1	2	3	2	15	14
			0	1	1	1	1	1	2	1	1	9	15
			0	0	1	1	2	2	2	2	3	13	16
			0	1	2	2	2	2	1	2	3	15	17
			1	1	2	3	3	3	4	4	3	23	18
			1	3	2	2	2	4	5	4	4	26	19
			0	3	2	2	3	3	3	2	3	21	20
			0	3	1	1	2	2	2	3	3	17	21
			0	2	2	1	2	1	1	1	1	11	22
			0	1	1	1	2	2	2	3	3	15	23
			0	1	1	2	2	2	1	1	1	11	24
			0	1	2	2	1	2	1	2	2	13	25
			0	2	1	1	2	2	2	2	2	14	26
			1	3	3	3	3	4	4	3	3	26	27
			0	1	2	3	2	2	3	2	1	16	28
			0	1	1	2	2	3	3	1	1	14	29
			1	2	3	2	3	3	3	3	4	23	30
			0	2	1	1	1	1	2	2	1	11	31
$\varepsilon_D = 1.94$	$\varepsilon_k = 2.04$	$\varepsilon_z = 1.69$	4	K ₀ = SSO									493

Moscow
Москва

Таблица с к индексов
Суточные характеристики

18631-III

Апрель 1967 г. 53

Амплитуды			Характер	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	В035
			С										
			1	2	2	4	4	3	3	5	4	27	1
			1	1	1	2	3	3	3	3	3	19	2
			0	3	2	2	2	2	1	1	2	15	3
			1	1	3	3	2	5	3	2	2	21	4
			0	2	2	2	3	3	4	2	2	20	5
			0	2	2	3	3	3	3	2	2	20	6
			0	2	3	2	3	2	2	3	1	18	7
			0	1	2	2	3	1	2	2	2	15	8
			0	2	1	1	2	2	1	2	3	14	9
			0	2	2	1	1	2	2	3	2	15	10
			0	1	1	1	2	3	2	2	2	14	11
			0	2	2	1	2	2	1	1	1	12	12
			0	1	1	1	1	1	1	1	2	9	13
			0	1	1	2	2	2	2	1	1	12	14
			0	1	1	2	2	2	2	3	2	15	15
			1	1	1	3	3	3	3	4	2	20	16
			0	2	3	2	3	3	2	2	2	19	17
			0	2	2	2	2	3	3	3	3	20	18
			1	4	3	3	3	3	3	3	3	25	19
			0	2	2	2	3	3	1	4	2	19	20
			0	2	2	1	2	2	3	2	2	16	21
			0	3	3	3	3	3	3	3	2	23	22
			1	3	2	3	3	3	5	5	4	28	23
			1	3	4	3	4	4	4	4	3	29	24
			0	3	2	2	3	2	1	1	2	16	25
			0	1	2	2	2	1	1	1	1	11	26
			0	2	2	2	2	2	2	2	1	15	27
			0	1	2	1	2	2	2	1	2	13	28
			0	2	2	2	2	3	3	2	2	18	29
			0	2	1	2	2	2	2	2	1	14	30
													31
$\varepsilon_D=1,94$	$\varepsilon_H=2,04$	$\varepsilon_Z=1,69$	7	$K_g=550$								532	

Moscow
Москва

Таблица с к индексов
Суточные характеристики

18840-117
May 1967 4.53

Амплитуды			Характер С	К-индекс									Дата B035
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	2	2	3	3	3	2	4	4	23	1
			1	2	2	3	6	4	5	3	4	29	2
			1	4	4	4	6	6	7	4	3	38	3
			1	3	3	3	3	3	2	2	3	22	4
			0	3	2	2	3	2	4	3	2	21	5
			0	2	3	3	2	2	2	2	2	18	6
			0	3	4	4	3	3	2	2	2	23	7
			0	1	2	2	2	2	3	3	1	16	8
			0	1	2	3	3	3	2	1	2	17	9
			0	2	2	2	2	3	3	2	2	18	10
			0	3	2	2	2	2	2	2	3	18	11
			0	3	4	2	3	2	3	4	3	24	12
			0	3	3	3	2	2	3	2	2	20	13
			1	3	2	2	3	3	3	4	3	23	14
			0	4	3	2	2	2	2	2	2	19	15
			0	2	2	3	2	3	2	2	3	19	16
			0	3	3	2	3	3	2	3	3	22	17
			0	2	2	3	2	2	2	2	1	16	18
			0	3	3	3	3	2	2	2	2	20	19
			0	3	2	3	2	2	2	2	2	18	20
			0	2	2	2	2	2	2	3	3	18	21
			0	3	2	2	2	2	1	1	1	14	22
			0	2	3	2	2	2	2	3	3	19	23
			1	2	3	3	3	3	4	3	3	24	24
			2	2	3	2	5	8	6	6	9	41	25
			2	9	6	6	6	7	4	4	3	45	26
			1	3	3	3	3	4	2	4	4	26	27
			1	2	3	4	4	5	6	5	5	34	28
			1	5	5	4	3	5	3	2	2	29	29
			1	2	2	2	3	5	5	5	5	29	30
			1	5	5	4	3	2	4	3	2	28	31
$\varepsilon_0 = 1.94$	$\varepsilon_n = 2.04$	$\varepsilon_z = 1.69$	10	$K_g = 550$								731	

Moscow
Москва

Таблица с к индексов
Суточные характеристики

июнь 1967

18917-III
н.53

Амплитуды			Характер С	К—индекс										Дата
				0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	К	B035	
			0	2	2	2	3	2	1	2	1	15	1	
			0	2	2	2	4	3	3	3	2	21	2	
			0	3	2	2	2	2	3	3	2	19	3	
			1	2	2	2	3	5	3	3	4	24	4	
			1	2	2	3	4	4	3	6	6	30	5	
			1	6	4	3	4	3	3	3	4	30	6	
			1	5	4	3	3	2	1	1	1	20	7	
			1	2	2	3	4	4	3	4	4	26	8	
			0	2	3	2	3	3	1	2	4	20	9	
			0	3	3	2	2	2	2	2	2	18	10	
			0	2	2	1	1	3	3	4	1	17	11	
			0	2	2	2	1	2	3	2	2	16	12	
			0	3	3	3	2	2	2	2	2	19	13	
			1	3	3	3	3	4	3	3	3	25	14	
			1	5	3	2	2	3	2	1	2	20	15	
			0	2	2	2	3	2	3	2	2	18	16	
			0	2	2	2	3	3	3	2	2	19	17	
			0	3	3	2	2	2	1	1	1	15	18	
			0	2	2	2	2	3	3	2	2	18	19	
			0	1	2	2	2	2	1	1	1	12	20	
			0	2	2	3	2	2	2	2	2	17	21	
			0	2	2	2	2	3	2	2	1	16	22	
			0	2	2	3	2	2	2	1	3	17	23	
			0	2	3	2	2	2	1	2	2	16	24	
			1	3	3	3	3	3	4	5	5	29	25	
			1	5	3	3	3	3	4	4	4	29	26	
			0	4	3	3	4	3	3	3	3	26	27	
			0	3	2	3	3	3	3	4	1	22	28	
			0	3	3	4	3	3	4	2	2	24	29	
			0	3	3	3	3	4	3	3	4	26	30	
													31	
$\varepsilon_0=1.94$ $\varepsilon_H=2.04$ $\varepsilon_z=1.69$			9	$K_9=550$										624

Moscow
Москва

Таблица с к индексов
Суточные характеристики

18967-48
июль 1967 и. 53

Амплитуды			Характер С	К-индекс										Дата B035
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К		
			1	2	3	4	4	2	4	4	3	26	1	
			0	3	2	2	2	2	2	2	2	17	2	
			0	2	2	2	1	3	2	2	2	16	3	
			0	2	3	2	2	2	3	2	2	18	4	
			1	3	3	4	3	3	3	2	3	24	5	
			0	3	3	3	2	4	3	3	4	25	6	
			0	4	3	2	2	3	3	2	1	20	7	
			0	3	2	3	3	2	1	1	2	17	8	
			0	2	2	2	3	2	2	2	1	16	9	
			0	2	2	2	2	1	1	2	2	14	10	
			1	4	3	3	3	4	4	4	3	28	11	
			0	3	2	3	2	2	2	2	2	18	12	
			0	3	2	2	2	2	1	3	3	18	13	
			0	3	3	2	3	3	2	2	2	20	14	
			0	2	3	3	2	3	3	3	3	22	15	
			0	2	4	2	2	1	2	2	2	17	16	
			0	2	3	2	2	2	2	2	2	17	17	
			1	2	2	3	3	3	3	1	1	18	18	
			0	2	3	3	2	2	2	2	1	17	19	
			0	3	3	2	2	2	2	1	2	17	20	
			0	2	2	2	2	2	1	2	2	15	21	
			0	3	2	2	2	2	2	1	2	16	22	
			1	2	3	2	2	3	3	4	4	23	23	
			0	3	3	3	3	2	2	4	2	22	24	
			0	2	2	2	3	3	3	4	2	21	25	
			0	3	2	1	3	3	2	2	1	17	26	
			0	1	1	2	2	2	2	2	2	14	27	
			1	3	2	3	2	3	4	4	2	23	28	
			0	3	4	3	2	2	3	3	3	23	29	
			1	4	4	3	2	2	2	1	1	19	30	
			0	1	2	2	1	2	2	1	2	13	31	
E _D =1.34 E _L =2.04 E _Z =1.63			7	K ₉ =550										59

Moscow
Москва

Таблица с к и индексов
Суточные характеристики

192/7-III
август 1967

Амплитуды			Характер	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			С										В035
			0	2	2	2	3	2	3	2	1	17	1
			0	2	2	2	2	1	2	1	1	13	2
			0	2	1	2	1	2	2	2	2	14	3
			0	2	3	3	2	4	3	2	2	21	4
			0	3	2	2	2	2	3	2	2	18	5
			0	2	2	2	2	2	1	2	2	15	6
			0	3	1	3	2	2	2	3	4	20	7
			0	3	2	2	3	3	3	3	2	21	8
			0	2	1	2	2	3	4	2	1	17	9
			0	2	3	2	2	3	2	2	4	20	10
			1	2	3	4	4	4	5	5	4	31	11
			0	3	2	2	2	3	2	2	3	19	12
			0	3	2	3	2	3	3	3	3	22	13
			0	3	2	3	2	2	2	3	3	20	14
			0	3	2	2	3	3	2	2	3	20	15
			0	3	3	3	3	3	3	3	4	25	16
			1	3	3	3	4	4	3	3	3	26	17
			0	4	3	3	3	4	3	3	3	26	18
			0	3	2	4	3	3	2	3	3	23	19
			0	3	3	3	3	3	3	2	3	23	20
			0	2	3	3	3	3	2	2	2	20	21
			0	2	2	1	2	3	3	2	2	17	22
			0	3	2	2	3	2	2	3	2	19	23
			0	3	2	1	3	3	2	3	3	20	24
			1	2	3	3	3	4	4	4	4	27	25
			0	3	2	3	2	3	3	4	3	23	26
			0	2	3	2	4	3	2	2	3	21	27
			0	2	2	3	3	2	2	2	2	18	28
			0	3	1	3	3	3	2	2	2	19	29
			0	2	2	2	3	2	2	3	3	19	30
			0	2	2	3	3	3	3	2	3	21	31
с1 №20 $\varepsilon_D = 1.94$ 21 №31 $\varepsilon_D = 1.97$	$\varepsilon_H = 2.04$	с1 №20 $\varepsilon_2 = 1.69$ с21 №31 $\varepsilon_2 = 1.67$	3	K_g	SSO								635

Moscow
Москва

Таблица с к индексов
Суточные характеристики

сентябрь 1967

19 258-14

н. 53

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
													B035
			1	3	2	4	4	4	3	4	5	29	1
			1	4	3	3	4	3	4	3	2	26	2
			0	2	2	2	3	2	3	2	3	19	3
			0	2	2	3	3	3	3	2	1	19	4
			0	2	2	2	3	2	2	2	1	16	5
			0	2	2	1	2	2	2	2	2	15	6
			0	2	2	2	2	3	4	3	2	20	7
			0	2	2	1	3	3	2	4	3	20	8
			0	3	3	2	3	3	1	4	3	22	9
			0	2	2	2	1	1	1	1	1	11	10
			0	1	1	2	2	1	1	2	1	11	11
			0	1	1	2	2	2	1	2	2	13	12
			1	2	3	4	5	3	5	5	4	31	13
			0	2	2	3	3	3	4	4	3	24	14
			0	3	2	3	2	1	2	4	3	20	15
			0	4	2	3	2	2	3	3	2	21	16
			0	2	2	2	2	2	3	3	1	17	17
			0	2	1	2	3	3	3	4	3	21	18
			0	4	2	2	2	4	3	4	3	24	19
			1	3	3	4	4	5	5	4	4	32	20
			1	4	5	4	4	5	6	5	5	38	21
			0	3	3	2	2	2	3	3	1	19	22
			0	2	1	2	2	2	1	2	1	13	23
			0	2	2	2	3	2	3	4	4	22	24
			0	2	2	1	2	2	2	3	3	17	25
			0	1	2	3	2	2	1	4	2	17	26
			0	3	2	2	2	3	3	2	1	18	27
			1	3	3	3	4	3	5	5	4	30	28
			1	5	3	4	4	5	5	5	5	36	29
			1	4	4	4	4	5	5	3	3	32	30
													31
$\varepsilon_0 = 1.94$	$\varepsilon_1 = 2.04$	$\varepsilon_2 = 1.67$	8	$K_0 =$	SSO							53	

Moscow
Москва

Таблица с и ндексов
Суточные характеристики

октябрь 1967 и 53

19813 III

Амплитуды				Характер С	К—индекс									Дата
					0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	К	B035
				0	2	3	2	3	3	2	3	1	19	1
				0	2	1	2	2	3	2	4	2	18	2
				0	2	2	2	2	2	2	4	3	19	3
				0	3	2	1	2	2	1	1	2	14	4
				0	2	2	3	3	2	3	3	1	19	5
				0	3	2	2	2	3	2	1	2	17	6
				0	2	2	3	3	3	2	2	2	19	7
				0	2	2	2	3	5	3	4	3	24	8
				1	3	2	2	3	2	3	4	5	24	9
				1	5	4	3	3	5	3	5	4	32	10
				1	2	2	2	2	3	5	2	2	20	11
				1	3	3	3	3	1	4	2	4	23	12
				0	4	2	1	2	2	3	2	3	19	13
				0	2	2	3	3	3	3	4	4	24	14
				0	4	2	2	3	3	2	2	2	20	15
				0	3	3	2	1	2	2	2	2	17	16
				0	2	2	2	3	3	2	3	3	20	17
				0	2	3	2	2	1	2	2	3	17	18
				0	2	2	2	1	2	2	2	2	15	19
				0	2	2	2	1	1	1	2	1	12	20
				0	1	1	2	2	1	1	1	1	10	21
				0	2	2	2	2	2	2	3	2	17	22
				1	3	2	3	2	2	2	3	2	19	23
				0	2	1	3	2	2	3	2	1	16	24
				0	1	1	1	2	1	2	1	1	10	25
				0	1	2	1	2	2	2	2	1	13	26
				1	2	2	3	3	3	4	3	2	22	27
				1	3	2	3	4	4	4	5	5	30	28
				1	2	2	3	3	5	5	4	2	26	29
				0	2	4	3	2	2	3	1	1	18	30
				0	2	1	2	2	3	2	3	1	16	31
$\varepsilon_D=1.94$ $\varepsilon_A=2.04$ C I no 10 $\varepsilon_z=1.67$ C II no 31 $\varepsilon_z=1.69$				8.	K_A	550							589	

Moscow
Москва

Таблица С и К
Суточные характеристики

1966 г. № 53
Маябрь 1967 г.

Амплитуды			Характер С	К—индекс										Дата
				0—3	3—6	6—9	9—12	12—15	15—18	18—21	21—24	К	B035	
			0	1	2	2	1	1	1	3	2	13	1	
			1	2	2	3	2	2	3	4	3	21	2	
			1	3	2	3	2	4	6	5	4	29	3	
			0	4	2	3	2	3	2	1	2	19	4	
			1	2	2	3	3	2	3	4	2	21	5	
			0	2	1	2	2	1	1	2	1	12	6	
			0	1	2	2	2	2	1	1	1	12	7	
			1	4	3	2	2	3	4	5	5	28	8	
			1	2	2	2	3	3	3	3	1	19	9	
			1	1	2	2	2	2	2	2	1	14	10	
			1	2	2	2	2	1	2	6	6	23	11	
			1	3	2	3	2	2	4	5	3	24	12	
			1	3	3	2	3	2	4	4	4	25	13	
			1	2	2	2	2	2	4	2	1	17	14	
			1	1	2	2	2	2	4	4	3	20	15	
			0	2	3	2	2	2	3	2	1	17	16	
			0	2	2	2	1	1	1	1	1	11	17	
			0	1	2	2	2	2	2	2	1	14	18	
			0	1	2	2	1	2	2	1	1	12	19	
			0	1	2	1	2	2	1	1	1	11	20	
			0	1	2	2	1	2	2	3	4	17	21	
			0	2	2	3	3	3	2	3	2	20	22	
			0	2	2	2	2	3	3	2	3	19	23	
			1	4	3	3	3	3	3	3	3	25	24	
			1	2	2	2	3	3	3	3	3	21	25	
			0	4	2	2	1	2	2	2	2	17	26	
			0	1	2	2	2	2	2	3	2	16	27	
			1	4	3	3	3	3	4	4	4	28	28	
			1	3	2	3	3	3	3	2	1	20	29	
			1	2	2	2	3	2	3	5	4	23	30	
													31	
E ₀ =1,94 E _n =2,04 E _z =1,69			16	H _g =550										

Moscow
Москва

Таблица С и К
Суточные характеристики

20080-53
Декабрь 1967г. 4.53

Амплитуды			Характер С	К-индекс									Дата B035
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	3	2	3	4	3	3	5	5	28	1
			1	5	2	2	2	2	2	2	2	19	2
			0	1	1	1	2	4	2	2	3	16	3
			0	3	1	2	1	1	2	1	2	13	4
			1	1	2	1	2	2	4	4	5	21	5
			1	2	2	2	3	4	5	4	5	27	6
			1	4	3	3	3	3	5	3	2	26	7
			1	3	2	3	3	3	4	6	3	27	8
			0	2	2	2	2	3	4	4	2	21	9
			0	3	2	2	2	1	1	1	1	13	10
			0	2	2	2	2	1	1	1	1	12	11
			0	2	2	2	2	1	2	3	2	16	12
			0	2	2	2	2	2	2	3	1	16	13
			0	2	2	1	2	1	3	2	1	14	14
			0	3	2	2	3	2	3	3	3	21	15
			0	2	2	2	3	2	3	2	3	19	16
			1	2	2	3	3	4	2	2	2	20	17
			1	2	2	3	3	4	4	4	2	24	18
			1	2	3	3	3	4	4	6	5	30	19
			1	4	3	3	4	5	5	5	2	31	20
			1	2	2	2	3	3	5	3	3	23	21
			1	1	2	2	3	2	2	4	4	20	22
			1	3	2	2	2	3	4	5	2	23	23
			0	2	1	1	1	2	1	3	1	12	24
			0	1	1	1	1	2	1	1	1	9	25
			0	2	1	1	1	3	3	3	1	15	26
			1	2	1	2	3	4	3	1	1	17	27
			0	1	1	1	2	1	2	4	2	14	28
			0	3	2	1	2	1	1	1	1	12	29
			0	1	2	2	2	3	3	3	3	19	30
			1	4	4	4	3	6	7	6	4	38	31
$\varepsilon_D = 1.94$ $\varepsilon_H = 2.04$ $\varepsilon_2 = 1.69$			15	$K_g = 550$									616