

Srednikan.
Средникан

Таблица
с и К индексов
Суточные характеристики

6091-III
Январь 1962 48

Дата	Амплитуды			Характер С	К-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	2	1	1	1	1	1	2	11	1
2				0	2	2	3	6	3	3	3	2	24	2
3				0	1	1	1	1	3	1	1	2	11	3
4				0	1	1	1	1	2	1	1	1	9	4
5				0	1	1	1	1	0	0	0	0	4	5
6				0	2	2	1	1	1	1	0	0	8	6
7				0	0	0	1	1	1	1	1	1	6	7
8				0	2	1	1	1	2	1	1	1	10	8
9				0	2	1	1	1	3	3	3	3	17	9
10				2	3	5	4	7	7	7	7	6	46	10
11				0	2	2	3	4	3	2	2	2	20	11
12				0	2	2	2	1	1	1	1	1	11	12
13				0	1	1	2	3	2	2	2	1	14	13
14				0	1	1	1	1	3	4	3	4	18	14
15				0	2	2	3	3	3	3	3	3	22	15
16				0	2	2	2	3	3	3	2	2	19	16
17				0	1	1	1	1	1	1	0	1	7	17
18				0	1	1	0	1	1	2	2	1	9	18
19				1	2	2	3	3	5	6	4	3	28	19
20				0	1	2	2	2	2	2	1	1	13	20
21				0	2	2	3	3	4	3	2	1	20	21
22				0	2	1	1	1	1	1	1	1	9	22
23				0	0	1	1	1	1	1	1	1	7	23
24				0	0	1	1	1	1	1	0	0	5	24
25				0	0	1	2	3	2	2	2	2	14	25
26				0	2	2	1	2	2	3	3	3	18	26
27				0	2	1	3	5	2	2	1	2	18	27
28				0	2	1	2	2	1	1	1	1	11	28
29				0	1	1	2	1	4	3	2	1	15	29
30				0	1	1	2	3	3	2	2	2	16	30
31				0	2	1	1	0	0	0	0	0	4	31
Среднее	с/но10 E _D =4.08	с/но10 E _H =3.78	с/но10 E _Z =9.2		K _g =550									
	с/но20 E _D =4.07	с/но20 E _H =3.77	с/но20 E _Z =8.7											
	с/но31 E _D =4.08	с/но31 E _H =3.76	с/но31 E _Z =9.1											

Srednikan
Средникан

Таблица
с К индексов

Суточные характеристики

№ 6308-III
февраль 1962г

н.48

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	0	0	0	0	0	1	1	3	1
			0	1	1	1	0	0	0	1	1	5	2
			0	2	1	1	1	1	1	2	1	10	3
			1	2	2	2	3	6	5	5	4	29	4
			0	3	2	2	1	1	3	1	2	15	5
			0	1	1	1	1	1	1	2	2	10	6
			1	3	3	3	5	4	5	4	3	30	7
			0	1	1	1	2	2	2	1	1	11	8
			0	1	1	1	1	4	3	2	1	14	9
			0	2	1	1	0	1	1	1	1	8	10
			1	1	1	1	2	3	2	4	3	17	11
			0	4	3	2	2	3	4	4	4	26	12
			0	2	2	2	3	3	2	2	1	17	13
			0	1	1	1	1	2	3	4	2	15	14
			1	2	1	2	1	1	3	4	3	17	15
			1	2	2	3	4	7	7	7	6	38	16
			0	3	3	4	5	3	3	3	2	26	17
			0	2	2	2	3	2	2	3	1	17	18
			0	1	3	2	2	2	2	2	2	16	19
			0	1	1	1	2	1	1	1	1	9	20
			0	2	1	2	1	3	4	3	2	18	21
			1	3	2	3	3	4	4	3	2	24	22
			1	2	2	2	4	4	4	2	2	22	23
			0	2	2	2	2	3	4	3	4	22	24
			0	2	2	2	1	1	1	1	2	12	25
			1	2	1	1	2	3	5	5	3	22	26
			1	2	3	3	5	5	5	4	3	30	27
			0	2	2	1	2	2	1	1	1	12	28
													29
													30
													31

ε_p = 4.08
I no 10
ε_H = 37.4
II no 28
ε_H = 37.6
CI no 10
ε_Z = 9.3
CII no 20
ε_Z = 9.1
C2I no 28
ε_Z = 8.4

K₀ = 550

Srednikan. Таблица с и К индексов
Средникан Суточные характеристики

№ 6786-III
Март 1952г.

n. 48

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	2	3	3	3	3	3	2	2	21	1
			0	2	3	3	1	2	3	3	2	19	2
			0	3	2	3	2	3	2	3	2	20	3
			0	3	3	2	2	2	1	1	1	15	4
			1	2	2	2	2	4	4	3	3	22	5
			1	3	3	3	3	4	4	3	3	26	6
			0	3	3	2	2	2	2	1	1	16	7
			0	2	2	3	2	1	0	1	0	11	8
			0	2	2	3	1	1	1	1	1	12	9
			1	2	2	2	2	3	3	3	3	20	10
			1	4	5	3	6	4	3	3	3	31	11
			1	3	3	5	3	5	5	4	4	32	12
			0	3	4	3	3	4	3	2	3	25	13
			0	4	4	2	3	3	3	3	3	25	14
			0	5	5	4	3	3	2	2	4	28	15
			0	4	4	3	3	3	3	1	2	23	16
			0	4	5	3	4	4	3	1	2	26	17
			0	4	5	4	3	4	4	3	2	29	18
			0	4	4	4	3	4	4	4	3	30	19
			0	4	4	4	3	3	3	5	4	30	20
			0	2	3	2	2	3	3	2	2	19	21
			0	2	3	2	1	2	1	1	1	13	22
			0	2	3	2	3	3	2	2	1	18	23
			0	3	2	2	1	2	2	1	1	14	24
			0	3	2	2	2	2	2	1	1	15	25
			0	3	3	3	2	1	1	0	0	13	26
			0	3	3	3	3	2	2	1	0	17	27
			0	2	3	3	1	2	2	1	1	15	28
			0	2	3	3	2	3	2	1	1	17	29
			0	2	3	2	1	1	0	0	0	9	30
			0	2	3	2	1	1	1	1	1	12	31

$E_D = 4.08$
 $E_H = 5.76$
 $E_H = 5.75$
 $E_2 = 9.4$
 $E_2 = 8.9$

$K_g = 550$

Средниџан.

Таблица с и к индексов
Суточные характеристики

№ 6819. III
Апрель-1962

м. 48

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	4	5	4	4	4	3	2	3	29	1
			0	4	5	4	2	2	3	4	4	28	2
			0	3	4	4	3	2	4	2	3	25	3
			0	4	5	6	5	2	3	3	3	31	4
			0	5	5	4	4	3	2	2	2	27	5
			1	4	5	4	5	4	3	5	6	36	6
			2	6	5	6	6	7	6	5	5	46	7
			1	4	5	5	4	6	7	4	4	39	8
			0	4	4	4	2	5	4	3	3	29	9
			1	4	5	4	5	6	6	5	5	40	10
			1	5	5	4	5	6	5	3	4	37	11
			0	4	5	3	2	3	3	3	3	26	12
			0	3	5	4	2	2	3	3	3	25	13
			0	4	4	4	3	1	2	2	2	22	14
			0	4	5	4	2	3	5	4	4	31	15
			0	4	5	4	3	3	4	4	3	30	16
			0	4	5	2	3	2	3	3	2	24	17
			0	4	5	5	4	5	3	3	4	33	18
			0	4	5	4	2	2	1	2	2	22	19
			0	4	5	4	2	2	3	3	3	26	20
			1	5	5	5	3	3	6	4	4	35	21
			1	4	5	5	5	4	5	4	4	36	22
			0	4	5	4	4	3	3	3	3	29	23
			0	4	4	3	2	3	2	3	3	24	24
			1	3	5	3	5	4	5	5	3	33	25
			1	4	5	6	4	3	2	3	3	30	26
			0	4	5	4	4	3	3	3	3	29	27
			0	4	4	3	3	3	3	2	3	25	28
			0	4	5	4	2	5	3	3	3	29	29
			0	3	4	4	3	2	4	3	3	26	30
													31

c1 no 10 E_D = 4,1
 c11 no 20 E_p = 4,06
 c21 no 30 E_D = 4,07
 c1 no 10 E_H = 3,76
 c11 no 20 E_H = 3,74
 c21 no 30 E_H = 3,75
 c1 no 10 E_g = 9,1
 c11 no 20 E_g = 8,99
 c21 no 30 E_g = 9,4

K_g = 550

Srednikan.

Таблица с индексом

Ивв. № 7069 2 III

Средникан

Суточные характеристики

Май 1962. н. 48

Дата	Амплитуды			Характер ζ	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	5	3	4	3	2	3	3	3	26	1
2				0	5	5	4	3	2	3	3	5	30	2
3				0	4	5	4	3	4	2	3	3	28	3
4				0	4	5	4	2	1	2	3	4	25	4
5				0	5	5	4	2	2	3	4	4	29	5
6				0	5	5	4	4	5	6	5	6	40	6
7				0	5	5	4	2	3	3	3	4	29	7
8				0	5	5	4	2	2	2	3	4	27	8
9				0	4	5	4	3	2	3	3	4	28	9
10				0	5	5	4	3	2	3	3	3	28	10
11				1	4	4	4	2	3	5	3	4	29	11
12				0	4	4	4	4	5	4	4	4	33	12
13				0	3	5	4	3	2	1	2	3	23	13
14				0	4	5	5	4	4	3	3	4	32	14
15				0	5	5	5	3	3	4	4	3	32	15
16				0	4	5	5	5	2	3	3	3	30	16
17				0	5	5	4	3	2	2	1	1	23	17
18				0	4	4	3	2	2	2	2	2	21	18
19				0	5	5	4	4	3	3	2	3	29	19
20				0	4	4	3	3	3	3	3	3	26	20
21				0	5	5	4	2	2	3	3	3	27	21
22				0	5	5	4	2	1	2	3	5	27	22
23				0	5	4	4	3	1	3	3	4	27	23
24				0	5	4	4	2	2	3	3	3	26	24
25				0	4	5	5	1	1	1	2	3	22	25
26				0	4	5	4	2	2	3	2	4	26	26
27				1	4	5	4	3	5	6	3	4	34	27
28				1	4	5	4	3	4	4	4	4	32	28
29				0	5	5	4	4	3	3	3	3	30	29
30				0	5	4	4	1	2	3	2	3	24	30
31				2	4	5	5	6	6	5	5	5	41	31
Среднее	$\epsilon_1 \approx 20$ $\epsilon_D = 4.03$ $\epsilon_{21} \approx 31$	$\epsilon_1 \approx 10$ $\epsilon_H = 3.76$ $\epsilon_{11} \approx 20$	$\epsilon_1 \approx 20$ $\epsilon_2 = 9.1$ $\epsilon_{21} \approx 31$											

$K = 550$

Srednikan.
Средникан

Таблица C и K индексов
Суточные характеристики Июнь 1962

Инв. № 7096-III

n. 48

Амплитуды			Характер C	K — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ K	
			1	4	5	6	5	3	4	4	4	35	1
			0	4	6	4	3	3	4	4	5	33	2
			0	4	5	4	3	3	4	3	5	31	3
			1	5	6	4	4	5	4	5	5	38	4
			0	3	5	5	3	4	3	3	6	32	5
			0	5	6	5	4	2	4	3	4	33	6
			1	4	6	7	5	4	3	4	4	37	7
			0	4	5	5	1	2	3	3	5	28	8
			1	5	6	7	5	4	4	5	6	42	9
			1	6	6	6	5	4	4	4	5	40	10
			0	5	5	4	4	3	3	4	5	33	11
			0	5	5	4	4	4	4	4	5	35	12
			0	5	4	5	3	1	3	4	5	30	13
			0	4	5	3	2	3	3	5	5	30	14
			1	5	5	6	5	4	3	4	5	37	15
			0	5	4	3	3	1	3	4	5	28	16
			0	4	5	4	1	2	3	4	5	28	17
			0	4	5	4	1	1	3	3	5	26	18
			0	4	5	4	2	3	3	4	5	30	19
			0	4	5	4	2	2	3	3	5	28	20
			1	5	5	3	4	4	5	5	6	37	21
			1	5	6	4	5	3	3	4	5	35	22
			1	5	6	5	4	4	5	5	5	39	23
			0	4	6	5	4	3	3	4	5	34	24
			0	5	5	5	3	4	3	3	5	33	25
			1	4	6	5	4	3	4	3	5	34	26
			1	5	6	5	6	5	4	5	5	41	27
			1	5	5	6	6	4	4	4	5	39	28
			1	5	6	5	4	4	4	3	5	36	29
			1	5	5	6	5	3	4	5	5	38	30
													31

нее

C1 no 20
ε_D = 4,05
C2 no 20
ε_D = 4,06

ε_H = 3,76

C1 no 10
ε₂ = 8,93
C1 no 20
ε₂ = 8,96
C2 no 30
ε₂ = 9,3

K_g = 550

Srednikan.

Средникан

Таблица с к индексов
Суточные характеристики

Ивв. № 7129-III
Июль 1962

н. 48

Дата	Амплитуды			Характер С	К - индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				1	4	4	4	4	3	4	4	4	31	1
2				1	4	4	4	4	2	4	4	4	30	2
3				0	4	4	4	3	4	4	3	3	29	3
4				1	5	5	5	4	4	3	5	3	34	4
5				1	4	5	5	3	4	3	5	4	33	5
6				1	5	5	4	5	4	4	3	3	33	6
7				0	4	4	4	3	2	3	4	4	28	7
8				0	3	5	4	3	2	3	3	4	27	8
9				0	4	4	4	4	2	2	3	3	26	9
10				1	3	4	4	2	3	3	3	4	26	10
11				0	3	3	2	3	3	3	3	3	23	11
12				0	3	2	2	2	2	1	3	2	17	12
13				0	3	3	3	1	2	2	3	3	20	13
14				0	3	2	2	2	2	3	1	2	17	14
15				0	3	3	2	1	1	1	1	2	14	15
16				0	3	3	2	1	1	0	1	1	12	16
17				0	2	2	2	1	1	1	1	2	12	17
18				0	2	3	2	1	1	1	2	1	13	18
19				0	2	3	3	4	2	3	2	3	22	19
20				1	3	3	4	3	3	2	3	2	23	20
21				0	3	3	2	2	1	1	2	1	15	21
22				0	3	3	2	2	1	1	2	2	16	22
23				0	3	3	3	2	1	1	2	2	17	23
24				1	3	2	1	1	2	2	2	2	15	24
25				1	2	3	3	3	4	2	1	1	19	25
26				1	3	4	4	5	4	4	3	3	30	26
27				1	3	3	2	3	4	4	2	3	24	27
28				1	3	3	3	2	2	3	1	3	20	28
29				0	2	3	2	1	1	2	1	1	13	29
30				0	2	2	2	1	0	0	1	1	9	30
31				0	1	1	2	2	2	3	3	3	17	31
Среднее	С1 № 10 $\Sigma D = 4.09$ С1 № 20 $\Sigma H = 4.05$ С2 № 31 $\Sigma Z = 4.08$	С1 № 20 $\Sigma H = 3.76$ С2 № 31 $\Sigma H = 3.74$	С1 № 20 $\Sigma Z = 9.5$ С2 № 31 $\Sigma Z = 9.5$											

$K_9 = 550$

Srednikan.

Средникан

Таблица с к индексом
Суточные характеристики

Август 1962

Амплитуды			Характер С	К — индекс										Ивр. I 7283- Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК		
			1	3	4	5	5	5	4	3	2	31	1	
			1	3	3	2	3	2	1	1	2	17	2	
			0	3	2	2	1	1	1	1	1	12	3	
			0	3	2	3	3	2	2	2	1	18	4	
			0	3	3	3	2	1	1	1	1	15	5	
			1	2	3	3	2	3	3	1	2	19	6	
			1	2	3	2	3	3	3	1	2	19	7	
			1	3	4	4	2	2	1	1	1	18	8	
			1	4	4	3	3	2	2	2	1	21	9	
			0	3	2	2	3	2	2	2	2	18	10	
			0	4	4	3	2	2	2	1	1	19	11	
			0	4	3	2	3	3	3	2	2	22	12	
			0	4	3	3	3	2	2	4	4	25	13	
			1	3	4	3	3	4	3	3	3	26	14	
			1	4	4	6	4	3	4	4	3	32	15	
			1	5	4	5	3	3	3	3	4	30	16	
			1	4	5	5	5	5	5	3	4	36	17	
			0	4	5	5	5	3	4	3	4	33	18	
			1	3	3	4	4	3	3	3	3	27	19	
			0	4	4	3	3	3	2	2	2	23	20	
			0	2	3	3	2	2	2	2	1	17	21	
			1	4	4	3	3	2	3	2	2	23	22	
			0	2	3	3	3	2	2	2	2	19	23	
			1	3	3	4	3	3	3	2	2	23	24	
			0	4	4	3	2	2	2	2	2	21	25	
			0	2	2	3	2	2	1	1	1	14	26	
			0	2	2	1	0	1	1	1	1	9	27	
			0	2	3	1	2	1	1	1	1	12	28	
			1	2	2	3	3	3	3	2	2	20	29	
			1	3	3	3	3	4	3	3	2	24	30	
			1	3	3	3	3	2	1	1	1	17	31	
$E_D = 4.08$	$E_H = 3.76$	$E_Z = 9.1$		$K_0 = 550$										

III
2.48

Srednikan.

Таблица
с - к индексов
Суточные характеристики

ИИР 7388-III
Сентябрь - 1962

Средникан

н. 48

Амплитуды			Характер С	К - индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	2	2	2	2	3	4	3	3	21	1
			1	2	4	3	4	3	3	2	2	23	2
			1	3	4	3	5	4	4	4	4	31	3
			0	2	3	3	2	3	3	2	2	20	4
			0	2	3	3	2	2	4	3	2	21	5
			1	3	3	3	3	3	2	3	3	23	6
			0	1	2	3	2	3	1	1	1	14	7
			0	1	3	2	2	1	1	1	1	12	8
			0	1	1	1	0	1	1	1	1	7	9
			0	2	2	2	2	2	1	1	2	14	10
			0	2	3	3	3	3	1	1	1	17	11
			1	2	3	4	4	4	3	4	3	27	12
			1	3	2	4	2	3	3	3	2	22	13
			0	3	3	3	3	2	2	2	2	20	14
			0	2	3	3	3	2	2	2	2	19	15
			0	2	2	1	2	2	1	3	3	16	16
			0	3	3	2	1	3	2	1	1	16	17
			0	2	2	1	1	1	1	0	1	9	18
			1	2	2	3	3	3	3	3	2	21	19
			0	2	3	3	3	1	1	0	0	13	20
			0	3	3	2	2	3	3	2	2	20	21
			1	3	4	3	5	4	3	3	3	28	22
			0	3	4	4	4	2	1	2	2	22	23
			0	2	2	2	0	1	1	1	1	10	24
			0	2	2	2	1	2	2	1	2	14	25
			1	4	4	3	3	5	5	3	3	30	26
			0	2	3	3	3	3	3	1	1	19	27
			0	3	3	3	1	2	2	2	2	18	28
			0	2	2	3	3	2	3	3	3	21	29
			0	2	3	3	3	3	3	2	2	21	30
													31

c1 = 10 E_D = 4.05
 c11 = 20 E_H = 3.76
 E_D = 4.03 c21 = 30
 c21 = 30 E_H = 3.74
 E_D = 4.06 E₂ = 9.2
 E₂ = 8.96 c21 = 30
 E₂ = 8.96

K_g = 550

Srednikan.

Таблица с к индексов
Суточные характеристики

Октябрь

7495-III
1962.

Средникан

н.48

Амплитуды			Характер С	K — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	3	3	4	4	5	3	3	3	28	1
			1	2	2	1	3	3	3	2	2	18	2
			0	2	1	1	1	1	1	1	1	9	3
			0	2	2	2	2	0	1	1	1	11	4
			0	1	2	2	1	1	2	3	2	14	5
			0	2	2	3	1	2	1	1	1	13	6
			0	1	2	1	1	2	1	2	2	12	7
			1	3	3	2	3	3	3	3	3	23	8
			1	3	3	3	3	3	2	2	2	21	9
			0	2	2	2	3	3	3	3	3	21	10
			0	2	3	3	3	3	2	2	2	20	11
			0	2	2	2	3	2	1	1	1	14	12
			0	1	2	1	3	3	2	2	2	16	13
			1	3	2	4	4	3	2	3	3	24	14
			0	2	2	2	2	1	2	1	1	13	15
			1	1	3	2	5	4	3	2	2	22	16
			0	2	2	3	2	1	1	0	0	11	17
			0	2	2	1	1	1	2	1	2	12	18
			1	1	1	2	3	4	4	3	2	20	19
			0	2	2	1	1	1	2	1	1	11	20
			0	2	3	2	2	2	2	1	1	15	21
			1	2	2	2	4	4	3	2	2	21	22
			1	2	2	3	3	4	3	2	2	21	23
			0	2	2	1	2	3	3	3	2	18	24
			1	2	2	4	4	4	4	3	3	26	25
			1	2	2	3	4	4	4	3	3	25	26
			1	2	2	2	4	3	3	3	2	21	27
			0	2	2	2	3	2	2	3	2	18	28
			0	2	2	2	2	1	2	1	1	13	29
			0	0	0	0	1	2	2	1	1	7	30
			0	0	0	0	1	1	1	1	1	5	31

c1 w 10 c1 w 10 c1 w 10
 E_p = 4.09 E_u = 3.77 E_z = 9.06
 c10 w 20 c10 w 20 c11 w 20
 E_p = 4.07 E_u = 5.74 E_z = 8.88
 c21 w 31 c21 w 31 c21 w 31
 E_u = 3.74 E_z = 8.88

K₉ = 550

Srednikan.
Средникан

Таблица
с к индексом
Суточные характеристики

Ноябрь 1962. 7633-11

н.48

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	0	0	0	1	0	1	1	1	4	1
			0	1	0	1	2	2	2	1	1	10	2
			0	1	1	2	3	3	3	2	2	17	3
			1	2	2	3	3	4	3	3	3	23	4
			0	2	2	2	2	1	1	1	2	13	5
			1	1	2	2	2	3	3	3	3	19	6
			0	2	2	2	4	4	1	1	2	18	7
			0	1	1	1	2	2	1	1	1	10	8
			0	0	1	0	0	0	1	1	1	4	9
			0	1	1	1	0	0	1	1	1	6	10
			0	2	2	2	3	2	2	1	1	15	11
			0	1	0	1	0	0	0	1	1	4	12
			0	1	0	0	1	1	0	0	0	3	13
			0	0	0	0	0	1	1	2	1	5	14
			1	1	2	3	3	5	4	3	3	24	15
			1	2	2	3	3	3	3	3	2	21	16
			0	2	2	1	1	2	1	0	0	9	17
			0	0	0	1	1	1	0	0	0	3	18
			0	0	0	0	0	1	1	0	1	3	19
			0	1	1	0	0	1	0	0	0	3	20
			1	1	1	3	3	3	3	3	2	19	21
			1	2	2	3	3	3	3	3	2	21	22
			0	2	1	2	3	3	2	1	1	15	23
			1	1	1	2	3	4	3	2	2	18	24
			1	1	2	5	4	4	3	2	2	23	25
			0	1	1	0	1	2	1	1	0	7	26
			0	0	0	1	0	1	1	1	1	5	27
			0	1	0	1	0	1	0	0	0	3	28
			0	0	0	0	1	1	0	1	1	4	29
			1	2	2	3	4	4	3	2	2	22	30
													31

$E_p = 4.05$ $E_M = 3.74$ $E_2 = 8.77$
 $E_2 = 9.00$

$K_s = 550$

Srednikan.

Таблица
с к индексом
Суточные характеристики

Декабрь 1962

7695-III

и 48

Средникан

Амплитуды			Характер С	K-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	2	2	2	2	3	1	1	14	1
			0	0	0	1	1	1	0	0	0	3	2
			0	1	1	1	1	1	1	0	0	6	3
			1	1	2	3	3	3	4	2	1	19	4
			0	1	1	1	2	2	0	0	0	7	5
			0	1	0	0	1	1	0	0	0	3	6
			0	1	1	0	0	0	1	1	1	5	7
			0	1	0	1	2	2	2	1	1	10	8
			0	1	1	1	1	0	0	1	0	5	9
			0	1	1	1	0	0	1	1	1	6	10
			1	2	2	3	5	4	5	6	6	33	11
			0	2	2	2	0	0	1	4	3	14	12
			0	3	2	2	3	5	4	2	4	25	13
			0	2	2	2	3	4	4	3	2	22	14
			0	2	2	3	2	2	1	1	1	14	15
			0	2	1	1	1	3	1	1	1	11	16
			2	2	1	3	2	2	6	5	5	26	17
			2	5	5	3	3	5	5	5	4	35	18
			2	5	4	6	6	4	5	6	4	40	19
			2	3	4	4	6	5	6	6	5	39	20
			1	2	2	2	3	2	2	3	2	18	21
			0	1	1	2	2	2	2	1	1	12	22
			0	1	1	1	1	1	0	0	0	5	23
			0	0	1	1	1	2	2	1	1	9	24
			0	1	0	1	1	1	0	0	1	5	25
			1	1	1	2	3	4	4	3	2	20	26
			0	1	1	1	1	1	2	1	2	10	27
			0	1	1	0	0	2	1	1	1	7	28
			0	1	1	1	0	2	2	1	1	9	29
			0	1	1	1	0	1	1	2	2	9	30
			0	1	1	2	2	2	2	1	1	12	31

$E_D = 4.2$
 $c_{10} = 10$
 $E_{10} = 3.9$
 $c_{11} = 20$
 $E_{11} = 3.88$
 $c_{21} = 31$
 $E_{21} = 3.85$
 $c_{20} = 20$
 $E_{20} = 3.36$
 $c_{21} = 31$
 $E_{21} = 3.23$

$K_9 = 550$