

Суточные характеристики

Средникан

Дата	Амплитуды			Характер C	K-индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	1	2	2	2	2	0	0	10	1
2				0	0	0	1	1	1	1	1	1	6	2
3				0	1	1	1	1	1	1	1	1	8	3
4				0	1	1	1	1	2	2	3	2	13	4
5				0	1	0	2	2	1	1	0	0	7	5
6				0	1	1	1	0	1	1	0	0	5	6
7				0	1	1	0	1	1	2	2	1	9	7
8				0	0	1	1	1	1	0	0	1	5	8
9				0	1	0	1	0	0	1	1	0	4	9
10				0	0	1	1	0	1	1	1	0	5	10
11				0	0	0	1	1	1	1	2	1	7	11
12				0	1	1	1	0	1	1	1	2	8	12
13				1	3	3	3	5	4	4	3	3	28	13
14				1	3	2	2	5	4	4	4	3	27	14
15				1	2	3	3	4	4	3	3	2	24	15
16				1	3	2	3	3	4	3	4	3	25	16
17				1	2	3	5	3	3	3	2	2	23	17
18				1	1	1	2	3	1	2	2	2	14	18
19				1	2	1	2	1	2	2	2	3	15	19
20				0	2	1	2	2	2	0	0	1	10	20
21				0	1	0	0	1	1	2	2	1	8	21
22				0	1	1	1	1	1	0	1	1	7	22
23				0	1	1	1	1	2	2	1	2	11	23
24				0	1	1	2	3	2	2	3	3	17	24
25				0	1	1	1	1	2	2	1	1	10	25
26				0	1	1	1	0	1	0	0	0	4	26
27				0	1	1	1	1	1	0	0	0	5	27
28				0	1	1	0	0	0	1	0	0	3	28
29				0	0	0	0	1	2	1	2	2	8	29
30				1	1	1	2	4	4	4	4	4	24	30
31				1	3	3	4	4	5	5	3	2	29	31
Среднее	cI no 20 E _D =4.2 c2I no 31 E _D =4.18	cI no 10 E _u =3.89 cII no 20 E _u =3.88 c2I no 31 E _u =3.89	cI no 10 E _z =8.23 cII no 20 E _z =8.3 c2I no 31 E _z =8.35		K ₉ =550									

Srednikan.

Таблица
с и к индексов

7989-III
н. 48

Средникан Суточные характеристики февраля 1963

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				1	1	1	2	3	4	3	2	2	18
2				0	1	1	0	0	1	1	1	0	5
3				0	1	1	0	0	2	1	1	1	7
4				0	1	1	0	0	0	1	1	1	5
5				0	1	0	0	2	2	1	0	0	6
6				0	1	1	1	1	1	1	0	1	7
7				0	1	0	0	1	0	0	1	1	4
8				0	1	1	0	0	1	0	0	0	3
9				0	1	0	0	1	1	1	2	2	8
10				1	4	3	2	2	4	2	2	2	21
11				1	2	3	3	3	4	4	3	2	24
12				1	2	2	4	2	3	2	2	2	19
13				1	1	2	3	4	3	4	4	2	23
14				1	1	2	4	2	2	3	1	1	16
15				0	1	1	1	2	3	1	1	0	10
16				0	0	0	0	1	1	1	0	0	3
17				0	0	1	1	1	1	1	0	0	5
18				0	0	0	0	1	1	1	1	0	4
19				0	0	0	1	1	0	1	1	0	4
20				0	0	1	2	2	2	2	2	2	13
21				0	2	2	1	2	1	3	2	2	15
22				0	1	1	3	1	1	1	1	2	11
23				0	1	1	1	1	2	3	2	1	12
24				0	1	1	1	1	0	0	1	1	6
25				0	2	3	2	1	2	1	1	0	12
26				1	1	1	2	2	3	2	1	1	13
27				0	2	1	1	0	0	0	0	1	5
28				0	1	1	2	2	2	1	1	1	11
29													
30													
31													
среднее	cI no 10 E _D = 4.17 cII no 28 E _D = 4.2	cI no 10 E _H = 3.88 cII no 28 E _H = 3.89	cI no 10 E _Z = 8.26 cII no 20 E _Z = 8.35 c2I no 28 E _Z = 8.26		K _g = 550.								

Srednikan.

Таблица
с и к индексов

Име. № 8105-III

п. 48

Средникан Суточные характеристики Март 1963

Дата	Амплитуды			Характер σ	К-индекс									
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	4	3	2	2	2	1	0	16	
2				0	2	2	2	1	1	0	0	0	8	
3				0	1	2	2	2	1	0	0	1	9	
4				0	2	2	4	1	1	1	1	1	13	
5				0	2	3	2	1	0	0	1	1	10	
6				0	2	2	2	0	1	1	1	0	9	
7				0	2	3	1	0	0	0	1	2	9	
8				1	4	3	3	3	4	4	4	3	28	
9				1	2	3	2	2	4	2	2	3	20	
10				1	3	4	4	4	4	5	3	3	30	
11				1	3	4	3	3	4	4	3	3	27	
12				1	3	4	4	4	3	2	2	2	24	
13				1	4	3	4	2	4	3	2	2	24	
14				0	3	3	3	0	1	1	1	2	14	
15				0	3	4	3	1	0	0	1	2	14	
16				0	4	3	3	1	1	1	2	2	17	
17				0	4	4	3	0	1	3	2	2	19	
18				0	4	4	2	3	3	2	1	2	21	
19				0	2	1	1	1	1	2	1	2	11	
20				0	1	1	1	1	0	1	1	1	7	
21				0	2	3	2	1	0	1	0	0	9	
22				0	3	3	1	1	1	1	1	1	12	
23				0	2	3	3	3	3	2	1	1	18	
24				0	3	3	2	1	1	1	1	1	13	
25				0	2	3	1	0	1	0	0	0	7	
26				0	2	2	1	1	1	1	1	0	9	
27				0	2	2	2	1	1	1	1	1	11	
28				0	2	3	1	1	1	1	1	1	11	
29				0	1	2	2	1	1	0	0	0	7	
30				0	1	1	1	1	0	0	0	0	4	
31				0	1	1	1	1	0	0	1	1	6	
Среднее	1 мс 10. E _D = 4.19 с 11 м 31 E _D = 4.2	с 1 м 20 E _H = 3.89 с 21 м 31 E _H = 3.88	с 1 м 10 E _Z = 8.04 с 10 м 20 E _Z = 8.55 с 21 м 31 E _Z = 8.3											K ₉ = 550

Srednikan

Таблица
с и к индексов

8563-11

Средникан. Суточные характеристики

п. 48
Апрель 1963.

Дата	Амплитуды			Характер Г	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	2	3	2	2	1	1	1	1	13
2				0	2	2	1	1	1	2	1	1	11
3				0	2	2	1	1	0	1	1	1	9
4				1	1	3	2	2	2	2	2	2	16
5				1	3	3	3	2	2	2	1	2	18
6				1	2	3	4	4	2	3	2	2	22
7				0	1	2	2	3	2	1	0	1	12
8				0	1	3	1	0	1	0	0	0	6
9				0	1	2	1	1	1	0	0	0	6
10				0	0	1	0	1	0	0	0	0	2
11				0	2	1	1	0	0	0	0	0	4
12				0	2	1	1	1	0	1	0	0	6
13				0	1	2	2	2	2	2	1	1	13
14				0	1	2	2	1	1	1	0	0	8
15				0	3	3	2	2	1	1	0	0	12
16				0	1	2	1	1	0	0	0	0	5
17				0	1	2	1	1	0	1	1	0	7
18				0	2	1	1	1	1	1	1	1	9
19				0	1	2	2	1	1	1	1	0	9
20				0	2	2	2	1	1	1	0	0	9
21				0	1	1	1	2	1	1	0	0	7
22				0	1	1	0	0	0	1	1	1	5
23				0	1	1	1	1	0	0	1	1	6
24				0	0	1	0	0	0	1	0	0	2
25				0	1	1	1	1	0	0	0	0	4
26				0	1	1	0	0	1	1	1	1	6
27				0	1	0	1	2	2	1	2	1	10
28				0	1	1	1	0	0	1	1	1	6
29				0	1	0	0	1	1	1	1	1	6
30				0	1	0	0	1	1	1	1	1	6
31													
Среднее	$E_D = 4.2$	$E_H = 3.81$	$E_Z = 8.30$		$K_9 = 550$								

Srednikan.

Средникан Суточные характеристики

Таблица с ч к индексов

№ 2585-19

н. 48

Май 1962³

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				1	3	4	4	3	2	2	1	1	20
2				1	1	2	2	2	1	1	1	2	12
3				1	1	1	1	1	1	1	1	2	9
4				1	2	2	2	2	1	1	1	1	12
5				0	2	3	2	1	1	1	1	1	12
6				0	1	3	2	0	1	1	1	1	10
7				0	0	2	1	1	1	0	0	0	5
8				0	1	1	1	1	1	1	1	1	8
9				0	1	3	2	0	1	0	1	1	9
10				0	0	1	1	1	0	1	1	1	6
11				1	3	2	2	1	1	1	1	2	13
12				1	1	2	1	1	2	2	1	1	11
13				1	3	2	2	4	2	1	1	2	17
14				1	2	2	3	3	1	0	1	1	13
15				0	0	1	1	1	0	0	0	1	4
16				0	0	1	0	0	0	0	0	1	2
17				0	0	0	1	1	1	1	0	0	4
18				0	1	0	0	1	1	1	0	0	4
19				0	0	0	1	0	1	0	1	1	4
20				0	0	1	1	1	0	0	0	1	4
21				0	2	2	1	0	0	0	1	1	7
22				0	2	2	1	1	0	0	1	1	8
23				0	1	2	1	0	0	0	1	1	6
24				0	1	2	1	0	0	0	0	1	5
25				0	2	2	2	2	1	1	1	2	13
26				0	1	2	2	1	1	1	1	1	10
27				0	1	1	2	2	1	2	2	2	13
28				1	2	4	4	3	2	1	2	2	20
29				1	2	3	3	3	2	2	2	2	19
30				0	2	3	3	2	1	1	1	1	14
31				0	0	1	1	1	2	2	1	1	9
Среднее	с1 ~ 10 ε ₂ = 4.2 с11 ~ 31 ε ₂ = 4.15	ε _D = 3.88	с1 ~ 10 ε ₂ = 8.30 с11 ~ 31 ε ₂ = 8.25		K ₀ = 550								

Srednikan

Таблица
с и к индексов

8628-III

н. 48

Средникан

Суточные характеристики

Июнь 1963

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		У-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	2	3	3	2	1	1	1	1	14
2				0	2	3	3	1	1	2	1	2	15
3				0	1	2	2	1	1	1	1	1	10
4				0	2	1	1	0	0	0	0	1	5
5				0	2	2	1	1	0	0	0	1	6
6				1	2	2	1	1	1	2	3	3	15
7				1	4	4	3	3	2	2	1	1	20
8				1	2	2	2	1	2	1	1	2	13
9				0	2	2	2	2	1	1	1	2	13
10				0	1	1	1	1	0	0	1	1	6
11				0	2	2	1	1	1	1	1	0	9
12				0	1	2	1	1	0	0	0	0	5
13				0	1	1	1	1	1	0	1	1	7
14				0	1	0	2	2	2	0	1	1	9
15				0	1	2	1	1	1	1	1	1	9
16				0	0	1	1	1	1	1	0	0	5
17				1	1	2	2	2	3	3	2	1	16
18				1	1	1	2	2	3	4	3	2	18
19				0	1	1	2	1	0	1	1	1	8
20				1	2	2	2	3	2	1	1	1	14
21				0	2	2	2	2	1	1	1	1	12
22				0	2	2	1	1	0	0	0	0	6
23				0	1	1	1	2	0	0	0	1	6
24				0	2	2	1	1	1	1	1	1	10
25				1	3	2	2	2	1	2	2	3	17
26				1	3	2	2	1	1	1	1	1	12
27				1	2	2	2	2	1	1	1	2	13
28				0	2	2	3	2	1	1	1	0	12
29				0	1	1	1	1	1	1	1	1	8
30				0	2	2	2	2	1	1	2	1	13
31													
Среднее	$E_D = 4.19$	$E_H = 3.88$	$E_Z = 8.99$		$K_g = 550.$								

9126-11

н. 48

Srednikan.

Таблица

с к индексом

Средникан Суточные характеристики Июль 1963

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	3	3	2	2	2	1	2	2	17
2				0	2	2	2	2	1	0	0	1	10
3				0	2	2	1	1	1	1	1	1	10
4				1	3	2	3	2	3	3	3	4	23
5				1	4	4	5	2	2	1	2	3	23
6				1	3	4	4	4	3	3	2	2	25
7				1	3	4	2	2	4	2	2	2	21
8				1	3	4	4	2	2	2	2	3	22
9				1	2	4	4	3	5	2	2	2	24
10				0	3	3	3	2	2	2	2	1	18
11				0	1	1	1	0	0	0	0	1	4
12				0	1	1	1	1	0	0	1	1	6
13				0	1	1	1	1	0	0	1	1	6
14				0	1	1	1	0	1	1	0	1	6
15				0	1	2	1	1	1	1	0	0	7
16				0	2	2	2	1	1	2	1	1	12
17				1	1	2	3	3	2	2	1	1	15
18				0	1	1	2	2	1	1	2	1	11
19				0	1	2	1	0	1	0	0	0	5
20				0	1	1	1	0	0	1	1	1	6
21				1	1	2	2	2	3	3	2	1	16
22				0	1	1	2	2	2	2	1	1	12
23				0	1	2	1	2	1	2	2	2	13
24				1	3	3	3	3	2	1	2	2	19
25				0	1	2	2	2	1	1	1	1	11
26				0	1	2	2	1	1	1	2	1	11
27				0	2	2	2	0	2	1	0	1	10
28				0	2	2	2	2	0	0	0	0	8
29				0	0	1	0	0	0	0	1	1	3
30				1	1	2	3	3	3	2	2	2	18
31				1	1	2	2	2	2	1	1	1	12
Среднее	$E_D = 4,19$	$E_H = 3,88$	$E_Z = 3,29$		$K_0 = 550$								

Srednikan

Таблица с к индексов

Средникан Суточные характеристики

9159-III

п. 46

Август 1963

Дата	Амплитуды			Характер \bar{J}	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				1	2	2	2	1	2	1	1	2	13
2				1	1	2	3	2	2	1	1	1	13
3				0	2	2	1	1	1	1	1	1	10
4				0	3	2	2	2	2	1	1	2	15
5				0	1	2	2	2	2	1	1	2	13
6				0	1	2	2	2	1	1	1	0	10
7				0	2	2	2	1	1	0	1	1	10
8				0	2	2	1	1	1	0	0	0	7
9				0	1	1	1	1	0	0	0	0	4
10				0	1	1	0	1	1	0	0	0	4
11				0	2	2	1	0	1	1	0	1	8
12				0	2	2	1	0	1	1	0	1	8
13				0	1	1	1	1	0	0	0	1	5
14				0	1	1	1	0	0	0	0	1	4
15				0	1	0	0	1	1	1	1	1	6
16				0	1	1	1	0	0	1	1	1	6
17				0	1	1	1	1	1	2	2	2	11
18				1	1	2	2	3	3	2	1	2	16
19				1	2	2	1	1	2	3	3	3	17
20				1	3	3	4	4	3	3	2	1	23
21				1	3	2	3	3	1	1	1	1	15
22				0	2	3	3	1	1	1	1	1	13
23				0	3	2	2	2	2	1	1	1	14
24				0	2	2	2	1	1	1	1	1	11
25				0	1	1	1	0	0	0	1	1	5
26				0	1	1	0	0	0	1	1	1	5
27				0	0	0	1	1	2	1	2	2	9
28				1	2	2	3	3	3	2	3	2	20
29				1	2	2	1	2	2	1	1	1	12
30				0	1	1	1	0	1	1	0	0	5
31				0	1	1	1	1	2	2	1	1	10

среднее

с I по 10

с I по 10

 $E_D = 4,19 \frac{\%}{мм}$ $E_H = 3,88 \frac{\%}{мм}$ $E_Z = 8,29 \frac{\%}{мм}$

с 11 по 31

с 11 по 31

 $E_D = 4,17 \frac{\%}{мм}$ $E_H = 3,8 \frac{\%}{мм}$ $K_g = 550$

Таблица

с и к индексов

Srednikan.

Средникан

Суточные характеристики Сентябрь 1963

Дата	Амплитуды			Характер σ	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	2	1	1	2	2	1	1	1	11
2				0	1	1	0	0	0	1	1	1	5
3				0	2	1	1	1	2	2	1	1	11
4				0	1	1	1	1	1	0	1	1	7
5				0	1	1	0	1	1	1	1	1	7
6				0	2	2	2	1	2	1	1	2	13
7				0	1	1	0	0	0	0	1	1	4
8				0	1	2	2	2	2	1	0	1	11
9				0	1	2	2	2	2	1	1	1	12
10				0	1	2	1	1	1	1	1	1	9
11				0	1	1	1	2	2	1	1	1	10
12				0	1	2	2	0	2	1	1	1	10
13				0	1	1	0	0	1	0	1	1	5
14				2	3	5	5	5	5	4	5	3	35
15				1	3	3	3	2	3	3	3	3	23
16				1	2	3	3	4	3	2	3	3	23
17				1	2	2	5	4	4	5	3	2	27
18				1	1	1	1	2	2	2	1	1	11
19				1	2	2	2	1	1	1	0	0	9
20				0	0	1	1	1	2	1	0	0	6
21				1	0	1	1	2	3	5	5	4	21
22				2	3	4	4	2	2	3	5	5	28
23				2	6	5	3	2	2	3	2	3	26
24				1	0	1	1	1	1	2	2	3	11
25				1	3	3	4	5	4	3	3	2	27
26				1	2	2	2	1	2	2	1	1	13
27				1	1	3	2	2	2	2	3	2	17
28				1	2	2	3	3	3	3	2	2	20
29				1	1	1	2	2	2	1	1	1	11
30				0	1	0	0	1	1	0	0	0	3
31													
Среднее	$E_D = 4,17$	$E_H = 3,84$	$E_Z = 8,29$		$K_9 = 550$								

Srednikan.

Таблица

9227-III

м. 48

Средникан Суточные характеристики Октября 1963

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	1	1	1	1	0	0	0	0	4
2				0	0	1	0	0	0	1	0	0	2
3				0	1	1	1	0	0	0	0	0	3
4				0	1	1	1	1	1	1	0	0	6
5				0	1	1	1	1	1	1	0	0	6
6				0	1	1	1	1	0	0	1	1	6
7				0	0	1	1	0	0	1	1	1	5
8				0	1	1	1	1	1	1	0	1	7
9				0	0	0	0	0	1	0	1	1	3
10				0	0	0	1	1	1	1	1	1	6
11				1	0	1	1	1	2	2	1	2	10
12				1	2	2	2	3	3	3	3	2	20
13				1	2	2	2	1	2	2	2	2	15
14				1	3	3	3	3	3	2	1	1	19
15				1	2	2	2	2	1	1	1	2	13
16				0	1	1	2	2	2	2	1	1	12
17				0	1	0	0	0	0	1	0	0	2
18				0	0	0	0	0	1	1	0	0	2
19				0	0	1	0	0	1	1	0	0	3
20				0	1	0	0	1	3	2	1	1	9
21				0	1	2	1	1	1	0	0	0	6
22				0	0	1	0	0	0	1	0	0	2
23				0	0	1	0	0	0	0	1	1	3
24				2	2	2	4	5	4	4	3	3	27
25				0	3	2	1	1	1	0	0	0	8
26				0	1	1	0	1	1	1	1	1	7
27				0	1	1	0	0	1	0	1	1	5
28				0	0	1	0	0	1	2	2	1	7
29				2	0	1	2	2	3	5	5	5	23
30				1	4	3	3	2	1	1	1	1	16
31				0	2	2	2	1	1	1	1	0	10
Среднее	$E_D = 4.17$	$E_H = 3.84$	$E_Z = 8.29$		$K_s = 550$								

Средникан Суточные характеристики Ноябрь 1963

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	0	1	1	0	0	1	1	1	5
2				1	1	1	0	1	1	2	1	1	8
3				0	2	2	2	1	1	1	1	1	11
4				0	1	1	0	0	1	1	1	1	6
5				0	1	1	0	0	0	0	0	0	2
6				0	2	1	0	1	2	2	1	2	11
7				1	1	1	2	3	3	3	3	2	18
8				1	1	3	3	3	3	2	2	2	19
9				1	2	1	2	3	3	3	3	2	19
10				1	2	2	2	3	3	2	1	1	16
11				1	1	2	3	2	1	2	2	1	14
12				0	1	2	3	3	3	2	1	1	16
13				0	1	0	0	1	1	0	0	0	3
14				0	1	1	0	0	1	0	0	0	3
15				0	0	0	0	1	1	1	0	1	4
16				0	0	0	0	0	1	0	0	1	2
17				1	0	1	1	2	2	2	1	1	10
18				0	1	1	0	0	0	0	1	1	4
19				0	1	1	0	0	0	0	0	0	2
20				0	1	1	0	0	1	0	0	0	3
21				0	0	1	0	0	1	1	0	0	3
22				0	0	0	1	1	0	1	2	1	6
23				0	0	0	1	1	1	0	0	0	3
24				1	0	1	1	2	3	3	2	2	14
25				1	1	1	1	1	1	1	0	0	6
26				0	0	0	1	1	1	0	0	0	3
27				0	0	0	1	1	0	0	1	0	3
28				0	1	1	1	0	1	0	0	0	4
29				0	0	0	0	1	1	0	0	0	2
30				1	1	0	0	1	2	0	0	0	4
31													
Среднее	$E_D = 4.17$	$E_H = 3.84$	$E_Z = 8.29$		$K_0 = 550$								

Srednikan

Таблица с и к индексов

9631-III
н. 48

Средникан Суточные характеристики Декабрь 1963.

Дата	Амплитуды			Характер Г	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	0	0	0	0	1	1	0	0	2
2				0	1	0	1	0	1	1	1	1	6
3				1	1	2	2	3	3	2	1	1	15
4				1	1	2	1	2	2	1	2	2	13
5				1	1	1	1	2	2	2	2	1	12
6				1	1	1	1	2	2	2	1	1	11
7				0	1	1	0	1	1	1	0	0	5
8				0	0	0	1	1	1	0	0	0	3
9				0	0	0	1	1	1	0	0	0	3
10				0	0	0	0	0	1	0	0	0	1
11				0	0	0	0	1	0	0	0	0	1
12				0	0	0	0	1	0	0	1	1	3
13				0	1	1	0	0	0	0	1	1	4
14				0	0	0	0	1	1	1	1	1	5
15				0	1	0	0	1	1	1	1	0	5
16				0	1	0	0	1	1	0	0	0	3
17				0	0	0	0	0	1	1	0	0	2
18				0	0	0	0	0	1	0	0	0	1
19				0	0	0	0	0	0	1	1	1	3
20				0	0	0	1	0	1	1	1	1	5
21				0	1	1	0	0	1	1	1	1	6
22				0	0	0	1	1	1	1	0	0	4
23				0	0	0	1	1	1	1	1	0	5
24				0	0	0	0	0	1	1	1	0	3
25				0	0	0	0	1	1	0	0	0	2
26				0	0	0	0	0	0	1	0	0	1
27				0	0	0	0	0	1	0	0	0	1
28				0	0	1	1	1	0	1	1	0	5
29				0	0	0	1	1	2	2	1	1	8
30				0	0	0	0	0	1	0	0	0	1
...				0	0	0	0	0	1	0	0	0	1
Среднее	$\bar{\epsilon}_D = 4.17$	$\bar{\epsilon}_H = 3.84$	$\bar{\epsilon}_Z = 3.29$										
									$K_3 = 550$				