

Таблица

Средникан

с к индексом п.48

Инв. № 9940-III

Средникан Суточные характеристики

январь 1964

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	0	0	0	0	1	1	1	1	4
2				1	1	1	3	4	2	2	2	1	16
3				1	1	1	1	2	2	2	1	1	11
4				1	1	1	1	0	1	1	1	1	7
5				0	0	0	1	0	1	1	1	0	4
6				0	1	0	0	0	1	0	0	0	2
7				0	0	0	1	1	2	1	1	1	7
8				0	1	0	0	1	1	0	0	1	4
9				0	1	1	1	1	1	2	1	1	9
10				0	1	1	1	0	1	1	0	1	6
11				0	1	1	1	1	1	0	0	0	5
12				0	0	1	0	0	0	1	0	0	2
13				0	0	0	0	0	1	0	0	0	1
14				0	0	0	0	1	0	0	0	0	1
15				0	0	0	0	0	1	0	0	0	1
16				1	2	2	3	3	3	3	2	1	19
17				0	2	1	2	2	2	1	1	1	13
18				0	1	0	0	1	1	1	1	0	5
19				0	0	0	0	0	1	1	1	0	3
20				0	0	0	0	1	1	0	0	0	2
21				0	0	0	0	0	0	0	0	0	0
22				0	0	0	0	1	0	0	0	0	1
23				0	0	0	0	0	1	1	0	0	2
24				0	0	0	0	0	0	1	1	0	2
25				0	0	0	0	0	0	0	0	0	0
26				0	1	1	0	0	0	0	0	0	2
27				0	0	0	0	0	0	0	0	0	0
28				0	0	0	0	0	0	1	1	1	3
29				0	0	0	1	1	1	1	1	1	6
30				1	1	1	1	1	1	1	1	1	8
31				1	0	0	1	0	0	0	1	1	3

$cI \approx 10$ $cI \approx 10$
 $E_D = 4.17$ $E_n = 3.84$ $E_2 = 8.29$
 $cII \approx 20$ $cII \approx 31$
 $E_D = 4.2$ $E_n = 3.85$
 $c21 \approx 31$
 $E_D = 4.2$

$K_9 = 550$

Таблица

10288-III

Srednikan

с и к индексом

и. 48

Средниқан

Суточные характеристики

Февраль 1964.

corrected

Дата	Амплитуды			Характер Г	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	2	2	2	2	3	3	3	2	19
2				1	3	5	6	8	6	5	5	4	42
3				1	4	3	3	6	5	5	3	4	33
4				1	3	4	4	3	6	4	4	3	31
5				0	2	2	3	2	4	3	2	2	20
6				0	2	2	2	4	3	3	2	2	20
7				0	2	2	3	4	5	3	4	2	25
8				0	2	2	2	3	3	2	3	4	21
9				0	3	3	3	3	4	5	4	5	30
10				0	4	5	3	4	5	4	2	3	30
11				0	2	3	3	4	4	2	3	2	23
12				0	3	3	2	2	3	3	2	2	20
13				0	2	3	2	2	3	2	2	2	18
14				0	1	2	2	3	2	1	1	1	13
15				0	2	2	2	2	2	2	2	2	16
16				1	3	4	4	6	5	6	3	4	35
17				0	3	3	5	5	4	3	3	2	28
18				0	3	2	2	2	3	3	4	2	21
19				0	2	1	2	2	5	4	4	3	23
20				0	3	2	2	3	3	3	2	2	20
21				0	3	2	2	2	2	1	1	2	15
22				0	3	2	2	2	2	3	2	1	17
23				0	2	2	2	2	3	4	3	2	20
24				0	2	3	2	4	5	4	3	3	26
25				0	3	2	3	3	2	3	5	5	26
26				0	3	2	3	3	4	2	3	2	22
27				0	2	2	2	1	1	1	2	2	13
28				0	2	2	3	3	3	3	4	5	25
29				0	3	4	4	5	6	4	3	3	32
30				1	3	3	3	4	4	4	2	3	26
31				1	2	2	2	6	5	5	6	4	32
Среднее	с I ~ 10 E _D = 4.17 с II ~ 31 E _D = 4.2	с I ~ 10 E _H = 3.24 с II ~ 31 E _H = 3.83	E _Z = 8.99										K ₉ = 550

Srednikan

Таблица
с и к индексов

Кнб. № 9941-III

н.48

Средникан Суточные характеристики февраль 1964

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	1	1	1	1	0	0	0	1	5
2				0	1	1	1	1	1	1	0	0	6
3				0	0	0	0	0	1	0	0	0	1
4				0	1	1	2	2	1	0	0	0	7
5				0	0	0	1	1	1	1	2	2	8
6				1	2	2	2	1	1	1	1	1	11
7				0	1	1	1	1	0	0	1	0	5
8				0	1	1	1	0	0	1	0	0	4
9				0	1	1	1	1	1	1	0	0	6
10				0	0	0	1	1	1	1	0	0	4
11				0	1	1	0	1	0	0	0	0	3
12				0	0	0	1	1	1	1	1	1	6
13				1	2	3	3	3	3	3	2	2	21
14				0	1	1	1	1	1	1	0	0	6
15				0	1	0	0	0	1	0	0	0	2
16				0	0	0	0	1	0	0	0	0	1
17				0	1	1	0	0	1	1	0	0	4
18				0	0	0	0	0	0	1	0	0	1
19				0	0	1	0	0	0	0	0	0	1
20				1	0	0	0	1	1	1	2	2	7
21				0	1	1	1	1	1	0	0	0	5
22				0	0	0	0	0	1	1	0	0	2
23				0	1	0	0	0	0	1	0	0	2
24				0	0	0	0	1	1	0	0	0	2
25				1	0	0	0	1	0	1	1	1	4
26				0	1	1	1	1	1	0	0	0	5
27				0	0	0	0	0	1	1	0	0	2
28				0	0	0	0	1	1	1	0	0	3
29				0	0	0	0	0	1	0	0	0	1
30													
31													
Среднее	c1 no 20 $\epsilon_D = 4.2$ c21 no 29 $\epsilon_D = 4.19$	c1 no 20 $\epsilon_H = 3.83$ c21 no 29 $\epsilon_H = 3.84$	$\epsilon_Z = 8.29$					$K_3 = 550$					

Srednikan
Средникан

Таблица
с и к индексом
Суточные характеристики
collected

10289-II
и. 48
февраль 1964

Дата	Амплитуды			Характер C	K-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	3	3	2	3	3	3	3	3	23
2				0	3	3	2	3	4	4	2	2	23
3				0	2	2	2	2	3	1	2	2	16
4				0	2	3	4	4	5	3	2	3	26
5				0	2	3	2	2	2	3	4	5	23
6				1	4	5	5	6	6	4	4	4	38
7				-	-	-	-	-	-	-	-	-	-
8				0	3	3	2	2	3	5	5	5	28
9				0	3	3	4	4	4	3	2	3	26
10				0	2	3	2	2	4	3	3	3	22
11				0	2	2	2	2	3	1	1	1	14
12				0	2	2	4	4	5	4	3	4	28
13				1	3	4	5	7	5	6	5	3	38
14				0	2	3	2	4	4	3	3	3	24
15				0	2	3	2	2	5	2	4	2	22
16				0	2	2	2	4	2	3	3	3	21
17				0	2	2	3	3	3	4	4	3	24
18				0	2	2	2	2	2	3	3	3	19
19				0	2	2	2	2	2	1	1	3	15
20				1	2	2	2	4	3	6	4	6	29
21				0	3	3	3	4	5	3	3	3	27
22				0	2	2	2	2	4	3	4	3	22
23				0	2	2	2	2	2	4	4	3	21
24				0	2	2	2	3	4	2	3	3	21
25				1	2	2	2	5	3	5	6	4	29
26				0	3	4	3	5	5	4	1	4	29
27				0	3	3	2	4	3	4	5	3	27
28				0	3	3	4	5	5	4	3	2	29
29				0	2	3	4	4	2	3	3	2	23
30													
31													

1 ~ 20 c1 ~ 20
 $a = 4.2$ $\epsilon_1 = 3.85$ $\epsilon_2 = 8.29$
 21 ~ 30 c21 ~ 30
 $\epsilon_0 = 4.19$ $\epsilon_4 = 3.84$

$H_9 = 550.$

Таблица
с к индексом

10250-III
n. 48

Srednikan
Средникан

Суточные характеристики март 1964.

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	0	0	0	0	1	0	0	0	1
2				0	0	0	0	0	0	0	0	0	0
3				0	0	0	0	0	0	0	1	1	2
4				1	1	1	1	2	2	2	1	1	11
5				1	2	1	1	2	2	2	1	1	12
6				0	1	1	1	1	1	1	0	0	6
7				0	1	0	0	1	0	0	0	0	2
8				0	0	0	0	0	1	0	0	0	1
9				0	1	1	1	0	0	0	0	0	3
10				0	0	0	0	0	0	0	1	0	1
11				0	3	3	3	3	3	2	2	3	22
12				1	4	4	4	3	3	4	2	3	27
13				0	3	4	4	4	4	2	2	3	26
14				1	3	4	3	4	3	3	4	4	28
15				0	3	3	2	3	4	4	4	3	26
16				0	4	3	3	2	2	3	3	3	23
17				0	3	4	4	4	3	4	1	3	26
18				0	3	3	2	3	1	1	1	2	16
19				0	3	2	1	0	1	1	0	1	9
20				0	2	3	3	2	3	3	4	3	23
21				0	4	2	3	3	1	2	4	4	23
22				1	1	2	3	4	4	4	5	5	28
23				1	4	5	5	4	5	4	4	5	36
24				1	2	4	4	5	5	5	3	2	30
25				1	3	3	4	3	4	3	4	3	27
26				0	4	3	3	3	4	2	2	1	22
27				0	2	1	2	1	1	1	1	2	11
28				0	0	1	1	0	1	1	1	1	6
29				0	1	1	0	1	1	2	2	3	11
30				1	3	3	5	6	5	6	4	2	34
31				0	1	2	1	3	1	2	2	1	13
Среднее	$E_D = 4.17$	$E_H = 3.84$	$E_Z = 8.29$		$K_9 = 550$								

Srednikan
Средникан

Таблица
с к индексом

10290-III

Суточные характеристики
collected

и.ч.8
Март 1964

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	3	2	2	2	3	2	2	2	18
2				0	2	2	2	2	2	1	1	2	14
3				0	3	3	2	3	2	3	3	5	24
4				1	5	4	4	7	7	6	5	5	43
5				1	4	3	5	3	6	4	5	5	35
6				0	3	3	4	6	5	4	3	3	31
7				0	4	3	2	4	4	4	4	3	28
8				0	3	4	5	5	5	3	3	3	31
9				0	3	3	4	4	2	3	2	3	24
10				0	2	2	2	2	3	3	4	3	21
11				0	3	3	3	3	3	2	2	3	22
12				1	4	4	4	3	3	4	2	3	27
13				0	3	4	4	4	4	2	2	3	26
14				1	3	4	3	4	3	3	4	4	28
15				0	3	3	2	3	4	4	4	3	26
16				0	4	3	3	2	2	3	3	3	23
17				0	3	4	4	4	3	4	1	3	26
18				0	3	3	2	3	1	1	1	2	16
19				0	3	2	1	0	1	1	0	1	9
20				0	2	3	3	2	3	3	4	3	23
21				0	4	2	3	3	1	2	4	4	23
22				1	1	2	3	4	4	4	5	5	28
23				1	4	5	5	4	5	4	4	5	36
24				1	2	4	4	5	5	5	3	2	30
25				1	3	3	4	3	4	3	4	3	27
26				0	4	3	3	3	4	2	2	1	22
27				0	2	1	2	1	1	1	1	2	11
28				0	0	1	1	0	1	1	1	1	6
29				0	1	1	0	1	1	2	2	3	11
30				1	3	3	5	6	5	6	4	2	34
31				0	1	2	1	3	1	2	2	1	13
Среднее	$\epsilon_0 = 4.17$	$\epsilon_1 = 3.84$	$\epsilon_2 = 3.29$		$K_3 = 550.$								

Таблица

10291-III

Srednikan
Средникан

с и к индексов

Суточные характеристики

и.ч.8
Апрель 1964.

Дата	Амплитуды			Характер С	K-индекс								
	ΔD	ΔH	ΔZ		У-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				1	1	2	1	2	5	7	8	6	32
2				1	5	4	4	5	4	5	4	4	35
3				1	4	4	3	4	4	4	3	3	29
4				0	3	3	4	3	3	3	2	3	24
5				0	2	3	2	4	2	3	3	3	22
6				0	3	3	2	3	2	2	1	3	19
7				0	3	2	3	2	3	4	3	3	23
8				0	2	3	3	5	4	3	3	3	26
9				0	3	3	3	4	2	2	1	1	19
10				0	1	1	1	5	2	1	1	2	14
11				0	1	3	3	5	4	5	3	2	26
12				0	2	2	1	2	1	1	1	2	12
13				0	3	3	2	1	1	2	2	2	16
14				0	2	2	2	3	4	3	1	1	18
15				0	1	2	3	4	3	3	3	4	23
16				0	3	3	3	2	4	3	1	2	21
17				0	4	4	5	4	3	3	3	2	28
18				1	1	2	3	4	5	5	4	4	28
19				1	4	4	3	6	5	4	4	5	35
20				1	3	4	5	3	2	4	3	4	28
21				0	4	3	2	3	4	2	2	2	22
22				0	1	1	2	2	1	1	1	1	10
23				0	1	2	3	1	1	1	1	2	12
24				0	1	2	3	2	1	2	1	2	14
25				0	2	2	3	4	3	3	2	4	23
26				0	3	3	3	3	2	2	3	3	22
27				1	3	4	4	5	3	6	5	4	34
28				1	5	5	6	6	5	2	3	4	36
29				0	4	3	3	4	4	2	3	1	24
30				0	1	1	1	2	2	3	4	5	19
31													

1 no 10
0 = 4.17
11 no 20
E₁ = 3.84
E₂ = 8.29

K₉ = 550

10 = 4.13
21 no 30
E₀ = 4.19

Средникан Суточные характеристики мая 1964г

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		У-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				1	4	4	4	5	4	4	2	3	30
2				0	1	3	4	4	3	2	1	2	20
3				0	2	1	2	3	1	1	1	1	12
4				0	0	1	1	1	1	0	1	1	6
5				0	2	3	3	3	4	2	1	1	19
6				0	0	0	2	2	1	1	2	2	10
7				0	1	2	2	1	1	1	1	1	10
8				0	1	1	1	1	0	1	0	1	6
9				0	1	1	1	1	1	2	1	1	9
10				1	3	3	4	3	4	5	6	5	33
11				0	4	3	4	2	2	1	1	2	19
12				0	2	2	2	2	1	1	1	1	12
13				1	1	1	2	2	6	6	5	4	27
14				1	3	4	5	4	6	6	4	4	36
15				1	4	5	5	4	3	4	3	4	32
16				1	4	4	5	5	5	3	4	3	33
17				1	1	3	4	5	4	3	3	3	26
18				0	2	2	3	3	2	2	3	3	20
19				0	2	2	3	3	2	2	3	2	19
20				0	2	1	3	2	2	2	2	2	16
21				0	2	1	2	3	3	2	3	3	19
22				0	1	2	3	2	3	1	3	3	18
23				0	2	3	2	2	1	1	3	3	17
24				1	4	5	5	4	5	5	3	3	34
25				1	3	2	5	6	4	5	4	3	32
26				0	3	2	3	2	3	2	2	3	20
27				1	3	3	4	5	4	2	3	3	27
28				0	3	3	2	3	4	3	2	3	23
29				0	3	2	3	2	3	1	2	3	19
30				0	2	2	2	2	3	1	1	3	16
31				0	2	4	2	3	2	1	1	1	16

1 no 20
 $\rho = 4,19$
 21 no 31
 $\rho_0 = 4,1$

$\epsilon_n = 3,84$

$\epsilon_z = 8,29$

$K_9 = 550.$

Средникан
Средникан

Таблица
с к индексом

№: 10795-III

Суточные характеристики июнь 1964.

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	1	3	3	3	3	2	1	2	18
2				0	2	2	1	1	2	1	1	1	11
3				0	2	3	3	2	2	0	1	1	14
4				0	1	2	3	2	1	2	1	1	13
5				0	1	1	1	0	0	1	1	1	6
6				0	1	3	2	3	4	1	1	1	16
7				0	2	1	2	1	1	0	2	3	12
8				0	3	5	4	3	2	2	2	2	23
9				0	3	4	3	3	3	3	2	2	23
10				1	3	6	7	6	4	3	4	4	37
11				1	5	5	4	4	4	3	4	4	33
12				1	3	3	3	4	4	4	3	3	27
13				1	4	4	5	5	4	3	2	2	29
14				0	2	3	4	3	3	2	2	3	22
15				0	3	3	3	3	2	1	1	3	19
16				0	3	2	2	2	2	1	2	1	15
17				0	1	2	3	2	2	0	2	2	14
18				0	1	2	1	3	4	1	3	3	18
19				0	2	2	2	3	1	2	2	4	18
20				1	3	4	4	4	5	4	4	3	31
21				1	4	3	3	3	3	2	2	1	21
22				0	2	2	2	3	2	2	2	2	17
23				0	2	2	2	3	2	1	1	1	14
24				0	1	1	1	1	1	2	2	2	11
25				0	1	3	3	3	3	2	1	1	17
26				0	1	2	2	2	3	3	1	0	14
27				0	1	0	0	1	1	2	2	2	9
28				0	1	2	3	4	4	4	3	2	23
29				0	1	2	3	3	2	2	1	1	15
30				0	1	2	1	1	1	0	0	0	6
31													
всего	$\epsilon_D = 7.1$	$\epsilon_H = 3.84$	$\epsilon_Z = 8.29$		$K_9 = 550$								

Srednikan
Средникан

Таблица
с к индексов
Суточные характеристики

н.48
10831-III
июль 1964.

Дата	Амплитуды			Характер С	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК
1				0	1	1	1	1	0	0	0	0	4
2				0	1	1	1	0	0	1	0	1	5
3				0	2	3	3	3	3	2	3	3	22
4				0	3	3	2	2	2	2	2	2	18
5				0	2	2	2	2	1	1	1	2	13
6				0	1	2	2	2	1	1	2	2	13
7				0	2	2	2	3	3	2	2	3	19
8				0	3	4	4	4	4	3	3	3	28
9				0	3	4	3	2	3	3	3	3	24
10				0	3	4	4	3	3	2	1	1	21
11				0	1	1	0	1	0	1	1	1	6
12				0	1	2	2	1	1	2	1	1	11
13				0	1	2	1	2	2	1	1	1	11
14				0	0	1	1	1	0	0	0	0	3
15				0	0	1	1	0	0	0	0	0	2
16				0	1	1	1	2	1	2	2	2	12
17				0	2	2	2	3	4	4	3	2	22
18				1	3	2	2	4	3	3	3	3	23
19				0	2	3	3	3	1	1	1	2	16
20				0	2	2	2	2	1	2	1	1	13
21				0	1	1	1	1	1	1	0	1	7
22				0	0	1	2	2	2	1	1	1	10
23				0	1	1	1	1	1	0	0	0	5
24				0	0	0	0	1	1	1	0	0	3
25				0	1	1	0	1	1	0	0	0	4
26				0	0	0	1	1	1	1	0	0	4
27				0	0	0	1	1	1	0	0	1	4
28				0	1	1	0	0	0	0	0	0	2
29				0	1	2	2	3	3	3	3	2	19
30				0	2	3	3	2	2	2	2	2	18
31				0	2	2	2	2	2	1	1	1	13
среднее	$\varepsilon_D = 4.1$	$\varepsilon_H = 5.84$	$\varepsilon_Z = 8.29$		$K_3 = 550$								

Srednikan
Средникан

Таблица
с к индексом
Суточные характеристики

август 1964

п 48

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	1	2	2	1	1	1	1	1	10	1
			0	0	1	0	0	0	0	1	1	3	2
			0	1	2	1	1	1	1	0	1	8	3
			1	3	4	4	3	3	3	2	2	24	4
			1	2	2	3	3	3	3	2	2	20	5
			0	1	2	2	2	2	1	1	1	12	6
			0	1	1	2	3	3	1	1	1	13	7
			0	0	1	1	1	1	0	0	1	5	8
			0	1	1	0	1	1	2	1	2	9	9
			0	0	1	1	1	0	0	0	0	3	10
			0	3	3	3	2	2	3	3	3	22	11
			0	3	3	4	2	2	2	3	2	21	12
			0	2	2	2	1	1	1	1	1	11	13
			0	0	1	0	0	0	0	1	1	3	14
			0	1	1	0	0	0	1	1	0	4	15
			0	1	2	2	0	0	0	1	1	7	16
			0	1	1	0	0	1	1	0	0	4	17
			0	1	1	2	1	1	0	0	0	6	18
			0	0	0	1	1	0	0	1	0	3	19
			0	0	1	0	0	1	1	0	0	3	20
			0	1	1	1	1	1	0	0	0	5	21
			0	0	0	2	1	1	1	0	0	5	22
			0	0	0	0	1	0	0	0	0	1	23
			0	0	0	0	0	0	0	1	0	1	24
			0	0	0	0	0	1	1	1	1	4	25
			0	1	1	1	0	0	1	1	1	6	26
			0	1	1	1	1	1	1	1	1	8	27
			0	0	0	0	0	0	1	0	0	1	28
			0	1	1	1	1	1	1	1	1	8	29
			0	1	1	1	1	2	2	1	2	11	30
			0	0	0	1	2	2	2	1	2	10	31

с 1 в 10
E_D = 7.1
с 11 в 30
E_D = 4.2

E_K = 3.84 E_Z = 8.29

K₉ = 550

Srednikan
Средникан

Таблица
с и к индексов
Суточные характеристики

№ 11275-III n 48

сентябрь 1964.

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	2	2	2	1	2	2	1	2	14	1
			0	2	1	2	2	2	1	1	1	12	2
			0	1	2	2	1	1	1	2	1	11	3
			0	1	2	2	2	1	1	1	1	11	4
			0	2	2	2	1	1	1	1	1	11	5
			0	2	1	1	1	1	2	2	2	12	6
			1	2	2	2	3	1	2	2	2	16	7
			1	2	2	2	2	2	2	1	1	14	8
			1	1	1	2	2	2	1	1	1	11	9
			0	2	1	0	0	0	0	0	0	3	10
			0	1	1	1	1	0	0	0	0	4	11
			0	1	1	0	0	0	0	0	0	2	12
			0	0	1	0	0	0	0	0	0	1	13
			0	1	1	0	0	0	0	1	0	3	14
			0	0	1	1	0	0	0	0	0	2	15
			0	1	1	1	1	2	2	2	2	12	16
			0	2	2	1	2	1	1	0	0	9	17
			0	1	1	0	0	1	0	0	0	3	18
			0	0	1	1	1	0	0	0	0	3	19
			0	0	1	1	0	0	0	0	0	2	20
			0	0	0	0	0	0	1	1	1	3	21
			0	2	3	3	2	1	1	1	0	13	22
			0	0	1	1	1	1	0	0	0	4	23
			0	0	0	0	0	1	1	1	1	4	24
			0	1	1	0	0	0	0	0	0	2	25
			0	0	0	1	1	1	0	0	0	3	26
			0	0	0	0	0	0	1	1	1	3	27
			1	2	2	3	3	3	3	3	3	22	28
			0	2	2	1	2	2	1	0	0	10	29
			0	1	2	2	2	2	2	1	1	13	30
													31

$\epsilon_D = 4,1$ $\epsilon_H = 3,84$ $\epsilon_Z = 8,29$

$k_0 = 550$

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	1	1	2	1	1	0	0	7	1
			0	0	1	0	0	0	0	0	0	1	2
			0	0	0	0	1	2	2	2	2	9	3
			1	2	2	2	3	3	3	3	3	21	4
			0	2	2	1	2	3	3	1	1	15	5
			0	2	1	2	2	3	3	1	1	15	6
			0	2	2	2	1	1	1	1	2	12	7
			0	1	1	2	2	2	2	2	1	13	8
			0	0	0	2	3	2	1	0	1	9	9
			0	0	0	0	0	1	0	0	0	1	10
			0	0	0	0	0	1	1	0	0	2	11
			0	0	0	1	2	2	2	1	1	9	12
			0	1	1	1	1	2	2	0	1	9	13
			0	0	1	0	1	1	0	0	0	3	14
			0	0	0	1	1	1	1	1	0	5	15
			0	0	0	0	0	1	0	0	0	1	16
			0	0	0	0	1	1	0	0	0	2	17
			0	0	0	0	1	1	1	2	2	7	18
			1	2	2	2	3	4	4	3	3	23	19
			0	2	2	2	2	2	0	1	1	12	20
			0	1	2	3	3	5	5	4	2	25	21
			0	2	2	2	2	2	1	1	1	13	22
			0	2	2	1	1	1	1	1	1	10	23
			0	1	1	1	2	2	3	3	2	15	24
			0	1	1	2	2	3	2	1	1	13	25
			0	2	3	3	5	5	4	2	2	26	26
			0	2	2	2	1	3	3	2	2	17	27
			0	1	1	1	2	2	2	2	2	13	28
			0	1	2	2	2	2	2	1	1	13	29
			0	1	1	2	2	2	2	1	1	12	30
			0	1	1	2	1	1	1	1	1	9	31
$\epsilon_D = 4.1$	$\epsilon_u = 3.84$	$\epsilon_z = 8.29$		$K_g = 550$									

Srednikan
Средникан

Таблица Сик индексов
Суточные характеристики Ноябрь 1964

К.Н.Р. № 11640 П.И.

п №8

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	3	2	3	3	4	5	4	5	29	1
			1	3	4	3	2	3	2	2	3	22	2
			0	2	2	1	1	1	2	0	0	9	3
			0	1	3	1	1	4	2	2	3	17	4
			0	3	2	1	1	4	4	4	2	21	5
			0	1	1	1	1	3	1	1	1	10	6
			0	1	0	0	1	1	1	1	1	6	7
			1	3	3	3	2	4	3	3	2	23	8
			1	3	4	3	5	4	5	3	3	30	9
			0	3	2	4	1	3	1	2	2	18	10
			0	1	2	3	3	2	2	1	1	15	11
			0	2	3	2	3	2	3	3	3	21	12
			0	2	2	2	3	4	3	1	1	18	13
			0	1	0	1	1	1	2	1	0	7	14
			1	1	1	1	2	5	4	4	4	22	15
			1	3	3	4	3	3	3	3	2	24	16
			0	2	1	1	2	3	3	2	1	15	17
			0	1	1	1	1	2	3	2	1	12	18
			0	1	1	1	1	1	1	0	1	7	19
			0	1	1	1	3	1	1	1	0	9	20
			0	1	1	0	1	0	0	1	1	5	21
			0	2	2	2	3	3	3	2	3	20	22
			1	2	3	3	6	6	5	3	2	30	23
			0	1	0	1	2	1	0	0	0	5	24
			0	0	0	1	1	1	3	2	1	9	25
			0	1	2	2	5	4	4	2	2	22	26
			0	2	1	1	1	0	0	3	3	11	27
			0	3	2	2	3	3	3	2	2	20	28
			0	1	1	1	2	1	2	2	3	13	29
			0	4	2	2	3	1	2	1	1	16	30
													31

С1 no 10
E₅ = 4,19
С11 no 30
E_D = 4,20

E_H = 3,84 E_Z = 8,29

K₉ = 550

Srednikan Таблица с индексом
 Средникан Суточные характеристики

11937-III
 Декабрь 1964 г. 48

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	2	2	3	4	4	4	2	2	23	1
			0	2	1	2	2	2	1	2	1	13	2
			0	1	2	2	4	2	4	2	1	18	3
			0	2	1	1	2	3	3	2	2	16	4
			0	1	1	1	1	1	1	0	1	7	5
			0	1	1	1	1	2	2	2	2	12	6
			0	2	2	1	3	4	5	3	3	23	7
			0	3	2	2	1	3	2	2	1	16	8
			0	1	2	2	2	3	2	2	2	16	9
			0	1	1	1	2	3	1	0	0	9	10
			0	0	1	1	2	2	1	2	1	10	11
			0	1	1	1	1	2	1	1	1	9	12
			0	1	2	2	1	2	4	4	3	19	13
			0	2	1	2	4	3	3	3	2	20	14
			0	2	2	2	3	3	2	2	1	17	15
			1	2	2	3	5	6	3	2	3	26	16
			1	4	3	5	3	3	4	3	2	27	17
			0	2	1	1	1	3	0	1	1	10	18
			1	1	2	1	2	4	5	3	2	20	19
			0	1	0	1	3	2	1	3	2	13	20
			0	1	1	1	2	3	4	2	1	15	21
			0	1	1	1	2	3	2	1	1	12	22
			0	1	2	3	1	3	2	2	2	16	23
			0	0	0	1	1	2	3	2	1	10	24
			0	1	1	1	1	3	2	1	3	13	25
			0	2	2	1	1	3	2	2	1	14	26
			0	1	1	1	1	1	0	1	1	7	27
			0	1	1	1	1	1	1	0	1	7	28
			0	1	1	3	2	2	2	1	1	13	29
			0	1	1	1	1	1	1	1	1	8	30
			0	2	1	1	1	1	1	1	0	8	31

$\epsilon_D = 4.2$ $\epsilon_L = 3.87$ $\epsilon_2 = 8.29$

$K_g = 550$