

Тихие Воды Таблица с к индексов
Тихси Суточные характеристики

ИНВ. 101248-11

Январь 1965. и 45

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	0	0	1	0	3	4	4	2	14	1
			1	2	2	1	4	6	5	6	3	29	2
			0	3	1	1	1	1	5	3	1	16	3
			0	0	0	0	2	3	3	4	4	16	4
			0	1	0	0	1	3	5	1	0	11	5
			0	0	0	1	1	1	2	2	1	8	6
			0	0	0	0	1	5	5	2	2	15	7
			1	4	2	4	5	7	7	4	4	37	8
			1	2	2	1	2	4	3	4	3	21	9
			0	1	1	1	0	4	4	4	2	17	10
			0	2	1	0	0	0	1	1	0	5	11
			1	1	2	1	4	7	6	5	4	30	12
			1	3	3	2	3	6	4	4	3	28	13
			1	2	1	1	5	5	4	1	0	19	14
			0	0	1	1	2	3	4	4	0	15	15
			0	1	0	0	3	3	1	1	3	12	16
			1	3	0	0	2	6	5	6	3	25	17
			0	1	2	1	1	0	2	2	2	11	18
			0	1	2	1	0	0	0	1	2	7	19
			0	0	1	0	0	1	2	5	3	12	20
			0	4	4	1	1	1	4	2	2	19	21
			1	3	1	6	3	7	5	5	3	33	22
			0	2	1	2	3	4	3	2	2	19	23
			0	1	1	0	0	2	2	1	0	7	24
			0	0	0	0	0	0	1	1	0	2	25
			0	1	1	1	1	2	4	1	0	11	26
			0	1	2	2	1	1	3	3	2	15	27
			0	1	1	1	2	3	2	4	3	17	28
			0	1	2	1	1	4	3	1	2	15	29
			0	2	0	0	3	3	2	1	1	12	30
			0	1	1	0	1	2	2	3	2	12	31

$\epsilon_D = 4.6$ $\epsilon_H = 4.0$ $\epsilon_Z = 9.5$

$K_g = 1000$

Тихие Вая
Тихси

Таблица с и к индексов
Суточные характеристики

Февраль 1965 ^{№3. 112/82 III} л. 45

1965 г.

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	2	1	1	0	1	0	0	6	1
			0	1	1	1	0	1	1	1	2	8	2
			0	0	1	2	1	1	1	1	4	11	3
			1	2	2	2	4	3	6	4	2	25	4
			0	1	1	0	0	1	4	4	2	13	5
			1	1	1	1	1	4	8	4	2	22	6
			1	3	6	6	6	7	7	7	5	47	7
			1	1	2	2	1	1	5	7	7	26	8
			1	3	2	1	2	3	7	4	2	24	9
			1	2	2	3	4	6	5	4	4	30	10
			1	1	2	3	2	3	4	5	2	22	11
			0	1	1	1	2	3	1	1	0	10	12
			0	1	0	1	1	1	4	5	2	15	13
			1	1	2	3	5	4	3	5	2	25	14
			1	2	2	1	1	6	7	3	3	25	15
			0	2	2	1	2	4	3	1	0	15	16
			0	1	0	0	0	4	1	0	0	06	17
			0	0	1	0	0	2	3	3	3	12	18
			1	1	1	1	3	4	4	3	2	19	19
			0	2	1	0	1	2	5	4	2	17	20
			1	2	3	3	5	7	7	5	3	35	21
			0	1	1	1	0	3	2	1	2	11	22
			1	1	1	2	4	7	8	9	5	37	23
			1	2	3	2	3	5	3	3	4	25	24
			1	4	3	3	2	4	4	2	3	25	25
			1	1	2	3	3	4	6	3	2	24	26
			1	2	2	1	5	6	6	1	2	25	27
			1	3	2	1	1	4	5	1	2	19	28
													29
													30
													31

$\epsilon_0 = 4.6$ $\epsilon_k = 4.0$ $\epsilon_2 = 3.5$

$k_3 = 1000$

1965

Тихие Вав
Тихси

Таблица с к индексов
Суточные характеристики

12567-111
март 1965, и.45

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	1	2	0	1	6	7	6	2	25	1
			1	2	1	1	1	3	7	7	2	24	2
			1	2	3	4	3	7	7	7	5	38	3
			1	4	5	5	6	6	6	5	1	38	4
			1	2	2	3	4	5	4	4	0	24	5
			0	1	1	1	1	4	3	3	4	18	6
			0	1	2	2	3	6	5	2	1	22	7
			0	0	0	1	2	3	1	0	0	7	8
			0	1	1	2	1	5	4	0	1	15	9
			0	1	1	1	1	0	1	0	0	5	10
			0	2	2	1	2	2	4	2	0	15	11
			1	1	1	1	0	2	5	6	3	19	12
			1	2	2	2	5	6	5	3	1	26	13
			1	0	1	1	1	6	4	4	4	21	14
			1	3	2	4	4	4	6	5	2	30	15
			0	2	1	0	1	1	2	1	2	10	16
			1	2	2	1	1	2	6	6	1	21	17
			0	1	1	1	0	0	1	0	0	4	18
			0	0	1	1	2	2	1	0	1	8	19
			0	1	1	1	1	4	1	2	2	13	20
			1	2	2	1	5	6	4	4	3	27	21
			1	1	2	0	0	1	5	5	6	20	22
			1	3	4	5	4	6	7	7	6	42	23
			1	2	2	3	5	5	5	4	3	29	24
			1	3	3	6	5	5	4	6	3	35	25
			1	3	2	4	4	4	4	2	2	25	26
			1	2	2	3	2	4	4	4	1	22	27
			0	1	2	3	2	2	3	2	1	16	28
			1	2	2	2	1	3	5	3	3	21	29
			0	1	2	1	0	1	3	3	1	12	30
			0	1	1	2	1	1	2	0	0	8	31

$\epsilon_D = 4.6$ $\epsilon_H = 4.0$ $\epsilon_Z = 9.5$

$K_g = 1000$

Tixie Bay
Tuxci

Таблица с и к индексов
Сутсные характеристики

12672-III
Апрель 1965 н.45

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	2	2	2	0	3	2	0	1	12	1
			0	1	2	1	1	0	0	1	2	8	2
			0	1	2	1	0	1	0	2	0	7	3
			0	2	2	3	3	3	4	1	1	19	4
			0	2	2	1	1	2	1	1	1	11	5
			0	1	2	2	1	5	4	1	2	18	6
			1	2	3	2	3	6	4	4	1	25	7
			0	0	2	1	1	2	4	1	1	12	8
			0	2	4	2	1	0	4	2	2	17	9
			0	2	2	2	2	1	0	0	2	11	10
			0	2	1	1	2	2	3	2	1	14	11
			1	0	1	0	0	2	5	6	3	17	12
			1	2	2	3	5	6	5	2	1	26	13
			1	1	1	1	1	6	4	4	4	22	14
			1	3	2	4	4	4	6	5	2	30	15
			0	2	1	0	1	1	2	1	2	10	16
			1	2	1	1	1	1	6	6	1	19	17
			2	4	6	7	7	8	7	6	2	47	18
			1	3	2	3	4	4	7	5	5	33	19
			1	3	3	3	5	6	2	1	1	24	20
			0	2	1	1	1	1	2	2	2	12	21
			0	1	2	1	2	2	1	1	2	12	22
			0	1	2	2	2	1	2	2	3	15	23
			0	2	2	2	2	3	3	2	0	16	24
			0	1	1	1	0	1	2	2	1	9	25
			1	2	1	3	2	4	4	3	1	20	26
			0	2	1	1	3	3	3	1	1	15	27
			0	1	1	1	1	3	1	1	0	9	28
			0	1	2	1	2	1	2	3	1	13	29
			0	2	2	3	1	1	1	1	2	13	30
													31

$K_D = 4.6$ $K_H = 4.0$ $K_Z = 9.5$

$K_g = 1000.$

Тихие Вав Таблица с и к индексов
Тихи Суточные характеристики

№. 12856-III
п. 45

май 1965.

Амплитуды			Характер С	К-индекс								Лета	
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		ΣК
			0	2	1	2	2	1	1	1	2	12	1
			0	1	1	1	0	0	0	0	1	4	2
			0	2	1	2	0	1	1	0	1	8	3
			0	2	2	1	2	1	2	2	2	14	4
			1	4	4	5	6	4	6	6	3	38	5
			1	1	2	2	3	5	3	2	3	21	6
			0	2	2	2	2	2	3	2	1	16	7
			0	2	1	3	3	3	5	5	6	28	8
			1	4	3	2	1	3	1	4	4	22	9
			1	3	3	4	4	2	3	3	1	23	10
			0	1	0	0	0	2	3	1	2	9	11
			0	1	2	2	1	1	0	1	2	10	12
			0	1	1	1	2	1	2	2	3	13	13
			0	1	1	1	2	1	0	3	3	12	14
			0	2	1	2	1	2	1	3	3	15	15
			1	2	3	5	6	6	4	3	2	31	16
			1	3	3	3	2	3	2	2	1	19	17
			0	2	2	2	1	2	1	2	2	14	18
			0	2	1	2	1	1	0	0	1	8	19
			0	1	2	1	1	1	2	2	1	11	20
			0	2	2	1	1	2	2	3	3	16	21
			1	2	2	3	2	4	2	5	3	23	22
			0	1	2	3	3	3	3	1	2	18	23
			0	2	2	3	3	1	2	2	1	16	24
			0	1	1	1	1	1	3	2	3	13	25
			0	2	2	2	1	1	2	2	2	14	26
			0	3	3	2	2	1	1	2	3	17	27
			1	2	1	1	3	5	4	3	2	21	28
			0	3	1	1	1	1	1	1	1	10	29
			0	2	1	2	2	1	1	1	1	11	30
			0	2	2	2	3	3	1	1	1	15	31

$K_D = 4.0\%$ $K_H = 4.0\%$ $K_Z = 9.5\%$

$K_g = 1000$

Тихие Вав
Тикси

Таблица с-к индексов
Суточные характеристики

июль 1965, ч. 45
14734-II

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	4	3	5	5	4	5	4	4	34	1
			1	2	3	3	3	4	3	2	2	22	2
			0	3	2	2	2	2	1	4	4	20	3
			0	1	2	2	1	1	2	2	2	13	4
			0	2	1	2	2	2	2	2	2	15	5
			1	3	5	5	7	7	6	4	3	40	6
			1	2	3	2	2	2	3	4	4	22	7
			1	4	3	3	3	2	5	7	5	32	8
			1	3	3	3	3	2	5	3	3	25	9
			1	3	5	5	5	5	4	2	1	30	10
			0	1	2	1	1	1	2	2	2	12	11
			0	1	1	1	1	1	2	3	3	13	12
			1	3	3	3	5	3	3	3	2	23	13
			0	2	2	1	1	1	3	3	2	15	14
			1	3	2	4	5	5	4	3	3	29	15
			0	2	2	2	2	2	1	2	1	14	16
			0	1	1	1	1	2	1	2	1	10	17
			1	1	1	1	1	1	3	5	4	17	18
			1	3	3	5	6	5	7	5	2	36	19
			1	2	2	3	3	1	5	4	4	24	20
			0	2	2	2	1	1	0	1	1	10	21
			0	1	2	2	3	1	1	1	3	14	22
			1	2	2	3	2	5	6	5	4	29	23
			1	3	3	3	5	5	4	3	3	29	24
			0	2	3	3	2	2	2	2	1	17	25
			0	1	2	2	1	1	1	2	2	12	26
			1	2	2	3	3	4	5	3	3	25	27
			1	3	4	6	3	3	4	5	4	32	28
			1	3	3	3	3	6	5	7	3	33	29
			0	2	2	1	2	1	1	1	3	13	30
			0	1	1	2	2	0	1	2	1	10	31

$E_D = 1.6$ $E_H = 1.0$ $E_Z = 9.5$

$K_0 = 1000$

Tixie Bay
Тикси

Таблица с к индексом
Суточные характеристики

№ 13519-III
Август 1965 г. 45

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	1	2	1	1	2	3	3	14	1
			1	2	3	3	5	5	7	5	5	35	2
			1	3	3	2	4	4	5	2	3	26	3
			1	3	2	1	2	2	6	2	3	21	4
			0	2	1	2	2	3	4	3	2	19	5
			0	2	1	2	2	3	2	2	2	16	6
			1	3	2	2	3	4	3	3	3	23	7
			0	3	3	2	2	2	3	3	3	21	8
			1	2	2	1	2	5	5	4	3	24	9
			0	2	2	2	4	5	2	2	2	21	10
			0	3	3	2	2	1	2	2	3	18	11
			0	2	3	2	2	2	3	2	3	19	12
			0	2	1	1	2	0	1	1	2	10	13
			1	3	3	3	3	5	4	3	3	27	14
			1	2	2	3	3	3	2	5	3	23	15
			0	3	1	3	2	1	1	3	3	17	16
			1	3	3	3	6	3	5	5	2	30	17
			1	3	1	1	2	2	6	8	7	30	18
			1	4	4	5	4	6	6	7	5	41	19
			1	3	3	4	5	7	6	7	5	40	20
			1	4	3	4	5	5	4	3	2	30	21
			1	2	2	2	3	3	5	4	2	23	22
			1	2	1	1	1	2	3	4	6	20	23
			1	4	4	4	4	2	1	3	4	26	24
			1	4	3	4	2	4	6	5	3	31	25
			1	3	2	3	3	3	4	2	3	23	26
			0	2	1	2	3	2	1	2	3	16	27
			0	3	3	1	1	1	1	1	1	12	28
			1	2	2	2	2	1	3	5	2	19	29
			1	4	3	3	2	1	2	4	3	22	30
			1	3	3	4	6	4	1	3	3	27	31

$\epsilon_D = 4,6$ $\epsilon_H = 4,0$ $\epsilon_Z = 9,5$

$K_9 = 1000$

Тихие Вав
Тикси

Таблица сик индексов
Суточные характеристики

13871- III
н.45
сентябрь 1965.

Амплитуды			Характер С	K-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	2	3	2	2	1	3	3	2	18	1
			0	3	2	2	3	4	2	2	3	21	2
			0	1	1	1	1	1	1	1	3	10	3
			1	3	3	3	5	6	5	5	3	33	4
			1	3	3	3	3	6	4	5	4	31	5
			1	2	2	2	3	4	6	4	3	26	6
			1	2	2	3	3	5	7	3	3	28	7
			0	2	2	2	2	3	2	2	3	18	8
			0	2	1	2	2	2	2	2	2	15	9
			0	2	2	2	2	1	2	3	2	16	10
			0	0	1	2	1	1	1	1	2	9	11
			1	4	4	2	1	2	5	5	2	25	12
			0	4	1	1	1	1	0	1	1	10	13
			0	2	1	0	1	2	1	3	3	13	14
			1	2	1	4	4	2	7	6	6	32	15
			1	5	4	6	6	7	6	7	5	46	16
			1	3	3	5	5	6	7	5	5	39	17
			1	3	3	2	2	6	7	8	5	36	18
			1	3	2	4	3	5	6	6	3	32	19
			0	1	1	2	2	3	3	3	2	17	20
			0	2	2	2	2	2	2	3	2	17	21
			0	2	2	2	3	2	2	2	2	17	22
			1	2	2	2	2	4	6	5	2	25	23
			1	3	3	4	4	4	2	4	2	26	24
			1	4	3	3	1	7	6	3	3	30	25
			1	2	3	3	5	7	3	2	3	28	26
			1	3	2	2	2	2	7	9	9	36	27
			1	5	4	6	6	7	6	6	4	44	28
			1	2	2	3	3	5	6	3	2	26	29
			0	2	2	2	1	2	1	1	1	12	30
													31

$\epsilon_0 = 4.6$ $\epsilon_n = 4.0$ $\epsilon_2 = 9.5$

$K_g = 1000$

Тихие Воды Таблица с к индексов
Тихси Суточные характеристики

13906-III
октябрь 1965 г. № 45

Амплитуды			Характер С	К - индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	2	2	1	1	2	2	2	13	1
			1	4	3	4	4	8	9	7	8	47	2
			0	2	2	2	1	1	2	3	2	15	3
			0	2	1	1	1	1	1	2	1	10	4
			0	3	2	2	1	5	2	2	1	18	5
			0	2	1	1	1	0	0	2	1	8	6
			0	2	1	2	3	3	4	2	2	19	7
			1	4	3	3	2	2	2	4	4	24	8
			0	3	1	1	1	3	2	2	1	14	9
			0	2	2	2	2	1	2	2	2	15	10
			0	2	1	1	1	1	1	2	2	11	11
			0	3	2	2	3	3	3	3	2	21	12
			1	2	2	2	4	3	5	7	4	29	13
			0	2	2	2	3	4	2	2	2	19	14
			0	2	1	1	1	1	1	2	2	11	15
			0	1	1	1	1	2	1	2	2	11	16
			0	2	1	2	1	1	1	1	2	11	17
			0	3	2	2	3	4	2	2	2	20	18
			0	2	2	2	4	4	4	2	2	22	19
			0	2	1	1	1	2	1	2	2	12	20
			0	1	1	1	1	1	1	1	1	8	21
			1	3	2	3	3	1	7	7	4	30	22
			1	2	2	3	5	7	6	6	5	36	23
			1	4	3	2	3	6	6	6	3	33	24
			1	3	3	3	5	7	6	4	3	34	25
			0	3	2	1	1	2	2	2	1	14	26
			1	2	2	2	2	6	3	3	3	23	27
			1	3	2	3	7	6	3	3	3	30	28
			0	2	2	1	1	1	4	4	4	19	29
			0	2	3	3	2	2	3	3	2	20	30
			1	2	2	2	1	1	5	6	4	23	31
$\epsilon_D = 4.6$	$\epsilon_H = 4.0$	$\epsilon_Z = 9.5$											
				$K_0 = 1000$									

Тихие Вач Таблица сик индексов
Тикси Суточные характеристики

14307-III
Ноябрь 1965 г. н. 45

Амплитуды			Характер С	K-индекс									Дата
ΔD	ΔH_c	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	1	1	1	1	2	3	3	13	1
			0	2	2	1	1	4	5	2	2	19	2
			0	2	1	1	1	1	0	1	1	8	3
			0	2	2	2	3	5	2	1	1	18	4
			1	2	1	1	3	3	6	5	6	27	5
			1	4	4	3	4	4	3	5	5	32	6
			1	5	3	3	6	5	5	5	2	34	7
			1	2	1	1	1	3	5	4	3	20	8
			1	2	1	2	4	3	4	2	2	20	9
			0	1	1	1	1	2	1	2	2	11	10
			0	1	0	1	0	0	4	4	3	13	11
			0	1	0	0	1	2	1	1	1	7	12
			1	1	1	0	3	3	1	4	6	19	13
			0	1	1	2	0	2	4	4	1	15	14
			0	2	1	1	0	1	4	4	1	14	15
			0	0	0	0	0	0	1	0	0	1	16
			0	0	1	2	1	4	1	0	1	10	17
			0	2	3	0	2	4	3	3	1	18	18
			1	2	2	4	5	5	4	5	2	29	19
			1	3	3	3	6	7	6	5	5	38	20
			1	2	3	3	2	5	5	3	3	26	21
			0	2	1	2	3	3	2	3	2	18	22
			0	2	1	1	2	2	2	3	2	15	23
			0	2	1	2	1	3	2	4	2	17	24
			0	2	1	2	2	3	4	3	3	20	25
			0	2	1	1	2	2	4	3	2	17	26
			1	2	1	1	1	2	6	6	3	22	27
			0	2	1	1	1	3	2	2	1	13	28
			0	1	1	1	0	2	3	2	2	12	29
			1	2	1	1	3	6	6	7	5	31	30
													31
ϵ 4.6	$\epsilon_1 = 4.0$	$\epsilon_2 = 9.5$											

$k_3 = 1000$

Тихие Вая Таблица с индексом
Тикси Суточные характеристики

№. 45 14349-III
Декабрь 1965

Амплитуды			Характер С	К-индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	2	1	1	3	8	7	7	6	35	1
			1	3	3	2	4	4	4	4	2	26	2
			0	2	1	1	1	2	3	1	2	13	3
			1	2	2	2	4	4	6	4	4	28	4
			0	2	2	1	1	0	2	1	1	10	5
			0	2	2	1	0	1	2	1	1	10	6
			0	1	1	2	2	2	2	1	2	13	7
			0	0	1	1	0	2	1	2	1	8	8
			1	2	1	2	3	6	3	2	2	21	9
			1	1	1	1	0	3	6	6	5	23	10
			1	2	3	2	1	3	5	4	3	23	11
			1	3	2	1	1	5	5	5	2	24	12
			0	1	1	3	2	4	3	1	0	15	13
			0	1	1	0	0	3	3	2	2	12	14
			0	2	0	0	0	0	0	1	0	3	15
			0	0	0	0	0	1	1	0	0	2	16
			0	0	0	0	1	2	4	0	0	7	17
			0	0	0	2	4	5	7	7	5	3	18
			-	-	-	-	-	-	-	-	-	-	19
			1	2	1	0	0	1	3	5	4	16	20
			0	0	1	0	0	2	5	1	1	10	21
			1	0	1	1	3	5	5	2	2	19	22
			0	2	1	0	1	0	2	1	-	-	23
			1	1	1	1	0	5	4	4	5	21	24
			1	4	3	2	3	4	5	2	1	24	25
			1	2	2	4	6	7	7	5	4	37	26
			1	1	1	1	5	5	4	5	4	26	27
			1	3	3	3	4	7	7	5	4	36	28
			1	1	1	1	3	5	6	5	2	24	29
			0	1	1	1	3	4	4	1	1	16	30
			0	0	1	2	2	3	2	3	1	14	31

$\epsilon_D = 4.6$ $\epsilon_L = 4.0$ $\epsilon_Z = 9.5$

$K_9 = 1000$