Бухта Тихая

Сик инбексов Суточные характеристики

Παδημμα

иоль 1957 год

Unb. 2 9 8-11

Kg=2000

3n

ANB. 1. 320-10

Бухта Тихая

Падлица С.к. инбексов Суточные характеристики

ABFYCT 1957r.

Дата	Амплитуды			Характер		`	Дата							
дата	ΔD	ΔH	ΔZ	C	0-3	3—6	6-9	9-12	12—15	15—18	18—21	21-24	ΣК	дата
1				0	5	5	5	4	4	2	2	2	29	1
2				<u> </u>	6	6	4	5	5	4	4	5		2
3				0	4	3	_5	6	3	5	5	6	37	3
4				0	6	5	5	٤	3	1		4	29	4
5				Q	Ч	3	,3	2	2	4	5	6	29	5
6				1	6	7	7	5	5	5	5	6	46	6
7				Q	4	4	5	5	4	3	3	3		7
8				0	4	5	5	4	3	2	3	4	30	8
9				Q	6	6	4	3	3	3	4	5	_34	9
10		·		Q	5	6	_3	4	3	4	4	5	34	10
11				Q	5	3	2	3	3	2	3	4	25	
12				0	5	_7	5	4	4	ч	<u>н</u>	4		
13 .				<u> </u>	5	4	5	5	3	4	<u>s</u>	4	35	13
14				0	4	<u>4</u>	4	4	3	4	<u> </u>	5	33	
15				0	5	4	4	4	3	2	4	4	30	
16				0	5	5	3	4	2	2	<u>4</u>	4	29	_16
17		 		0	2	2	2	2	3	4	_2_	3	20	
28					4	3	2	\$	6	Ц		4		18
19			\ 		5	5	6	5	4	3	3	4	35	
20				0	4	5	4	4	4	4	4	<u> </u>	34	
21				0	5	5	6	<u> </u>	<u> </u>	5	3	3		
22				0	2	4	2	3		1	,	3		22
23			 	0	3	2	1	2	2	2	2	3	_17	
24				0	2	2	2	3		1	2	5		
25				0	2	2	3	3	2	ч	_3	3	22	25
26		-		0	3	3	3	3	4	3	3	5	_27	_26
27				1	5	7	6	6	3	6	5	5	43	
28				0	3	6	6	4	3	4	4	4		
29		-	<u> </u>	<u> </u>	5	4	Ч	3	4	4	7	9_	40	29
30			<u> </u>	_2	7	8	7.	6	4	4	3	4	43	
31				1	5	6	6	4	4	5	6	7	43	
Среднее							K	= 20						

Тадлица С "к инбексов

Бухта Тихая

Суточные характеристики

Сентябрь 1957г.

Дата	, ,	Амплитуды		Характер К-индекс										Дата
дина	ΔD	ΔH	۵Z	C	0-3	3—6	.6—9	9-12	12— 15	15—18	18—21	21-24	Σĸ	Дата
1				/	5	5	6	6	4	3	2	4	35	1
2				2	5	8	8	5	6	¥	7	¥	53	2
3				2	6	8	8	¥	6	6	5	<u>¥</u>	53	3
4	· 			/	5	5	3	3	6	¥	6	7	42	
5				<u> </u>	6	6	¥	4	3	3	<u>¥</u>	6	42	5
6			·	0	<u>¥</u>	5	5	5	5	5	5	5	42	6
7		, 		0	5	5	3	4	2	3	2	3	27	_7
8				0	3	2	3	3	3	2	2	4	22	8
9		······································		0	4	5	6	4	4	2	3	4	32	9
10				0	3	4	4	4	3	3	3	4	28	10
11				0	3	3	3	3	3	3	4	2	24	
12				0	3	4	3	4	3	3	3	5	28	
13				2	8	8	6	8_	5	<u>_</u>	4	5	51	13
14		······		0	5	5	5	4	5	5	_4	4	37	
15				0	4	5	4	4	4	3	5	5	34	15
16		. <u></u>		0	5	5	_4_	3	_/_	2	6	3	29	_16
17				0	5	5	3	4	5	5	3	4	_34_	
28				0	5	5	3	4	4	3	3	4		18
19				0	4	4	3	4	3	3	3	4	2:8	19`
20				0	4	3	3	3	2	3	5	4	27	_20
21				/	2	3	3	6	5	4	5	5	33	
22				•/	5	4	5	4	8	<u>7</u>	7	6	46	22
23				2	<u>7</u>	6	6	6	6	4	6	5	46	23
24				1	5	5	5	6	7	4	5	5	42	21
25				0	4	5	5	5	5	2	2	3	31	25
26				0	3	3	2	5	5	3	3	-		_26
27				0	3	4	4	2	2	3	8	4	30	27
28				0	4	5	4	3	2	2	5	5	30	
29				1	6	6	-	5	7	6	6	<u> </u>		29
				0	5	6	4	5	5	5	3	5	_ 38	30
31														31
Среднее		•				hg=	200	0						

Тадлица С "к инбексов

40

Бухта Тихая

Суточные характеристики Октябрь 1957 .

	Амплитуды			Характер										
Дата	ΔD	AH	ΔZ	С	0-3	3—6	6-9	9-12	12— 15	15—18	18—21	21-24	Σκ	Дата
1				/	y	5	4	3	5	3	6	_5	35	1/
2				0	5	<u> </u>	Y	2	2	3	2	4	26	2
3)	/	5	5	3	5	5	<u> </u>	5	. 4	36	3
4				/	5	5	<u> </u>	3	2	5	3	4	31	4
5				0	5	6	5	3		<u> </u>	<u> </u>	3	35	5
6	·			0	3	3	<u> </u>	3	/	_0	_/	3	18	_6/
7				00	3	3	Y		2	2		3	23	7
8				0	<u> </u>	2	<u> </u>	2		_/	_/_	3	18	_8
9				0	3	<u> </u>	<u> </u>	2		3		4	27	9/
10				/	3	4	<u> </u>	<u> </u>	3	4	<u> </u>	<u> </u>	30	
11				0	<u> </u>	<u> </u>	<u> </u>	<u> </u>	3	<u> </u>	<u> </u>		30	
. 12	<u> </u>			0	3	<u> </u>	_4_	<u> </u>	3	<u>y</u>	3	<u> </u>	29	<u>_12</u>
13				/	<u> </u>	<u> </u>			2	5	3	6	32	
14				/	<u> </u>	<u>Y</u>	6	6	5	5	<u> </u>	5	39	14 ;
15			Δ	0	3	3	<u> </u>	3	5	<u>Y</u>	5	<u> </u>		
16				0	3	3	<u> </u>	3	2	2	2	3	22_	
17		 ·	 	0	2	3	<u> </u>	4	3	3	_2	3	24	
18			!	0	2	3	<u> </u>	2			3	3	/9	-18
19		•		0	3	3	5	5	2	2		4	27	
20			<u> </u>	00	3	3	4	3	3	4	<u> </u>	5	2.9	
					4	<u> </u>	<u> </u>	4_		<u> </u>	<u> </u>	7	34	
		.	-		_6	6	6	6	3	- <u>-</u> Y	3	6	<u>40</u>	22
23		.		/	8	6	6	<u> </u>	2	3	6	7	42	
24				· /	5	<u> 3</u>	3	4	<u> </u>	3	- 4	3	29	21
		.	-	0	<u> </u>	<u> </u>	<u> </u>					2	27	
		-	-	0	4		<u> </u>	- 4	3	3	2	<u> </u>	28	
<u>7</u>		-	<u>\</u>	0			- _ Y_	3_	5	1			30	/
28	-	·	- <u> ``</u>	0	. <u> </u>	-{	<u> </u>	<u> </u>	3		1	<u> </u>	32	28
29		-		0				-			_ <u></u>	<u> </u>	29	29
30	·	-	<u> </u>	0	- <u>- </u>		<u> </u>		ſ		- 4	<u> </u>	27	30)
31 ; Среднее	-			0	· _ 4	<u> </u>				2	3	<u> </u>	27	
ореднее	1						K 9	1 = 2	000	1				
													<u> </u>	

,

Бухта	Тихая		(е характеристики								брь 19	957r.	
		Амплитуды		Характер	К-индекс									
Дата	ΔD	ΔΗ	ΔZ	C	03	3—6	<u>6</u> —9	9-12	12—15	15—18	1821	21-24	Σк	Дата
1					~						~	~		_1
2				-										
3														3
4						_	<u> </u>	_						
5														5
				<u> </u>			_							
7						-								
8				<u> </u>		/	-	-						
9				<u>></u>		-				<u> </u>				9
10					_=	/	<u> </u>	-						
<u></u>				<u> </u>	5	<u>ч</u>	<u>4</u>	_6	<u> 4 </u>	5_	<u> 4 </u>	3.	_35_	
12					<u> 4 </u>	<u>4</u>	<u>4</u>	<u> </u>	5	3	<u> </u>	5		
13					<u> ۲ </u>	<u> </u>	_3	<u> </u>	<u> </u>	<u> </u>	3	3		
<u>14</u>					3	<u> </u>	3	3	<u> </u>	<u> </u>	5	5		
15			:		5	<u> </u>	<u> </u>	3_	<u>۲</u>	3	<u> </u>	<u> </u>		
<u>16</u>					5	<u> </u>	<u> </u>	3	<u> </u>	5	<u> </u>	<u> </u>		
17					<u> </u>	3	2	2_	_3	1	2			
<u>18</u>						3	<u> </u>	5_		<u> </u>	_3	_3		18
<u>19</u>			· _		<u> </u>	3	4	3		2	3	3	_2/3	
20				· <u> </u>	<u> </u>	<u>4</u>	<u> </u>	_3	5	_3	3	3	29_	
21					3	3	3		2	1	2	<u> </u>	<u>9</u>	
22					_3	3	3	_2	2_	3	<u>- y</u>	_/	_2/_	22
				0	_3	<u> </u>	3	3_	_3	_3	3	<u> </u>	_26_	
24					_ <u>Y</u>	5	<u> </u>	2_	3	_3	3	<u> </u>	_28_	
25				2	3	5	<u> </u>	<u> </u>	3	5		<u>y</u>		
26			·	2	7_	6	5	4	6	8	6	6	48	
27				2	_6	<u> </u>	<u> </u>	3	<u> </u>	_6	<u> </u>	6	37	
28				2	4	4	5	3	3	4	5	5	33	
29				1		5	<u> </u>	<u> </u>	<u> </u>	3	<u> </u>	5	37	29
20				0	5	4	3	2	2	3	2	3	24	
<u>[01</u>			 				-	-				 		31
реднее										_				
*								K 9	=20	00				

Падлица С.к. инбексов Суточные характеристики

11HB. 1. 587-11

Бухта Тихая

Амплитуды

Мадлица C . K UHGERCOB Суточные характеристики_

133 -14 декабрь 1957_г

К-индекс

Характер Дата Дата C0-3 9-12 12-15 15-18 18-21 21-24 3-6 6-9 ΣК ΔD ΔH ΔZ b ---~ L 4_ Ŧ Ч Ô 8 r 3. I <u>33</u> I 0. ŝ <u>19</u> 2/ I Среднее K9=2000