

Tashkent
Ташкент

Таблица
с к индексом
Суточные характеристики

Январь

1994-III
1963

н. 61

Амплитуды			Характер С	K — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	2	3	1	3	3	2	2	17	1
			0	0	0	2	2	0	2	2	2	10	2
			0	1	2	0	3	2	1	1	1	11	3
			0	2	2	2	3	4	4	3	3	23	4
			0	1	2	3	3	3	1	2	2	17	5
			0	1	2	2	3	1	0	0	1	10	6
			0	3	1	3	2	3	4	3	0	19	7
			0	0	1	1	3	1	1	3	1	11	8
			0	0	1	0	1	2	1	1	0	6	9
			0	1	1	2	2	3	2	1	1	13	10
			0	1	3	3	2	4	3	3	2	21	11
			0	1	3	2	2	1	1	3	3	16	12
			1	3	4	4	4	3	5	4	3	30	13
			1	3	3	4	5	4	6	5	2	32	14
			1	3	3	4	5	4	3	3	2	27	15
			1	3	2	4	4	4	4	4	4	29	16
			0	3	3	4	3	3	4	3	3	26	17
			0	2	3	1	3	3	3	3	2	20	18
			0	2	3	3	3	4	5	3	3	26	19
			0	2	2	3	3	3	1	1	2	17	20
			0	2	1	2	3	1	2	2	1	14	21
			0	1	3	4	3	1	2	2	2	18	22
			0	3	3	2	3	2	2	2	3	20	23
			0	1	1	2	1	2	4	4	3	18	24
			0	3	2	2	1	2	3	3	2	18	25
			0	1	2	1	1	0	1	2	2	10	26
			0	0	2	2	1	1	0	1	1	8	27
			0	0	1	1	1	1	1	1	1	7	28
			0	1	1	2	1	3	2	3	3	16	29
			1	3	3	4	4	3	5	3	5	30	30
			1	4	4	4	3	5	4	5	3	32	31
8. c1 no 10 $E_1 = 2.6$ c4 no 20 $E_4 = 2.7$ c21 no 31 $E_{21} = 2.6$			c1 no 20 $E_1 = 5.4$ c21 no 31 $E_{21} = 6.0$			$K_0 = 300$							

Таблица
с и к индексов
Суточные характеристики февраля 1963

$$K_9^2 \quad 300$$

Таблица
с и к индексов
Суточные характеристики Март 1963

n. 61

1963

Амплитуды			Характер σ	K-индекс									
ΔD	ΔH	ΔZ Date		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
		1	0	3	4	4	3	3	3	3	2	25	
		2	0	2	3	2	3	2	2	2	2	18	
		3	0	1	2	3	3	3	3	3	3	21	
		4	0	1	3	3	2	1	2	2	1	15	
		5	0	1	2	1	1	1	0	2	2	10	
		6	0	1	3	2	2	1	3	3	0	15	
		7	0	1	1	3	3	2	2	3	5	20	
		8	1	2	4	4	5	5	5	4	3	32	
		9	0	3	3	2	3	3	3	2	3	22	
		10	1	2	3	4	3	5	6	6	4	33	
		11	0	4	3	2	3	3	3	4	2	24	
		12	0	3	2	3	3	3	3	3	1	21	
		13	0	0	3	2	2	3	3	2	1	16	
		14	0	1	3	1	2	1	0	1	2	11	
		15	0	1	2	3	2	0	0	0	2	10	
		16	0	1	3	2	2	1	0	0	1	10	
		17	0	1	1	0	1	2	2	3	3	13	
		18	0	1	2	2	2	4	3	2	3	19	
		19	0	2	3	4	3	1	2	3	3	21	
		20	0	1	2	3	2	2	1	3	2	16	
		21	0	1	1	2	1	0	1	1	1	8	
		22	0	1	1	2	1	2	2	2	1	12	
		23	0	2	2	3	4	4	3	3	2	23	
		24	0	1	2	2	2	2	2	2	2	15	
		25	0	1	2	3	2	3	3	2	2	18	
		26	0	0	1	1	1	1	1	2	2	9	
		27	0	0	0	3	3	0	2	2	2	12	
		28	0	2	2	2	2	1	0	1	1	11	
		29	0	1	3	3	4	3	1	2	1	18	
		30	0	1	1	3	3	2	0	1	1	12	
		31	0	1	1	3	2	1	1	1	3	13	
ε _D =1.04	ε _H =2.6	C1 ≈ 10 ε ₂ = 6.4 C11 ≈ 20 ε ₂ = 6.0 C21 ≈ 22 ε ₂ = 6.2 C23 ≈ 31		k _g = 300.									

ИД. № 8597-14
н. 62
Апрель 1963

$E_p = 7.8$	$E_u = 2.6$	cl. no 10 $E_2 = 6.0$ cl. no 30 $E_2 = 5.9$
-------------	-------------	--

8609-117
n 61
May 1962 3

Амплитуды			Характер G	K-индекс								
ΔD	ΔH	AZ Date		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
		1	1	5	4	4	4	4	3	2	2	28
		2	1	3	2	4	5	3	4	2	4	27
		3	0	4	2	3	3	3	3	3	2	23
		4	0	3	3	4	4	3	4	3	2	26
		5	0	3	3	2	2	3	3	2	1	19
		6	0	2	4	3	3	2	1	3	2	20
		7	0	2	2	3	2	2	1	1	2	15
		8	0	2	2	3	4	3	1	3	3	21
		9	0	2	4	4	3	3	2	3	2	23
		10	0	3	3	3	3	2	4	3	3	24
		11	0	3	3	3	3	4	2	4	3	25
		12	0	3	3	3	2	3	3	3	2	22
		13	0	3	5	3	4	4	3	2	2	26
		14	0	3	3	3	3	3	1	2	2	20
		15	0	3	3	4	1	2	1	2	1	17
		16	0	3	3	2	2	1	0	0	1	12
		17	0	1	2	3	3	3	3	3	1	17
		18	0	2	3	2	3	3	2	1	0	16
		19	0	0	3	2	2	2	2	2	2	15
		20	0	3	2	2	1	2	2	1	1	14
		21	0	2	2	2	1	2	1	3	2	15
		22	0	2	2	1	2	2	1	1	0	11
		23	0	2	2	3	1	1	1	1	0	11
		24	0	1	0	2	2	2	2	2	1	12
		25	0	2	3	2	3	3	3	3	2	21
		26	0	3	2	2	2	2	2	2	2	17
		27	0	1	1	3	2	3	2	4	3	19
		28	0	4	4	4	3	3	2	2	3	25
		29	0	4	4	4	2	2	2	2	1	21
		30	0	3	3	5	2	2	0	1	1	18
		31	0	3	0	3	3	3	3	2	3	20
$E_D = 7.8$	$E_H = 2.6$	$c1 \approx 10$ $E_2 = 5.9$ $c11 \approx 20$ $E_2 = 6.1$ $c20 \approx 31$ $E_2 = 5.6$		$K_g = 300$								

Tashkent

Ташкент

Таблица

с и к индексов

№. Д 8642-III

н. 61

Суточные характеристики Июнь 1963

Амплитуды			Характер Г	К-индекс								
ΔD	ΔH	ΔZ Date		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
		1	0	2	3	2	4	4	2	1	1	19
		2	0	2	2	3	4	3	3	3	2	22
		3	0	3	2	3	3	2	1	1	2	17
		4	0	1	3	3	2	2	0	1	1	13
		5	0	3	1	4	1	0	0	0	1	10
		6	1	0	2	3	3	2	3	4	6	23
		7	1	5	4	4	3	4	3	3	3	29
		8	0	3	2	2	3	2	3	2	3	20
		9	0	3	3	2	3	2	2	2	2	19
		10	0	1	2	3	1	2	2	2	1	14
		11	0	2	3	3	2	2	3	2	2	19
		12	0	3	3	3	2	1	1	1	1	15
		13	0	1	1	2	2	2	2	2	2	14
		14	0	2	0	2	4	2	3	1	1	15
		15	0	2	2	4	3	3	3	2	2	21
		16	0	2	1	1	2	1	2	2	1	12
		17	0	1	3	3	4	4	2	3	3	23
		18	0	2	3	3	3	4	4	4	3	26
		19	0	3	2	4	1	2	3	3	4	22
		20	0	2	3	3	3	2	3	2	2	20
		21	0	2	2	3	3	2	1	2	2	17
		22	0	3	3	1	2	1	1	1	0	12
		23	0	2	3	3	1	0	1	2	0	12
		24	0	1	2	4	2	3	3	2	2	19
		25	1	3	4	4	3	3	3	4	4	28
		26	1	4	4	5	4	2	3	2	2	26
		27	0	4	3	3	4	3	2	3	2	24
		28	0	1	1	4	3	2	3	3	0	17
		29	0	2	2	3	2	2	3	2	2	18
		30	0	3	1	4	3	3	3	3	2	22
d=7.8	c1 no 20 E _K =2.6 21 E _K =3.2 c22 no 30 E _K =2.6	c1 no 20 E _Z =5.6 21 E _Z =4.9 22 E _Z =5.4 c23 no 30 E _Z =5.3										

Tashkent
Tashkent

Таблица
с и к ндексов
Суточные характеристики Июль 1963

Амплитуды			Характер C	K-индекс									
ΔD	ΔH	AZ Date		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
		1	0	2	2	3	3	2	1	2	1	16	
		2	0	2	4	2	2	2	2	2	2	18	
		3	0	2	3	3	2	1	1	2	1	15	
		4	1	1	3	4	4	4	4	4	3	27	
		5	1	3	6	4	2	3	2	3	3	26	
		6	0	3	5	5	2	2	4	3	2	26	
		7	0	2	3	4	4	3	3	2	3	24	
		8	0	2	2	3	2	3	3	2	3	20	
		9	0	2	3	2	3	3	3	2	2	20	
		10	0	2	3	3	3	3	3	2	3	22	
		11	0	1	3	2	2	2	2	2	2	16	
		12	0	2	2	2	2	2	2	2	2	16	
		13	0	2	2	2	2	2	1	2	2	15	
		14	0	2	2	2	2	3	2	2	2	17	
		15	0	1	3	2	3	2	2	1	3	17	
		16	0	3	3	3	3	2	3	2	2	21	
		17	1	3	2	4	4	3	4	2	2	24	
		18	0	2	3	3	3	3	4	2	3	23	
		19	0	1	3	3	3	1	2	2	1	16	
		20	0	2	4	1	2	2	3	4	2	20	
		21	1	2	2	4	6	5	5	4	2	30	
		22	0	1	2	3	4	3	4	3	2	22	
		23	1	2	3	6	4	3	3	3	3	27	
		24	1	4	3	3	4	4	3	2	3	26	
		25	0	2	3	4	2	3	2	2	2	20	
		26	0	2	2	4	3	3	3	3	3	23	
		27	0	3	3	4	3	3	3	2	2	23	
		28	0	3	3	2	2	2	1	2	1	16	
		29	0	2	2	2	2	3	2	3	3	19	
		30	1	3	4	5	3	5	3	5	3	31	
		31	0	4	4	5	2	4	3	3	3	28	
= 78	$E_u = 3.1$	$E_2 = 5.0$		$K_3 = 300$									

Tashkent
Ташкент

Таблица
с к индексом
Суточные характеристики

Август 1963

9173-III
м. 61

Амплитуды			Характер G	K-индекс								
ΔD	ΔH	AZ Date		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
		1	0	3	4	2	3	3	4	2	3	24
		2	0	3	4	5	2	1	3	3	3	24
		3	0	2	3	3	2	2	3	2	2	19
		4	0	1	2	4	4	4	3	3	3	24
		5	0	2	3	3	3	3	2	3	3	22
		6	0	2	3	4	3	3	4	2	2	23
		7	0	2	2	3	3	2	2	2	2	18
		8	0	2	2	2	2	2	2	1	2	15
		9	0	2	3	2	3	2	2	3	2	19
		10	0	3	2	2	2	3	4	3	1	20
		11	0	2	2	3	2	2	2	2	2	17
		12	0	1	4	4	2	3	2	2	2	20
		13	0	2	2	2	3	1	1	2	2	15
		14	0	2	2	2	1	2	2	2	1	14
		15	0	2	3	3	2	3	2	4	3	22
		16	0	3	3	2	2	2	2	3	1	18
		17	0	3	2	2	2	2	2	4	1	18
		18	1	3	3	4	4	6	4	2	4	30
		19	1	2	4	2	3	2	3	4	4	24
		20	1	5	5	4	5	4	4	3	3	33
		21	0	3	3	5	5	3	2	1	2	24
		22	0	2	3	3	2	2	2	1	3	18
		23	0	5	3	4	4	5	2	1	1	25
		24	0	3	2	3	3	2	3	3	2	21
		25	0	3	3	2	2	1	1	3	3	18
		26	0	2	2	3	2	3	3	2	2	19
		27	0	2	2	3	3	2	4	4	3	23
		28	0	2	2	4	5	5	4	5	4	31
		29	0	3	4	3	4	3	3	4	2	26
		30	0	3	3	3	3	2	4	3	1	22
		31	0	3	3	3	2	4	5	2	1	23

no 20
3,00%/mm
no 31
29%/mm
C1 no 20
E₂ 1,40%/mm
C2 no 31
E₂ 2,30%/mm
E_H = 2,50%

K_g = 300

Tashkent Таблица
Ташкент с и к индексов
Суточные характеристики Сентябрь 1963

с и к индексом

Суточные характеристики Сентябрь 1963

no 4	c1 no 4	c1 no 4
= 2,90	$E_H = 2,50$	$E_Z = 1,30$
$\Gamma_{60} = 7,80$	$5 E_H = 3,10$	$5 E_Z = 5,00$
no 30	c6 no 30	c6 no 30
= 2,90	$E_H = 2,50$	$E_Z = 1,30$

Таблица
с и к индексов
Суточные характеристики Октябрь 1963

m. 61

Суточные характеристики Октябрь 1963

Амплитуды			Характер Г	К-индекс									
ΔD	ΔH	ΔZ Date		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
		1	0	1	2	2	2	1	2	2	1	13	
		2	0	1	1	3	2	2	1	2	2	14	
		3	0	1	2	1	1	1	2	2	2	12	
		4	0	3	2	1	2	3	3	2	2	18	
		5	0	2	4	3	4	2	2	3	1	21	
		6	0	2	2	3	2	1	2	2	1	15	
		7	0	3	2	2	2	3	4	2	4	22	
		8	0	4	3	3	3	4	4	2	2	25	
		9	0	2	2	2	2	2	2	3	2	17	
		10	0	2	3	4	3	3	2	3	3	23	
		11	0	3	2	4	6	6	4	3	3	31	
		12	1	4	3	4	4	5	5	6	4	35	
		13	0	3	3	3	3	4	4	4	4	28	
		14	0	3	4	3	4	5	4	4	2	29	
		15	0	2	2	3	3	3	2	3	3	21	
		16	0	3	2	4	3	3	4	3	1	23	
		17	0	1	2	3	3	1	2	2	1	15	
		18	0	0	2	2	3	3	2	3	2	17	
		19	0	0	2	2	3	2	3	2	2	16	
		20	0	1	2	2	3	4	4	4	4	24	
		21	0	2	4	3	3	2	2	2	2	20	
		22	0	1	3	2	2	2	2	2	1	15	
		23	0	1	3	2	2	2	2	2	3	17	
		24	2	4	4	6	7	4	5	3	2	35	
		25	0	4	3	2	2	2	2	3	3	21	
		26	0	3	3	2	3	2	3	2	2	20	
		27	0	2	3	3	2	2	1	3	1	17	
		28	0	2	3	3	2	1	3	5	2	21	
		29	1	2	2	3	2	3	6	5	6	29	
		30	0	5	5	4	3	2	2	3	1	25	
		31	0	3	3	4	3	2	2	1	1	19	
с1 no14 ε _p = 2.9 15 ε _g = 7.8 с16 no31 ε _p = 2.9	с1 no14 ε _u = 2.5 15 ε _u = 3.2 с16 no31 ε _u = 2.5	с1 no14 ε _z = 1.3 15 ε _z = 5.0 с16 no31 ε _z = 1.3	K _g = 300.										

Ташкент

Суточные характеристики

9275-111
u. 61

Ноябрь 1963

Амплитуды			Характер σ	K-индекс								
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
		1	0	2	2	1	2	3	3	3	3	19
		2	1	2	2	2	2	3	5	4	3	23
		3	0	2	4	3	4	3	0	2	3	21
		4	0	2	0	0	2	2	2	3	3	14
		5	0	0	1	1	1	0	0	0	1	4
		6	0	1	3	4	2	4	4	3	3	24
		7	1	2	4	4	5	5	6	6	3	35
		8	1	4	6	5	5	4	5	4	4	37
		9	1	3	3	4	3	4	5	4	4	30
		10	1	4	3	4	4	3	5	4	3	30
		11	0	3	3	2	3	2	3	4	2	22
		12	0	1	3	2	4	2	4	2	2	20
		13	0	0	1	1	3	3	3	2	1	14
		14	0	1	1	1	1	1	1	1	1	8
		15	0	0	1	1	1	1	1	1	1	7
		16	0	0	0	2	1	1	1	0	2	7
		17	1	0	0	3	4	6	6	5	2	26
		18	0	1	3	3	2	2	1	2	1	15
		19	0	1	2	2	1	1	1	2	2	12
		20	0	1	3	1	1	2	1	1	1	11
		21	0	1	2	2	2	3	1	1	0	12
		22	0	1	3	3	3	3	4	4	3	24
		23	0	2	2	3	3	2	2	2	1	17
		24	1	2	4	3	5	4	5	5	4	32
		25	0	3	3	2	3	3	3	2	1	20
		26	0	0	2	3	3	2	1	1	0	12
		27	0	2	2	3	3	1	2	3	2	18
		28	0	2	3	2	2	2	1	1	0	13
		29	0	1	2	2	3	3	4	2	4	21
		30	0	3	3	2	5	5	3	3	2	26

$\bar{E}_D = 7.8$
 $\bar{E}_H = 3.2$
 $\bar{E}_Z = 5.0$
 $\bar{E}_N = 2.5$
 $\bar{E}_2 = 1.3$
 $b = 2.9$

$K_3 = 300$

Таблица
с и к индексом
Суточные характеристики Декабрь 1963

$\varepsilon_p = 2.9$