

Амплитуды			Характер С	K — индекс										Дата •
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	Σ K		
			0	1	1	1	1	2	2	3	1	12	1	
			0	2	4	3	3	3	3	3	3	24	2	
			0	4	1	1	2	2	3	1	0	14	3	
			0	0	1	1	2	2	2	3	2	13	4	
			0	0	0	0	0	2	2	1	0	5	5	
			0	0	0	1	2	2	1	1	1	8	6	
			0	0	1	1	3	3	3	2	3	16	7	
			1	4	3	3	4	3	3	2	2	24	8	
			0	1	1	1	1	3	3	3	4	17	9	
			0	0	0	1	1	2	3	3	3	13	10	
			0	0	0	0	0	0	1	1	0	2	11	
			0	1	3	2	4	4	4	3	2	23	12	
			0	3	2	3	3	3	3	3	2	22	13	
			0	2	3	2	3	4	2	2	2	20	14	
			0	1	2	1	2	3	3	2	1	15	15	
			0	1	2	1	2	3	1	1	2	13	16	
			0	1	2	2	2	5	4	3	2	21	17	
			0	1	3	2	2	1	2	1	1	13	18	
			0	1	3	3	2	1	0	1	3	14	19	
			1	1	3	1	2	1	3	4	4	19	20	
			0	4	3	2	2	2	1	1	1	16	21	
			1	3	4	4	4	3	4	3	2	27	22	
			0	2	3	2	3	3	1	2	1	17	23	
			0	0	0	1	1	1	0	1	1	5	24	
			0	1	0	0	0	0	1	1	0	3	25	
			0	1	1	3	4	2	2	1	1	15	26	
			0	2	2	2	3	3	3	1	2	18	27	
			0	2	2	2	2	2	1	2	3	16	28	
			0	2	1	2	1	1	1	1	1	10	29	
			0	1	1	1	1	1	1	0	0	6	30	
			0	0	0	1	1	1	1	2	2	8	31	
ε _D =3.0	ε _H =2.5	ε _Z =1.4		K _g =300										

Tashkent Таблица с к индексов
 ция Ташкент Суточные характеристики февраля 1965г. 117

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
			0	1	2	3	2	1	0	0	1	10	1
			0	1	1	3	2	1	1	1	1	11	2
			0	1	1	3	2	2	1	1	3	14	3
			0	3	3	3	3	3	4	3	0	22	4
			0	1	2	3	3	3	3	3	3	21	5
			1	3	2	2	3	4	6	4	3	27	6
			1	3	3	3	4	4	3	4	2	26	7
			1	1	2	3	2	2	3	6	5	24	8
			0	2	2	4	3	4	4	3	1	23	9
			0	1	3	2	4	4	2	2	2	20	10
			0	1	1	3	2	3	3	3	2	18	11
			0	1	2	0	2	2	1	1	2	11	12
			0	1	2	2	3	3	3	3	2	19	13
			0	2	2	3	5	3	2	3	1	21	14
			1	2	3	0	3	4	5	2	2	21	15
			0	1	3	2	3	1	1	2	1	14	16
			0	1	0	0	0	1	0	1	1	4	17
			0	0	1	2	3	3	3	1	4	17	18
			0	2	0	1	2	2	1	2	2	12	19
			0	2	2	2	1	2	3	3	3	18	20
			0	3	3	2	5	4	3	3	3	26	21
			0	1	2	2	2	3	2	3	1	16	22
			1	2	2	3	4	3	5	4	2	25	23
			0	2	3	1	4	3	2	3	3	21	24
			0	4	3	3	2	1	2	1	3	19	25
			0	1	3	4	2	1	3	3	1	18	26
			0	2	3	1	3	4	4	1	1	19	27
			0	3	3	2	1	2	3	2	2	18	28
													29
													30
													31
ε _D =3.0	ε _H =2.5	ε _Z =1.4		k _g =300									

Амплитуды			Характер С	К — индекс										Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
			0	3	2	1	1	3	3	3	2	18	1	
			0	3	2	3	2	3	4	4	1	22	2	
			1	2	4	4	4	4	6	5	3	32	3	
			0	3	4	1	4	1	3	2	2	20	4	
			0	1	2	3	4	3	3	3	2	21	5	
			0	2	1	2	2	1	2	3	2	15	6	
			0	1	1	2	2	4	4	2	1	17	7	
			0	0	0	1	1	0	1	1	0	4	8	
			0	3	1	3	2	3	3	0	0	15	9	
			0	2	2	3	1	3	1	0	1	13	10	
			0	3	3	3	2	1	0	2	1	15	11	
			0	2	3	1	3	3	4	3	4	23	12	
			0	4	4	4	4	3	3	3	1	26	13	
			0	2	3	2	1	4	3	2	3	20	14	
			0	2	3	3	3	2	3	3	2	21	15	
			0	3	1	2	1	1	2	1	2	13	16	
			0	2	1	3	1	1	3	1	0	12	17	
			0	1	0	0	0	0	0	0	0	1	18	
			0	0	3	3	2	1	1	1	2	13	19	
			0	2	0	1	3	3	1	3	2	15	20	
			0	3	3	1	4	3	1	1	3	19	21	
			0	2	3	2	2	2	2	4	4	21	22	
			1	3	3	4	3	3	5	4	3	28	23	
			0	3	3	3	4	3	2	2	2	22	24	
			0	3	3	5	5	3	2	3	2	26	25	
			0	3	2	3	2	1	2	2	2	17	26	
			0	3	2	2	3	1	1	3	1	16	27	
			0	2	1	3	2	2	1	1	0	12	28	
			0	1	3	2	2	3	1	2	2	16	29	
			0	2	2	2	1	1	2	1	1	12	30	
			0	2	2	2	2	1	1	1	1	12	31	
$\varepsilon_D = 30$	$\varepsilon_H = 25$	$\varepsilon_Z = 14$		K_3	300									

Tashkent Таблица с к индексом 12689-III
 н. 61
 нция Ташкент Суточные характеристики Апрель 1965

Дата	Амплитуды			Характер С	K — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
				0	2	3	1	1	1	2	1	1	12	1
				0	2	2	1	1	1	0	0	1	8	2
				0	0	1	2	2	2	1	2	0	10	3
				0	1	2	3	2	3	3	1	1	16	4
				0	2	3	3	1	0	0	0	1	10	5
				0	0	3	2	1	4	3	3	1	17	6
				0	3	2	1	2	3	2	2	1	16	7
				0	2	3	3	2	2	3	1	3	19	8
				0	4	3	2	2	2	2	2	2	19	9
				0	2	2	1	2	1	1	1	1	11	10
				0	2	2	3	2	3	4	4	1	21	11
				0	1	2	3	1	2	2	3	2	16	12
				0	2	3	2	3	2	2	2	1	17	13
				0	3	3	1	1	2	2	1	1	14	14
				0	3	2	2	1	1	2	1	1	13	15
				0	2	1	1	1	1	1	2	1	10	16
				1	1	2	2	1	3	5	4	2	20	17
				2	3	7	6	5	5	4	4	0	34	18
				0	2	3	2	3	2	4	2	3	21	19
				0	3	3	2	2	4	3	1	1	19	20
				0	2	2	2	1	0	1	1	1	10	21
				0	1	0	2	3	1	1	1	2	11	22
				0	2	2	3	2	2	2	2	2	17	23
				0	2	2	1	3	1	3	2	1	15	24
				0	3	2	3	3	1	1	1	2	16	25
				0	3	3	2	3	3	1	2	2	19	26
				0	3	3	3	3	1	2	1	1	17	27
				0	2	1	3	2	1	1	1	1	12	28
				0	3	3	1	1	1	3	3	0	15	29
				0	4	1	3	2	1	1	1	1	14	30
														31
$E_0 = 3.0$		$E_n = 2.5$	$E_z = 1.4$		$K_0 = 300$									

n. 61

Tashkent Таблица с и к индексом
Tashkent Суточные характеристики

May 1965.

[illegible]

Tashkent Таблица
 С. Н. Кинденсов
 Суточные характеристики н. 61 13239-III
 июнь 1965г.

Амплитуды			Характер С	K — индекс									Дата •
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	1	1	3	2	2	2	3	3	17	1
			0	1	2	2	3	2	3	3	1	17	2
			1	2	2	1	3	3	3	5	2	21	3
			0	2	3	2	4	3	4	3	3	24	4
			0	3	3	2	2	1	1	1	1	14	5
			0	1	2	3	2	2	1	2	0	13	6
			0	2	2	2	2	1	1	1	1	12	7
			0	2	2	3	2	2	2	3	4	20	8
			0	2	5	4	3	4	4	3	3	28	9
			0	3	3	1	2	0	0	1	1	11	10
			0	1	2	3	2	2	2	2	3	17	11
			0	3	3	2	3	2	2	1	1	17	12
			0	3	1	2	2	3	2	1	1	15	13
			0	1	2	4	2	2	3	4	3	21	14
			1	2	2	2	5	5	3	3	4	26	15
			1	4	6	4	3	5	4	5	4	35	16
			1	4	3	4	3	4	3	3	4	28	17
			0	4	3	1	3	2	2	4	3	22	18
			0	2	2	2	2	1	0	0	1	10	19
			0	1	2	2	3	1	1	2	1	13	20
			0	3	2	3	3	1	1	1	1	15	21
			0	3	2	3	2	2	2	1	1	16	22
			0	3	4	3	3	2	1	0	1	17	23
			0	4	3	3	3	2	3	2	1	21	24
			0	3	2	3	3	3	4	3	2	23	25
			0	3	3	4	3	2	3	3	2	23	26
			0	3	3	3	3	2	1	1	2	18	27
			0	2	3	2	3	3	1	1	2	17	28
			0	4	4	4	4	3	3	3	3	28	29
			0	3	4	3	4	4	4	4	3	29	30
													31

$\Sigma D = 3,00$ $\Sigma H = 2,50$ $\Sigma Z = 1,40$ $K_g = 300$

Таблица с - к индексом

14751-III

Ташкент Суточные характеристики

июль 1965. и.6/

[illegible]

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	1	2	2	3	2	2	3	2	17	1
2				0	2	3	3	3	3	3	3	2	22	2
3				0	2	2	4	3	4	3	3	1	22	3
4				0	2	3	2	1	2	3	1	3	17	4
5				0	2	2	3	2	2	3	1	1	16	5
6				0	3	2	3	1	3	1	1	2	16	6
7				0	3	2	4	4	2	3	2	2	22	7
8				0	3	4	3	2	3	2	2	2	21	8
9				0	3	1	3	3	4	3	4	3	24	9
10				0	3	3	1	3	3	1	1	1	16	10
11				0	2	3	3	1	2	2	2	2	17	11
12				0	2	3	3	1	1	1	2	3	16	12
13				0	2	2	3	4	1	2	2	1	17	13
14				0	3	2	0	1	3	1	2	2	14	14
15				0	2	2	3	2	1	2	3	3	18	15
16				0	4	1	3	2	3	1	3	3	20	16
17				0	2	2	3	5	4	1	1	0	18	17
18				1	2	1	2	2	4	4	6	4	25	18
19				1	2	6	5	3	4	4	4	3	31	19
20				0	1	2	3	4	4	2	3	3	22	20
21				0	3	4	3	3	3	2	1	1	20	21
22				0	1	2	3	2	1	3	2	2	16	22
23				0	2	2	1	1	3	4	3	3	19	23
24				0	3	3	3	3	1	1	1	3	18	24
25				0	3	4	3	3	3	3	3	2	24	25
26				0	3	3	2	2	2	1	1	2	16	26
27				0	1	2	2	2	1	2	3	3	16	27
28				0	2	2	2	3	2	1	2	1	15	28
29				0	1	2	3	3	2	2	4	3	20	29
30				0	3	3	2	4	3	2	3	2	22	30
31				0	2	4	4	3	3	1	1	2	20	31
Итого	$\Sigma D = 3,0$	$\Sigma H = 2,5$	$\Sigma Z = 1,4$		$K_g = 300$									

Дата	Амплитуды			Характер С	К — индекс									Лета •
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
				0	2	3	3	3	2	2	3	1	19	1
				0	2	1	3	3	2	1	2	2	16	2
				0	0	1	1	2	2	2	1	2	11	3
				0	3	3	3	5	4	3	4	2	27	4
				0	2	2	2	3	3	1	3	1	17	5
				0	2	3	3	3	3	4	4	2	24	6
				0	2	1	2	2	3	4	3	3	20	7
				0	1	4	2	2	1	2	2	1	15	8
				0	1	1	2	1	1	1	1	1	9	9
				0	1	3	1	2	2	2	2	2	15	10
				0	1	3	2	2	1	2	2	2	15	11
				0	3	2	2	2	1	3	3	3	19	12
				0	3	1	1	1	2	0	1	1	10	13
				0	2	2	1	1	1	0	2	1	10	14
				1	3	3	2	2	2	5	5	4	26	15
				1	3	4	6	5	6	4	5	1	34	16
				0	3	3	5	4	2	4	4	3	28	17
				0	3	3	2	1	4	4	4	4	25	18
				0	2	3	4	3	3	4	4	0	23	19
				0	3	1	2	2	2	2	3	1	16	20
				0	3	1	3	1	1	2	3	2	16	21
				0	2	2	1	3	3	3	3	2	19	22
				0	3	2	3	3	4	4	4	2	25	23
				0	3	2	3	3	3	1	2	2	19	24
				0	3	3	2	1	4	4	1	3	21	25
				0	1	2	2	2	3	3	2	3	18	26
				1	3	3	3	3	3	4	5	5	29	27
				0	3	4	4	3	4	3	4	2	27	28
				0	3	1	3	2	2	3	2	1	17	29
				0	1	2	1	1	2	0	1	0	8	30
														31
$\varepsilon_D = 30$ $\varepsilon_H = 2.5$ $\varepsilon_Z = 1.4$					$k_g = 300$									

Дата	Амплитуды			Характер С	К — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
				0	0	1	2	1	1	0	1	1	7	1
				0	1	3	2	3	3	3	4	4	23	2
				0	1	1	3	3	1	1	0	1	11	3
				0	0	1	2	1	0	0	1	0	5	4
				0	4	2	3	1	5	3	1	2	21	5
				0	0	0	0	0	1	0	0	0	1	6
				0	0	2	3	4	2	3	2	3	19	7
				0	4	3	5	4	3	2	3	3	27	8
				0	3	2	2	2	0	0	1	0	10	9
				0	0	3	2	2	0	0	2	0	9	10
				0	2	3	1	1	2	2	3	2	16	11
				0	2	1	3	3	1	3	3	1	17	12
				0	2	3	3	2	3	3	4	2	22	13
				0	3	2	3	3	2	1	1	1	16	14
				0	2	0	0	0	0	0	0	0	2	15
				0	0	1	2	1	0	1	1	1	7	16
				0	0	0	0	2	2	1	1	2	8	17
				0	3	3	3	3	2	2	2	1	19	18
				0	1	2	2	2	2	3	2	1	15	19
				0	2	1	0	2	0	1	2	3	11	20
				0	0	0	2	1	1	0	0	1	5	21
				1	3	3	3	3	3	5	5	3	28	22
				1	2	4	3	4	4	4	4	3	28	23
				0	3	3	2	2	3	4	3	2	22	24
				0	2	3	2	3	4	3	3	2	22	25
				0	3	1	2	1	1	2	1	1	12	26
				0	1	3	3	1	3	1	2	3	17	27
				0	3	3	3	5	4	2	3	2	25	28
				0	2	1	1	1	1	2	2	3	13	29
				0	2	2	2	2	2	3	3	1	17	30
				0	2	3	1	3	2	4	3	1	19	31
с	$\varepsilon_0 = 30$	$\varepsilon_H = 2,5$	с 1 по 20 $\varepsilon_2 = 1,4$ с 21 по 31 $\varepsilon_2 = 1,5$		$K_9 = 300$									

Амплитуды			Характер С	K — индекс										Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK		
			0	0	1	1	2	1	2	1	3	11	1	
			0	1	1	2	3	3	3	1	2	16	2	
			0	1	0	0	0	0	0	0	0	1	3	
			1	3	3	2	5	3	2	1	0	19	4	
			1	3	3	2	3	4	4	4	5	28	5	
			0	3	3	3	3	2	3	3	3	23	6	
			0	3	3	2	3	2	2	3	2	20	7	
			0	0	0	2	2	2	3	3	2	14	8	
			0	3	1	1	3	2	2	1	1	14	9	
			0	0	0	0	0	0	0	1	0	1	10	
			0	0	0	3	2	1	3	3	2	14	11	
			0	1	0	0	2	3	3	1	2	12	12	
			0	0	2	1	1	2	2	4	4	16	13	
			0	2	1	1	1	1	2	3	1	12	14	
			0	1	1	1	1	0	1	2	1	8	15	
			0	1	1	2	2	1	0	0	0	7	16	
			0	2	2	2	2	2	1	1	1	13	17	
			0	2	3	3	3	2	2	4	2	21	18	
			0	2	3	4	4	3	3	2	1	22	19	
			1	3	3	3	4	4	4	3	2	26	20	
			0	1	2	4	1	3	2	2	2	17	21	
			0	1	1	2	1	1	2	2	2	12	22	
			0	2	2	0	0	0	0	2	2	8	23	
			0	2	1	3	3	2	2	1	1	15	24	
			0	1	1	1	3	2	3	2	3	16	25	
			0	2	2	3	1	2	2	2	2	16	26	
			0	2	3	3	1	1	3	4	2	19	27	
			0	2	2	3	2	2	1	2	1	15	28	
			0	1	2	2	0	3	2	2	2	14	29	
			1	2	2	4	4	5	4	4	3	28	30	
													31	
$\Sigma D = 30$	$\Sigma H = 25$	$\Sigma Z = 13$		$K_g = 300$										

14358-111
n. 61

Декабрь 1965г.

Дата	Амплитуды			Характер С	K — индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
				1	3	2	2	3	6	5	4	3	28	1
				0	3	3	3	1	3	3	3	1	20	2
				0	3	2	1	0	2	2	2	2	14	3
				0	3	2	2	3	4	4	4	3	25	4
				0	3	1	2	2	1	1	1	2	13	5
				0	3	2	3	1	2	2	2	1	16	6
				0	3	2	2	3	3	1	1	1	16	7
				0	3	3	2	2	2	3	3	2	20	8
				0	4	2	3	2	4	1	1	3	20	9
				0	3	1	1	2	2	4	4	3	20	10
				0	2	3	2	2	2	4	3	3	21	11
				0	3	3	1	1	3	3	3	2	19	12
				0	1	2	0	1	2	2	0	0	8	13
				0	0	3	1	2	2	2	1	2	13	14
				0	1	0	0	2	1	2	0	0	6	15
				0	0	0	1	1	2	2	0	0	6	16
				0	1	2	1	1	1	2	1	1	10	17
				1	0	1	3	4	4	5	5	2	24	18
				0	4	2	2	2	3	2	3	2	20	19
				0	3	3	3	1	2	2	3	2	19	20
				0	1	2	2	3	2	2	1	1	14	21
				0	2	3	3	4	3	2	2	2	21	22
				0	2	1	1	2	2	1	1	1	11	23
				0	0	2	3	3	3	3	4	4	22	24
				0	3	3	2	3	3	3	3	2	22	25
				1	2	2	4	4	4	4	2	3	25	26
				0	2	2	3	4	4	3	3	1	22	27
				0	2	3	2	4	4	4	3	2	24	28
				0	2	1	3	3	2	4	2	2	19	29
				0	1	3	3	3	3	2	2	1	18	30
				0	1	3	4	2	2	3	2	1	18	31
чис	$\varepsilon_D = 3.0$	$\varepsilon_H = 2.5$	$\varepsilon_Z = 1.3$		$K_9 = 300$									