

Амплитуды				Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				1	1	2	3	4	5	6	4	3	28	1
				0	1	3	2	1	2	2	3	3	17	2
				0	2	3	3	3	4	4	3	1	23	3
				0	0	2	1	2	1	1	2	1	10	4
				0	1	0	0	1	2	1	1	1	7	5
				0	1	2	3	3	2	2	3	2	18	6
				1	2	1	3	4	6	5	5	2	28	7
				1	3	5	5	5	4	5	4	4	35	8
				1	3	3	2	3	5	3	3	2	24	9
				0	3	1	2	3	2	2	3	3	19	10
				1	2	3	3	4	3	6	5	3	29	11
				0	0	0	0	0	0	0	3	1	4	12
				1	3	3	4	4	6	3	4	4	31	13
				1	5	4	3	5	4	3	2	2	28	14
				0	3	3	2	3	2	3	3	4	23	15
				0	2	3	3	2	2	2	3	1	18	16
				0	1	3	3	2	1	2	1	1	14	17
				0	1	2	4	3	4	2	3	2	21	18
				0	0	3	3	3	1	2	3	3	18	19
				1	1	3	4	2	5	3	5	3	26	20
				0	1	1	2	2	3	3	1	0	13	21
				0	2	1	1	1	1	2	2	1	11	22
				0	3	2	2	2	1	1	3	2	16	23
				0	0	2	2	1	1	1	0	3	10	24
				0	4	2	2	4	2	3	2	2	21	25
				0	2	3	3	3	2	0	1	0	14	26
				0	1	2	2	2	1	1	1	3	13	27
				0	2	2	4	2	3	2	4	2	21	28
				0	3	2	3	2	1	1	2	1	15	29
				0	0	2	0	1	1	1	1	0	6	30
				0	1	1	2	2	1	2	1	2	12	31
$\varepsilon_D = 2.9$ $\varepsilon_1 = 2.5$ $\varepsilon_2 = 1.3$					$K_0 = 300$									

Амплитуды			Характер	К-индекс										Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К		
			0	1	2	3	2	1	1	1	2	13	1	
			0	1	1	1	1	1	1	2	1	9	2	
			0	0	0	3	1	0	1	2	2	9	3	
			0	1	3	2	2	1	4	3	3	19	4	
			0	4	3	3	3	4	5	3	2	27	5	
			0	1	3	2	3	3	2	3	4	21	6	
			1	3	3	3	3	4	6	6	5	33	7	
			1	4	5	5	4	5	4	5	5	37	8	
			0	3	2	3	2	3	2	2	2	19	9	
			0	0	2	2	1	3	1	1	1	11	10	
			0	2	4	3	2	3	2	2	2	20	11	
			0	1	1	1	2	1	1	2	1	10	12	
			0	1	2	2	1	1	3	3	2	15	13	
			0	2	2	3	1	1	1	1	1	12	14	
			0	1	1	2	1	1	1	1	5	13	15	
			2	4	3	5	9	7	6	4	4	42	16	
			0	3	3	2	3	3	3	2	3	22	17	
			0	1	2	2	1	3	1	1	1	12	18	
			0	2	0	1	2	3	3	3	1	15	19	
			0	2	1	2	2	1	3	1	1	13	20	
			0	1	1	4	4	4	3	3	2	22	21	
			0	2	1	2	1	3	2	2	3	16	22	
			0	3	2	3	3	6	4	5	3	29	23	
			0	1	3	3	2	1	1	3	2	16	24	
			0	3	5	3	3	3	4	3	3	27	25	
			0	3	3	3	2	1	3	3	3	21	26	
			0	1	1	1	2	2	3	3	0	13	27	
			0	1	3	3	1	1	1	1	3	14	28	
													29	
													30	
													31	
$\varepsilon_D=29$ $\varepsilon_H=2.5$ $\varepsilon_2=1.3$				$K_9=300$										

Амплитуды			Характер С	К-индекс									Дата
				0-8	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	2	3	4	2	3	2	1	0	17	1
			0	0	2	3	2	2	3	1	1	14	2
			0	1	3	3	4	3	3	2	1	20	3
			0	2	3	3	1	3	3	1	3	19	4
			0	3	3	2	3	1	4	3	3	22	5
			0	3	2	1	1	2	2	3	3	17	6
			0	0	1	1	2	4	2	1	2	13	7
			0	0	2	2	2	0	1	2	1	10	8
			0	1	3	2	3	3	3	3	3	21	9
			0	3	3	3	2	3	2	3	1	20	10
			0	1	2	2	1	2	2	1	0	11	11
			0	2	0	1	2	1	1	1	1	9	12
			0	1	2	2	4	3	2	2	2	18	13
			0	1	2	2	3	2	2	3	3	18	14
			0	1	1	1	1	2	2	2	1	11	15
			0	0	1	2	1	0	3	2	3	12	16
			0	2	3	1	2	2	2	3	2	17	17
			1	2	4	4	4	3	5	5	2	29	18
			1	3	3	2	3	4	5	3	4	27	19
			0	3	1	2	3	4	4	4	3	24	20
			0	3	3	3	3	2	2	3	3	22	21
			0	1	1	1	1	1	1	1	1	8	22
			0	2	1	1	2	2	3	3	3	17	23
			0	1	2	3	2	3	1	1	2	15	24
			0	2	3	2	1	2	2	2	1	15	25
			0	1	1	1	1	2	3	2	3	14	26
			0	4	4	4	4	4	4	3	3	30	27
			0	2	3	4	2	4	2	0	0	17	28
			0	2	0	3	2	4	4	1	2	18	29
			0	3	3	3	4	3	3	4	3	26	30
			0	3	1	2	2	1	2	2	1	14	31
$E_D = 3.0$	$E_1 = 2.5$	$E_2 = 1.3$		$K_3 = 300$									

Амплитуды			Характер С	К—индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	3	2	4	6	5	4	5	3	32	1
			0	3	1	3	4	4	3	3	2	23	2
			0	3	2	1	1	2	2	1	2	14	3
			1	2	5	2	3	6	4	2	2	26	4
			0	2	4	3	3	3	3	2	1	21	5
			0	2	3	3	3	3	3	2	1	20	6
			0	3	2	2	1	1	2	4	2	17	7
			0	2	3	1	2	1	2	2	2	15	8
			0	2	1	2	2	2	1	2	3	15	9
			0	2	3	2	3	2	3	4	2	21	10
			0	2	1	2	1	3	1	2	1	13	11
			0	2	2	1	0	1	1	1	1	9	12
			0	2	1	1	2	1	1	2	2	12	13
			0	1	2	3	3	2	2	2	3	18	14
			0	2	1	2	2	2	3	3	3	18	15
			0	2	3	3	3	3	4	4	3	25	16
			0	2	3	2	3	2	1	1	2	16	17
			0	2	3	2	3	3	3	3	3	22	18
			0	4	3	5	4	3	3	4	3	29	19
			0	2	3	3	1	3	1	3	1	17	20
			0	2	3	2	2	3	3	3	3	21	21
			0	3	4	4	5	3	4	3	1	27	22
			1	4	3	3	3	4	5	5	3	30	23
			1	4	4	3	4	4	5	3	3	30	24
			0	2	2	2	2	1	1	1	2	13	25
			0	2	0	0	2	3	0	2	0	9	26
			0	2	0	0	1	2	1	1	1	8	27
			0	1	2	1	1	1	1	1	1	9	28
			0	2	2	2	3	2	3	3	3	20	29
			0	1	1	2	3	1	1	1	0	10	30
													31
Σ _p = 30	Σ _c = 25	Σ _z = 13		K _g = 300									

Tashkent Таблица с - к индексов
 для Ташкент Суточные характеристики

18858-111
 Май 1967. 15.67

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	2	2	1	3	3	2	5	4	22	1
			1	1	3	4	6	3	5	3	4	29	2
			1	5	4	5	5	6	6	5	3	39	3
			0	3	4	2	2	3	1	2	1	18	4
			0	2	2	2	4	1	3	1	2	17	5
			0	1	3	0	1	1	1	2	1	10	6
			0	3	4	4	3	3	2	1	1	21	7
			0	1	3	3	3	1	1	4	0	16	8
			0	2	3	1	2	2	2	1	1	14	9
			0	2	3	2	3	2	2	2	2	18	10
			0	3	2	2	0	1	2	2	3	15	11
			0	1	2	1	3	3	2	4	3	19	12
			0	3	1	2	1	2	1	0	1	11	13
			0	1	0	0	3	3	4	3	3	17	14
			0	3	2	2	1	1	1	2	2	14	15
			0	1	0	3	4	1	0	1	3	13	16
			0	3	2	3	1	2	1	3	3	18	17
			0	1	2	4	1	1	1	1	1	12	18
			0	1	3	3	2	2	2	1	1	15	19
			0	1	0	0	1	1	0	0	2	5	20
			0	1	1	1	2	2	2	2	3	14	21
			0	1	1	1	2	1	0	1	1	8	22
			0	1	3	2	3	2	3	4	4	22	23
			0	3	3	3	3	3	4	3	3	25	24
			2	2	3	2	5	8	6	5	9	40	25
			2	8	6	6	6	6	5	4	4	45	26
			1	4	4	4	4	4	1	5	4	30	27
			1	1	3	5	5	5	7	6	4	36	28
			1	4	4	4	3	5	3	1	3	27	29
			1	1	3	3	4	5	5	5	6	32	30
			1	6	5	3	4	3	4	4	2	31	31
$\varepsilon_D = 30$	$\varepsilon_n = 25$	$\varepsilon_z = 14$		$K_g = 500$									

Амплитуды			Характер С	К—индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	2	2	3	3	2	1	2	1	16	1
			0	1	3	3	4	3	3	3	2	22	2
			0	3	3	3	2	3	3	2	2	21	3
			0	3	3	2	4	4	3	3	3	25	4
			1	3	1	4	5	3	3	6	6	31	5
			1	5	4	3	4	4	3	3	4	30	6
			0	4	4	5	4	2	2	2	2	25	7
			0	2	3	3	4	3	3	4	4	26	8
			0	2	3	3	4	4	1	1	3	21	9
			0	3	2	3	1	2	2	1	2	16	10
			0	1	2	1	3	2	2	4	1	16	11
			0	1	2	2	1	3	2	2	1	14	12
			0	3	3	3	2	2	2	1	1	17	13
			0	2	1	3	3	3	3	3	3	21	14
			0	3	3	3	1	2	1	1	1	15	15
			0	1	0	3	3	2	2	2	1	14	16
			0	2	2	3	4	3	3	3	3	23	17
			0	1	2	2	1	1	0	1	1	9	18
			0	1	1	3	3	2	3	2	0	15	19
			0	1	3	1	3	3	2	1	1	15	20
			0	1	2	3	2	3	2	2	2	17	21
			0	2	2	3	4	3	2	2	1	19	22
			0	2	2	3	2	1	2	2	2	16	23
			0	3	4	4	2	3	2	2	2	22	24
			1	3	4	4	4	4	4	6	6	35	25
			1	5	3	3	4	2	5	3	3	28	26
			0	3	3	3	4	3	3	3	3	25	27
			0	3	2	3	5	4	2	3	2	24	28
			0	1	3	4	3	2	3	3	2	21	29
			0	2	3	4	3	3	3	3	2	23	30
													31
$\varepsilon_D = 3.0$	$\varepsilon_n = 2.5$	$\varepsilon_z = 14$		$K_g = 300$									

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	2	2	5	4	3	5	3	2	26	1
			0	2	2	3	2	1	2	1	1	14	2
			0	2	2	1	1	1	1	3	1	12	3
			0	2	1	2	2	1	3	1	2	14	4
			0	3	1	5	4	3	1	2	2	21	5
			0	2	3	2	2	4	2	3	3	21	6
			0	3	5	3	3	2	2	2	2	22	7
			0	3	1	1	3	1	2	1	2	14	8
			0	1	2	2	1	1	2	2	2	13	9
			0	3	4	3	3	1	2	1	3	20	10
			1	3	4	4	4	4	4	4	3	30	11
			0	1	2	2	3	2	3	2	2	17	12
			0	3	2	3	3	2	2	3	3	21	13
			0	2	1	2	4	3	2	2	1	17	14
			0	0	0	1	2	3	3	3	2	14	15
			0	0	2	2	1	1	1	1	1	9	16
			0	0	1	1	2	2	2	2	3	13	17
			0	3	3	3	4	3	2	2	2	22	18
			0	1	0	2	2	2	2	2	2	13	19
			0	1	0	2	3	3	2	1	2	14	20
			0	1	3	3	3	2	2	1	2	17	21
			0	1	3	1	2	3	1	2	1	14	22
			0	2	3	1	2	4	3	4	5	24	23
			0	3	3	4	4	2	4	2	2	24	24
			0	1	4	3	1	3	4	2	2	20	25
			0	3	2	2	2	2	2	1	1	15	26
			0	2	2	2	3	2	1	1	3	16	27
			0	2	2	3	3	3	3	4	2	22	28
			0	3	3	3	3	1	2	2	4	21	29
			0	3	5	4	2	2	1	1	1	19	30
			0	1	1	2	2	2	1	2	1	12	31
$E_D = 30$ $E_L = 25$ $E_Z = 14$				$K_g = 300$									

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	1	2	3	3	3	3	2	1	18	1
			0	2	2	1	3	2	1	2	2	15	2
			0	0	2	2	3	3	1	1	2	14	3
			0	1	2	4	4	4	3	2	2	22	4
			0	3	2	2	3	3	3	2	2	20	5
			0	1	2	3	3	2	2	2	2	17	6
			0	3	2	4	3	3	2	2	3	22	7
			0	3	3	4	3	3	3	2	3	24	8
			0	2	1	2	3	3	4	2	2	19	9
			0	3	3	2	4	4	3	3	4	26	10
			1	2	3	5	5	4	4	4	4	31	11
			0	3	1	2	3	2	1	0	1	13	12
			0	0	0	1	2	2	2	1	2	10	13
			0	2	3	3	3	3	1	3	3	21	14
			0	0	1	3	3	4	2	2	2	17	15
			0	1	0	3	4	2	3	3	3	19	16
			1	3	2	2	5	4	4	2	3	25	17
			0	2	3	4	3	3	3	3	3	24	18
			0	0	2	3	3	2	2	3	2	17	19
			0	2	3	3	3	2	3	2	3	21	20
			0	1	2	2	2	3	2	2	1	15	21
			0	2	2	1	1	0	1	1	1	9	22
			0	1	1	1	3	3	2	3	1	15	23
			0	0	1	1	3	3	2	2	2	14	24
			0	2	4	3	4	3	3	3	4	26	25
			0	4	3	3	1	1	2	3	2	19	26
			0	2	1	2	3	3	2	2	2	17	27
			0	2	1	3	3	2	2	1	0	14	28
			0	1	1	2	1	3	2	1	2	13	29
			0	0	1	1	2	3	2	3	3	15	30
			0	2	3	2	3	3	3	1	3	20	31
$\varepsilon_D = 30$ $\varepsilon_N = 25$ $\varepsilon_L = 14$				K_0	300								

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	2	1	3	3	3	3	4	3	22	1
			0	3	3	4	4	2	4	3	2	25	2
			0	1	1	1	2	1	2	1	2	11	3
			0	1	2	1	2	3	2	1	1	13	4
			0	0	0	1	1	2	1	1	1	7	5
			0	0	1	0	1	1	1	1	1	6	6
			0	1	2	2	2	3	4	2	1	17	7
			0	1	0	1	3	3	3	4	1	16	8
			0	1	2	1	4	3	0	3	3	17	9
			0	1	0	0	1	1	1	1	0	5	10
			0	1	1	2	3	1	2	2	1	13	11
			0	1	1	2	3	3	2	2	2	16	12
			1	3	4	5	5	4	5	4	3	33	13
			0	2	2	4	4	4	4	4	4	28	14
			0	2	4	5	3	2	2	3	2	23	15
			0	3	2	2	4	3	4	2	3	23	16
			0	2	2	2	3	2	3	3	2	19	17
			0	3	2	2	4	4	4	4	3	26	18
			1	4	4	4	3	4	3	5	3	30	19
			1	4	3	5	5	6	7	5	4	39	20
			1	6	4	5	5	5	5	5	4	39	21
			0	2	3	2	1	1	3	2	1	15	22
			0	1	2	2	2	1	1	1	1	11	23
			0	1	0	0	3	3	4	3	3	17	24
			0	1	1	1	3	1	2	3	3	15	25
			0	1	0	1	2	1	1	3	2	11	26
			0	3	0	1	3	3	3	2	2	17	27
			1	2	5	4	6	4	4	4	4	33	28
			1	4	5	3	4	4	4	4	4	32	29
			1	3	2	4	4	5	5	3	2	28	30
													31
62-30	20-25	22-14		К ₉ -300									

19330-11

Tashkent

Таблица с к индексов

Ташкент. Суточные характеристики

Октябрь

1967

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	4	1	2	2	4	2	2	1	18	1
			0	1	1	2	3	2	2	4	1	16	2
			0	1	2	3	2	3	2	2	3	18	3
			0	2	2	2	2	1	1	1	2	13	4
			0	1	2	3	3	1	2	3	1	16	5
			0	1	1	1	1	2	2	1	2	11	6
			0	2	2	3	3	3	3	2	3	21	7
			0	1	2	2	3	5	3	4	2	22	8
			0	3	3	3	3	1	4	4	4	25	9
			1	5	4	2	5	5	4	5	4	34	10
			0	0	2	2	2	4	4	3	1	18	11
			0	3	4	4	4	1	4	2	3	25	12
			0	4	2	2	2	2	3	2	2	19	13
			0	1	1	2	3	2	4	5	4	22	14
			0	3	1	1	2	2	2	2	1	14	15
			0	1	2	2	3	1	2	3	2	16	16
			0	0	2	3	3	3	2	4	3	20	17
			0	1	3	3	3	3	1	1	2	17	18
			0	1	1	1	2	2	2	2	2	13	19
			0	2	1	1	2	1	2	1	1	11	20
			0	0	0	0	0	1	1	1	0	3	21
			0	0	1	1	2	2	3	4	3	16	22
			0	3	4	3	3	1	3	3	1	21	23
			0	1	3	3	2	4	3	2	1	19	24
			0	0	1	1	1	1	2	2	1	9	25
			0	1	1	1	1	2	2	1	1	10	26
			0	2	3	4	4	5	3	2	2	25	27
			1	2	2	4	4	5	5	4	6	32	28
			1	4	4	3	5	6	5	4	2	33	29
			1	4	5	4	3	1	3	2	3	25	30
			0	2	2	3	4	4	3	3	2	23	31
$E_0 = 30$	$E_c = 2.5$	$c1 = 20$ $E_2 = 1.4$ $c21 = 31$ $E_c = 1.5$		$K_g = 300$									

Tashkent
Ташкент

Таблица СНК
Суточные характеристики

19983-10
Ноябрь 1967г.

н. 6

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	1	0	1	2	1	1	3	1	10	1
			0	2	3	2	3	2	1	3	3	19	2
			1	2	3	3	3	5	6	5	4	31	3
			0	2	1	3	3	3	1	0	1	14	4
			0	1	3	4	1	3	3	4	1	20	5
			0	2	3	2	1	1	1	2	1	13	6
			0	1	1	3	3	3	2	1	0	14	7
			1	3	3	3	2	3	4	5	3	26	8
			0	2	2	3	3	3	4	4	0	21	9
			0	0	1	1	2	3	2	1	1	11	10
			1	2	2	2	2	2	3	4	5	22	11
			0	4	4	4	2	2	4	4	3	27	12
			0	3	3	3	4	3	4	4	3	27	13
			0	2	3	3	3	2	4	3	2	22	14
			0	3	1	3	2	3	4	3	3	22	15
			0	3	3	4	3	2	3	2	2	22	16
			0	3	2	3	1	1	2	1	1	14	17
			0	3	1	4	2	2	3	2	1	18	18
			0	3	2	2	1	1	1	2	1	13	19
			0	3	1	3	1	1	1	1	1	12	20
			0	1	1	1	2	4	3	3	4	19	21
			0	1	3	5	3	4	3	3	1	23	22
			0	3	3	3	3	3	3	2	3	23	23
			0	4	5	2	3	3	4	4	3	28	24
			0	3	1	2	3	3	3	4	3	22	25
			0	3	1	2	2	3	3	3	2	19	26
			0	1	2	3	3	3	4	3	3	22	27
			0	3	4	2	3	2	4	3	4	25	28
			0	3	4	4	4	2	3	3	2	25	29
			1	2	3	4	2	3	3	5	3	25	30
													31
$\varepsilon_D = 3.0$ $\varepsilon_N = 2.5$ $\varepsilon_Z = 1.5$			$K_9 = 300$										

Tashkent
Ташкент

Таблица С и К

20097-III

н.61

Суточные характеристики

Декабрь 1967:

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	3	2	4	5	4	4	4	5	31	1
			0	4	2	1	2	4	2	2	3	20	2
			0	0	0	2	3	3	2	3	3	16	3
			0	2	1	1	2	2	2	1	2	13	4
			1	1	2	3	3	2	3	4	5	23	5
			1	2	3	3	4	5	5	4	5	31	6
			1	4	2	3	3	3	4	4	2	25	7
			1	2	4	4	3	3	4	5	3	28	8
			0	2	1	2	1	3	4	4	1	18	9
			0	1	2	2	2	2	1	1	2	13	10
			0	1	0	0	3	2	2	0	0	8	11
			0	0	1	1	3	3	2	3	3	16	12
			0	2	1	1	2	2	3	3	1	15	13
			0	1	2	3	2	0	3	1	2	14	14
			0	4	4	3	2	2	3	3	3	24	15
			0	4	4	3	3	3	3	2	2	24	16
			0	1	4	4	2	5	3	2	2	23	17
			1	2	4	5	4	6	4	4	2	31	18
			1	3	4	3	3	4	4	6	4	31	19
			1	3	4	3	4	5	5	5	3	32	20
			1	2	3	2	4	4	4	4	3	26	21
			0	2	3	2	3	3	2	3	4	22	22
			0	3	3	2	1	3	4	4	1	21	23
			0	1	0	2	2	3	1	3	0	12	24
			0	0	1	1	1	1	0	1	2	7	25
			0	1	1	1	1	3	3	3	1	14	26
			0	3	1	2	3	3	4	1	0	17	27
			0	2	3	3	0	2	2	3	2	17	28
			0	2	0	1	1	2	1	1	2	10	29
			0	1	2	2	3	3	4	3	3	21	30
			2	2	3	5	5	5	7	6	4	37	31
$\varepsilon_D = 0.40$ $\varepsilon_N = 2.5$ $\varepsilon_2 = 1.3$							$K_p = 300$						