

Tashkent
Ташкент

Таблица
Сик-индексов
Суточные характеристики

25085-III

Январь 1970 г. 61

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				0	1	2	2	1	2	3	3	3	17	1
				1	2	3	4	4	4	6	4	3	30	2
				0	2	2	1	1	1	1	1	3	12	3
				0	0	1	0	0	1	2	1	1	6	4
				0	0	1	4	2	1	1	2	2	13	5
				0	2	1	0	0	1	1	1	0	6	6
				0	0	1	1	1	1	3	3	2	12	7
				0	1	1	2	1	1	4	2	2	14	8
				0	3	2	1	1	1	2	1	1	12	9
				0	2	1	1	0	0	1	2	0	7	10
				0	0	1	1	1	0	0	0	2	5	11
				0	1	1	1	2	1	2	2	3	13	12
				0	1	1	1	1	2	2	0	0	8	13
				0	0	1	0	0	0	1	3	2	7	14
				0	1	1	1	1	2	2	0	0	8	15
				0	2	1	1	4	4	5	2	4	23	16
				0	3	3	2	1	1	0	1	0	11	17
				0	0	1	0	0	0	3	0	1	5	18
				0	0	0	0	2	1	1	1	2	7	19
				0	1	0	0	1	2	1	3	1	9	20
				0	1	1	2	2	3	1	2	3	15	21
				0	1	0	0	0	1	2	1	1	6	22
				0	0	0	0	1	2	1	1	3	8	23
				0	1	1	2	3	2	1	2	3	15	24
				0	0	1	1	0	1	1	1	1	6	25
				0	0	1	1	1	1	1	1	1	7	26
				0	0	1	1	1	2	2	2	2	11	27
				0	1	0	3	2	2	3	3	3	17	28
				0	1	2	3	3	3	1	3	1	17	29
				1	2	1	2	2	4	4	3	3	21	30
				0	3	1	1	2	2	2	3	0	14	31
чис	$\Sigma D = 3.0$	$\Sigma H = 2.5$	$\Sigma z = 1.3$						$K_g = 300$					

Tashkent
ашкент

Таблица
С и К-индексов
Суточные характеристики Май 1970 г. 61

26772 III

76 та	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
				0	2	2	2	0	3	2	2	3	16	1
				0	2	1	2	1	1	2	2	1	12	2
				0	1	0	1	1	2	2	2	4	13	3
				0	2	1	2	2	2	1	1	1	12	4
				0	0	1	1	2	3	2	1	1	11	5
				0	1	0	0	0	1	2	2	1	7	6
				0	2	1	1	1	1	1	2	1	10	7
				0	0	0	0	0	0	2	1	1	4	8
				0	1	0	0	0	1	1	1	1	5	9
				0	0	0	0	1	0	0	0	0	1	10
				0	0	0	0	2	0	1	1	2	6	11
				0	2	2	2	3	3	3	3	4	22	12
				0	1	1	1	1	1	1	1	2	9	13
				0	1	2	3	2	2	3	3	2	18	14
				0	3	2	1	1	1	2	1	0	11	15
				0	0	1	1	1	1	1	1	1	7	16
				0	1	4	1	2	1	1	1	1	12	17
				0	1	3	2	3	2	1	1	0	13	18
				0	0	1	2	2	1	1	2	1	10	19
				0	2	3	3	2	2	2	3	2	19	20
				0	1	0	1	1	1	1	1	2	8	21
				0	1	1	2	1	1	3	2	1	12	22
				0	1	1	0	1	0	1	1	3	12	23
				0	0	0	1	2	3	1	1	0	8	24
				0	0	2	1	1	1	2	0	1	8	25
				0	0	0	0	2	0	0	0	1	3	26
				0	0	2	3	4	3	3	4	4	23	27
				1	4	3	4	6	5	4	3	3	32	28
				0	3	2	4	3	2	2	2	1	19	29
				0	1	1	2	3	2	2	2	1	14	30
				0	0	0	0	1	2	1	1	1	6	31

днее $\epsilon_D = 3.0$ $\epsilon_H = 2.5$ $\epsilon_Z = 1.3$

$K_g = 300$

Tashkent
Ташкент

Таблица
С и К-индексов
Суточные характеристики Июнь 1970 г. 68

27016-III

076 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	3	5	5	5	5	4	2	2	31	
2				0	3	3	4	4	3	2	2	2	23	
3				0	3	2	3	3	3	3	2	2	21	
4				0	3	2	2	2	3	2	1	1	16	
5				0	3	2	1	3	2	1	1	1	14	
6				0	1	1	1	2	2	1	1	1	10	
7				1	1	2	2	2	2	2	4	5	20	
8				1	3	4	3	3	3	2	3	2	23	
9				0	2	1	1	2	2	2	3	2	15	
10				0	1	2	2	3	2	3	3	2	18	
11				0	1	1	1	1	1	2	1	1	9	
12				0	1	1	1	1	0	2	2	2	10	
13				0	1	1	1	3	3	3	2	2	16	
14				0	2	2	1	0	0	1	3	2	11	
15				0	2	1	3	2	3	2	2	3	18	
16				0	1	1	1	1	3	2	1	2	12	
17				1	1	1	4	5	4	3	3	4	25	
18				1	2	3	5	4	5	4	3	4	30	
19				0	3	1	1	2	1	1	1	3	13	
20				0	2	1	2	2	1	4	4	3	19	
21				0	3	3	3	2	2	3	3	2	21	
22				0	1	1	1	2	3	1	2	2	13	
23				0	1	2	1	1	1	3	2	1	12	
24				0	1	1	1	1	2	2	2	1	11	
25				0	2	2	1	2	1	0	1	2	11	
26				0	2	2	2	2	2	2	2	0	14	
27				1	1	1	6	5	5	4	3	3	28	
28				0	2	2	1	2	2	2	1	1	13	
29				0	0	1	1	0	1	2	2	1	8	
30				0	1	2	3	2	1	2	1	0	12	
31														
реднее	$\epsilon_D = 3.0$	$\epsilon_H = 2.5$	$\epsilon_Z = 1.3$						$K_9 = 300$					

Tashkent
Tashkent

Таблица
Сик-индексов
Суточные характеристики Июль 1970 г. 64

2737214

076 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔE	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	1	1	2	2	4	3	2	2	17	
2				0	1	2	3	3	2	2	0	0	13	
3				1	1	4	5	2	2	1	1	5	21	
4				1	5	4	4	4	1	1	0	0	19	
5				0	2	4	3	3	3	3	3	3	24	
6				0	3	3	5	5	4	1	0	0	21	
7				0	1	1	1	1	1	2	2	2	11	
8				0	1	0	0	1	1	1	1	5	10	
9				1	3	6	6	6	6	5	5	5	42	
10				1	6	1	3	1	4	5	4	4	28	
11				0	2	3	2	3	2	3	3	3	21	
12				0	3	2	2	3	2	2	3	3	20	
13				0	2	1	2	2	2	3	3	3	18	
14				0	1	1	2	2	2	2	3	2	15	
15				0	1	1	2	2	2	1	2	2	13	
16				0	0	0	1	1	1	1	2	0	6	
17				0	1	1	2	2	2	2	2	4	16	
18				0	0	1	1	2	2	1	1	1	9	
19				0	1	0	1	1	1	3	2	1	10	
20				0	0	1	1	0	1	1	2	2	8	
21				1	3	2	4	5	5	5	4	3	31	
22				0	2	0	1	1	1	1	1	1	8	
23				0	1	3	1	1	1	1	1	0	9	
24				0	2	1	2	4	3	3	3	6	24	
25				2	6	7	6	6	5	4	3	5	42	
26				0	4	2	3	5	2	2	2	3	23	
27				0	1	3	1	3	1	4	3	0	16	
28				0	0	0	0	0	1	2	0	1	4	
29				1	4	5	4	3	5	4	5	1	31	
30				0	1	1	1	1	2	2	1	2	11	
1				0	2	1	1	1	2	1	2	3	13	
реднее	ΣD=3.0	ΣH=2.5	ΣZ=1.3											
									K _g =300					

Tashkent
Ташкент

Таблица
С и К-индексов

Суточные характеристики

27409-117
h. 62
Август 1970,

Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
076				0	2	1	2	1	0	1	0	1	8	1
				0	1	1	1	1	1	2	2	1	10	2
				0	1	2	1	2	2	1	0	0	9	3
				0	0	0	1	1	1	3	2	1	9	4
				0	0	0	0	0	0	1	0	1	2	5
				0	0	1	2	2	1	3	3	3	15	6
				0	2	2	3	1	1	3	3	3	18	7
				0	2	1	4	3	3	3	3	3	22	8
				0	3	1	2	4	2	3	4	1	20	9
				0	1	0	2	2	1	1	1	1	9	10
				0	1	2	1	2	2	1	1	2	12	11
				0	1	1	2	1	1	1	2	1	10	12
				0	1	1	2	1	1	1	1	3	11	13
				0	1	1	1	1	1	1	1	1	8	14
				0	1	0	0	1	2	1	1	3	9	15
				1	1	0	0	0	0	0	0	6	7	16
				2	6	7	7	6	5	6	4	4	45	17
				1	3	2	4	4	3	4	2	3	25	18
				0	3	1	1	4	3	3	1	1	17	19
				0	1	0	1	1	4	2	2	1	9	20
				0	0	0	0	1	1	1	0	0	3	21
				0	0	0	1	1	2	2	3	1	10	22
				0	0	1	1	1	0	1	1	1	6	23
				0	0	1	0	0	0	0	1	2	4	24
				0	1	0	2	2	2	2	2	2	13	25
				0	1	2	2	3	4	2	3	1	18	26
				0	2	1	1	0	2	2	3	2	13	27
				0	2	1	1	1	2	3	3	3	16	28
				0	2	2	2	1	2	3	1	0	13	29
				0	1	0	1	1	0	1	1	1	6	30
				0	0	3	3	2	3	4	3	2	20	31

е_D=3.0 е₄=2.5 е₂=1.3 К₉=300

C076	Дата	К индекс											Дата		
		ΔD	ΔH	Δ	1	2	3	4	5	6	7	8		ΣK	
					1	0	1	2	5	5	4	5	3	25	1
					0	1	1	1	5	2	3	3	2	18	2
					0	0	1	1	2	3	3	1	3	14	3
					0	2	1	2	2	2	2	3	2	16	4
					0	1	1	1	0	1	3	2	3	12	5
					0	0	0	0	0	1	2	2	2	7	6
					0	1	0	1	1	1	0	2	2	8	7
					0	0	2	3	1	2	3	3	1	15	8
					0	0	1	0	1	1	1	3	2	9	9
					0	2	1	1	0	0	1	0	0	5	10
					0	0	1	0	0	0	0	1	1	3	11
					0	1	2	2	2	1	1	2	1	12	12
					0	0	3	2	3	4	4	4	3	23	13
					0	3	2	2	3	4	4	3	2	23	14
					0	2	1	1	1	1	1	1	1	9	15
					0	0	2	1	2	2	0	1	1	9	16
					0	0	2	1	1	1	1	0	1	7	17
					0	0	2	2	1	1	2	2	1	11	18
					0	0	2	1	2	3	3	3	2	16	19
					0	0	2	2	3	2	3	2	2	16	20
					0	2	2	2	1	3	3	3	1	17	21
					0	2	2	1	2	2	3	2	2	16	22
					0	1	1	1	2	1	2	0	0	8	23
					0	1	0	1	1	0	0	2	0	5	24
					0	0	2	2	1	0	0	2	0	7	25
					0	0	1	1	1	1	2	2	2	10	26
					0	3	2	2	2	3	4	2	3	21	27
					0	2*	1*	1*	2*	2*	2*	1*	1*	12	28
					0	1*	3	2	2	0	1	0	3	12	29
					0	1	4	4	2	2	0	0	1	14	30
					0										31
Среднее	$E_D = 3.0$	$E_H = 2.5$	$E_2 = 1.3$												
	$E_D^* = 7.7$	$E_H^* = 3.0$	$E_2^* = 5.0$												
									$K_g = 300$						

Tashkent
Ташкент

Таблица
С и К-индексов
Суточные характеристики Октябрь 1970

Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	1	2	2	2	2	3	4	2	18	
2				0	2	1	1	2	2	2	3	1	14	
3				0	1	1	1	2	2	3	4	3	17	
4				0	3	4	4	3	3	3	4	2	26	
5				0	1	2	2	0	0	1	2	0	8	
6				0	0	0	2	0	0	2	2	0	6	
7				0	0	1	1	1	1	1	0	1	6	
8				0	1	0	0	0	0	0	0	0	1	
9				0	0	0	0	0	1	0	1	0	2	
10				0	0	0	2	0	2	3	3	3	13	
11				1	2	4	3	3	2	3	5	2	24	
12				0	3	3	4	3	2	2	2	1	20	
13				0	0	3	2	2	3	3	3	1	17	
14				0	1	1	0	1	1	2	1	1	8	
15				0	1	1	2	0	0	0	1	1	6	
16				1	0	0	1	7	5	6	5	3	28	
17				1	3	3	4	4	4	4	4	5	31	
18				1	3	3	5	3	3	5	2	2	28	
19				0	1	2	3	3	2	3	3	1	18	
20				0	0	1	1	2	2	1	1	1	9	
21				0	1	1	0	0	0	1	1	1	5	
22				0	1	1	1	1	3	3	3	4	17	
23				0	2	2	2	2	3	5	3	3	22	
24				0	2	2	3	2	2	1	3	0	15	
25				0	1	1	1	1	3	4	2	0	13	
26				0	0	0	0	0	0	0	1	1	2	
27				0	0	1	1	1	0	2	2	4	11	
28				0	2	3	3	2	1	2	4	4	21	
29				0	2	1	2	2	3	3	5	3	21	
30				0	2	1	1	1	0	2	0	0	7	
31				0	0	1	0	1	1	1	1	0	5	
Среднее	$E_D = 3.0$	$E_H = 2.5$	$E_Z = 1.3$											

$K_g = 300$

Tashkent

Таблица

27675-III

С и К-индексов

6/н

Tashkent

Суточные характеристики

Ноябрь 1970

С 076 Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	0	1	1	1	1	0	1	1	6	
2				0	0	1	3	2	3	2	1	2	14	
3				0	1	2	3	1	1	2	1	4	15	
4				0	2	1	2	2	3	1	1	4	16	
5				0	2	2	2	1	2	3	3	2	17	
6				0	2	2	3	2	3	2	1	3	18	
7				1	5	4	7	5	5	5	4	2	37	
8				0	3	1	0	2	2	2	2	0	12	
9				0	0	1	0	1	2	2	3	1	10	
10				0	1	2	1	3	3	3	3	1	17	
11				0	2	2	2	3	2	4	3	4	22	
12				0	1	2	2	2	3	4	1	0	15	
13				0	0	1	2	2	4	1	2	1	13	
14				0	1	0	2	2	1	2	3	0	11	
15				0	0	0	1	1	1	1	2	2	8	
16				0	2	0	1	1	2	4	2	2	14	
17				0	2	2	2	2	2	2	2	2	16	
18				1	1	1	0	2	6	5	3	5	23	
19				0	3	3	4	3	2	1	1	1	18	
20				0	0	2	2	1	2	1	1	1	10	
21				1	2	3	5	5	6	6	3	2	32	
22				0	3	2	4	3	3	4	3	2	24	
23				1	2	2	3	3	5	6	3	2	25	
24				0	2	4	5	4	3	4	3	3	28	
25				0	3	2	1	2	2	3	3	2	18	
26				0	1	1	1	1	2	3	4	2	15	
27				0	1	1	2	3	2	2	3	3	17	
28				0	1	1	0	1	2	3	2	1	11	
29				0	0	0	0	0	1	1	1	1	4	
30				0	0	1	0	0	1	0	0	0	2	
31														
Среднее	$\bar{\Delta D} = 3.0$	$\bar{\Delta H} = 2.5$	$\bar{\Delta Z} = 1.3$						$K_9 = 300$					

Tashkent

Tashkent

Таблица
С и К-индексов

28074 м

н. 61

Суточные характеристики Декабрь 1970

Дата	Амплитуды			Характер С	К индекс									Дата
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
				0	0	0	1	1	1	0	0	0	3	1
				0	0	1	1	2	3	3	3	1	14	2
				0	2	0	1	1	0	1	0	0	5	3
				0	0	0	0	1	2	1	3	3	10	4
				0	2	3	3	3	4	4	2	1	22	5
				0	1	1	3	2	3	2	2	1	15	6
				0	1	1	2	2	3	3	4	5	21	7
				0	3	3	3	3	4	1	3	1	21	8
				0	1	0	2	3	2	2	1	0	11	9
				0	0	0	1	0	2	1	1	0	5	10
				0	1	2	1	1	0	1	2	1	9	11
				0	1	2	2	2	3	2	1	2	15	12
				0	2	3	2	2	0	1	2	2	14	13
				2	4	5	7	4	4	3	4	4	35	14
				0	3	3	3	4	3	3	2	2	23	15
				0	2	3	3	1	1	2	1	1	14	16
				0	2	2	3	0	1	1	2	1	12	17
				0	0	1	1	0	0	1	1	3	7	18
				0	3	2	2	3	2	3	3	4	22	19
				0	3	3	2	2	2	1	1	1	15	20
				0	0	1	1	2	1	0	2	2	9	21
				0	1	0	1	1	2	2	2	2	11	22
				0	2	2	2	2	3	3	2	2	18	23
				0	3	1	1	2	2	2	2	2	15	24
				0	0	0	0	1	2	2	2	2	9	25
				0	1	1	2	2	0	2	2	2	12	26
				0	1	2	2	2	3	3	3	4	20	27
				0	2	3	3	2	2	4	5	4	25	28
				0	2	0	2	0	1	3	4	4	16	29
				0	3	3	2	2	2	4	3	2	21	30
				0	1	1	1	2	2	2	2	2	13	31

ε_D = 3.0 ε_H = 2.5 ε_Z = 1.3

K_g = 300