

Таблица
с и к индексов
Суточные характеристики Январь 1964

n. 58

Амплитуды			Характер σ	K-индекс								
ΔD	ΔH	ΔZ Дата		1-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
		1	0	1	1	1	1	3	3	3	2	15
		2	1	2	5	4	7	5	5	6	3	37
		3	1	4	3	3	4	5	4	4	3	30
		4	1	3	4	3	2	5	4	4	3	28
		5	0	2	1	2	2	4	3	3	2	19
		6	0	1	2	2	2	3	1	2	1	14
		7	0	1	1	2	4	5	3	4	1	21
		8	0	1	2	2	2	3	1	4	3	18
		9	1	3	3	2	3	3	5	3	4	26
		10	1	4	4	4	2	4	4	2	3	27
		11	0	2	2	2	3	3	1	2	3	18
		12	0	3	2	2	1	2	3	2	2	17
		13	0	2	2	1	2	2	1	1	2	13
		14	0	1	1	1	1	0	1	1	1	7
		15	0	0	1	1	1	1	2	1	2	9
		16	1	3	3	3	5	4	7	5	3	33
		17	1	3	3	3	4	4	3	3	1	24
		18	0	1	2	2	2	2	3	4	1	17
		19	0	0	1	1	1	4	3	4	3	17
		20	0	3	2	2	2	3	3	2	2	19
		21	0	1	0	1	2	2	1	1	1	9
		22	0	2	2	2	1	1	3	1	1	13
		23	0	2	2	2	2	3	3	1	2	17
		24	0	2	2	3	4	5	4	2	3	25
		25	0	3	2	3	2	1	3	5	6	25
		26	0	3	2	3	1	3	2	4	3	21
		27	0	2	2	2	2	2	1	3	3	17
		28	1	2	2	2	2	3	2	5	4	22
		29	1	3	4	4	3	5	5	3	3	30
		30	0	3	3	2	3	4	3	2	4	24
		31	1	2	2	2	5	5	5	5	4	30
$E_D = 4.038$	$E_H = 4.569$	cl no 10 $E_z = 5.217$ cl no 20 $E_z = 5.215$ cl no 31 $E_z = 5.2201$		$k_g = 350$								

Tomck

Таблица
с и к индексов и.58

ИНВ. № 9949-III

Суточные характеристики февраля 1964

Амплитуды			Характер σ	K-индекс									
ΔD	ΔH	ΔZ Дата		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
		1	0	3	3	2	3	2	3	3	3	22	
		2	0	3	2	3	3	4	5	1	2	23	
		3	0	2	1	2	1	3	1	3	3	16	
		4	0	2	3	4	3	4	3	3	3	25	
		5	0	2	2	2	1	2	3	3	5	20	
		6	1	4	5	4	5	6	5	5	5	39	
		7	1	3	3	2	3	3	5	3	5	27	
		8	1	3	2	2	2	2	4	5	5	25	
		9	0	2	3	3	3	3	4	3	3	24	
		10	0	3	2	3	2	3	3	2	3	21	
		11	0	2	2	2	1	1	1	0	2	11	
		12	1	1	2	3	4	5	5	3	3	26	
		13	1	3	4	3	6	5	6	4	3	34	
		14	0	1	3	2	3	3	3	3	3	21	
		15	0	1	2	1	2	3	1	4	1	15	
		16	0	1	1	2	3	2	3	3	2	17	
		17	0	1	1	1	2	3	4	4	2	18	
		18	0	0	2	2	1	1	4	3	1	14	
		19	0	1	1	1	1	0	0	0	0	4	
		20	1	1	1	2	2	3	5	4	6	24	
		21	0	3	2	3	4	4	4	3	1	24	
		22	0	1	2	2	2	4	2	4	2	19	
		23	0	1	2	3	2	2	4	4	2	20	
		24	0	1	2	2	3	3	2	3	4	20	
		25	1	2	2	2	4	3	6	7	3	29	
		26	1	3	3	2	5	5	4	1	4	27	
		27	1	4	2	2	2	3	4	5	4	26	
		28	1	3	4	4	4	5	4	2	1	27	
		29	0	2	3	3	3	2	3	3	3	22	
		30											
		31											
ee	$E_D = 4.038$	CI no 10 $E_H = 4.570$ CI no 20 $E_H = 4.571$ CI no 25 $E_H = 4.572$	CI no 10 $E_Z = 5.221$ CI no 20 $E_Z = 5.223$ CI no 25 $E_Z = 5.224$	$K_g = 350$									

Таблица
с. и к. индексов
Суточные характеристики март 1964

Амплитуды			Характер С	K-индекс									
ΔD	ΔH	ΔZ Дата		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
		1	0	2	2	2	2	3	2	2	1	16	
		2	0	2	2	1	2	1	2	2	2	14	
		3	0	2	2	2	2	2	2	4	5	21	
		4	1	5	5	3	5	5	6	6	5	40	
		5	1	4	3	4	3	5	5	5	5	34	
		6	1	3	3	3	4	4	5	4	2	28	
		7	0	4	2	2	3	4	3	4	3	25	
		8	1	3	2	3	4	5	3	4	4	28	
		9	0	3	4	3	3	2	3	2	1	21	
		10	0	2	2	2	2	3	3	4	2	20	
		11	0	1	2	3	3	2	1	2	1	15	
		12	0	4	4	3	3	2	4	2	2	24	
		13	0	1	2	2	4	3	1	2	2	17	
		14	0	2	3	2	2	2	2	4	3	20	
		15	0	2	2	1	1	4	5	4	3	22	
		16	0	3	2	2	2	2	3	2	2	18	
		17	0	3	2	3	5	3	3	1	1	21	
		18	0	1	1	2	2	1	1	1	1	10	
		19	0	1	1	2	1	1	1	1	1	9	
		20	0	1	2	2	3	3	3	4	1	19	
		21	0	4	2	2	2	1	3	5	3	22	
		22	1	2	2	3	3	6	5	6	6	33	
		23	1	3	4	4	6	5	5	5	6	38	
		24	1	2	3	3	4	4	5	3	1	25	
		25	1	4	3	4	3	4	4	5	2	29	
		26	0	3	4	3	2	4	2	2	2	22	
		27	0	3	3	2	2	1	2	2	2	17	
		28	0	2	3	2	2	1	2	1	1	14	
		29	0	2	3	1	3	2	2	3	2	18	
		30	1	3	4	4	4	4	7	5	2	33	
		31	0	2	3	2	3	2	2	2	1	17	
E _D =4.038	c1 no 10 E _H =4.373 c11 no 31 E _H =4.374	c1 no 10 E ₂ =5.225 c11 no 20 E ₂ =5.226 c21 no 31 E ₂ =5.227		k _g =350									

Таблица
с и к индексам
Суточные характеристики

Амплитуды			Характер σ	K-индекс								
ΔD	ΔH	ΔZ Дата		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
		1	1	2	3	3	2	3	7	6	7	33
		2	1	4	4	3	5	3	4	4	4	31
		3	1	3	4	3	5	5	4	3	4	31
		4	0	4	3	3	3	4	3	2	3	25
		5	0	2	3	3	3	2	3	4	4	24
		6	0	3	3	3	3	2	2	2	3	21
		7	0	4	2	3	2	3	3	4	2	23
		8	0	2	2	4	5	5	3	4	4	29
		9	0	3	3	2	3	2	2	2	1	18
		10	0	3	3	3	5	2	2	1	2	21
		11	1	2	2	3	4	4	5	4	2	26
		12	0	3	1	2	2	2	1	1	2	14
		13	0	2	2	2	3	1	2	2	2	16
		14	0	2	3	3	3	3	2	1	1	18
		15	0	2	3	3	4	3	4	2	5	26
		16	0	4	3	2	2	4	3	3	2	23
		17	0	4	3	4	3	4	5	4	2	29
		18	1	2	2	3	4	5	5	4	3	28
		19	1	3	2	3	4	4	4	4	5	29
		20	0	4	3	4	2	2	5	4	5	29
		21	0	3	2	3	2	3	3	3	3	22
		22	0	3	2	2	2	1	1	2	1	14
		23	0	3	2	1	2	1	1	2	2	14
		24	0	2	2	4	2	2	2	2	2	18
		25	0	3	3	2	4	3	2	3	3	23
		26	-	3	4	3	-	-	-	-	-	-
		27	1	-	-	3	4	4	6	5	4	-
		28	1	6	5	5	5	4	2	4	4	35
		29	0	4	3	2	3	3	2	4	2	23
		30	1	3	2	3	2	2	3	5	5	25
		31										
$E_D = 4.038$	$E_H = 4.375$	$c1 \approx 10$ $E_2 = 5.228$ $c11 \approx 20$ $E_2 = 5.229$ $c21 \approx 30$ $E_2 = 5.231$		$K_0 = 350$								

Tomsk
Томск

Таблица
с к индексом
Суточные характеристики

10333-10
п. 58
май 1964.

10333-10

n. 58

Суточные характеристики май 1964.

$\epsilon_D = 4.038$	$\epsilon_u = 4.375$	$\epsilon_z = 5.233$
----------------------	----------------------	----------------------

$$K_g = 350$$

Tomsk
Томск

Таблица
с. и к. индексов
Суточные характеристики июнь 1964.

н. 58

10803-III

Амплитуды			Характер Г	К-индекс									
ΔD	ΔH	ΔZ Дата		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
		1	0	2	2	2	2	2	2	1	2	15	
		2	0	2	1	1	1	2	1	2	2	12	
		3	0	2	2	1	2	2	1	1	1	12	
		4	0	2	1	1	2	1	2	1	1	11	
		5	0	2	1	1	1	1	1	1	2	10	
		6	0	1	1	2	4	3	0	0	1	12	
		7	0	1	1	1	1	1	1	2	2	10	
		8	0	2	1	4	4	1	2	2	1	17	
		9	0	3	2	2	3	3	2	3	2	20	
		10	1	4	6	6	5	5	2	4	4	36	
		11	1	4	5	3	5	3	3	2	4	29	
		12	-	3	3	-	-	-	-	-	-	-	
		13	-	-	-	3	3	2	2	1	2	-	
		14	0	2	2	2	4	2	1	1	2	16	
		15	0	2	2	2	3	2	1	1	1	14	
		16	0	2	1	1	2	1	1	-	-	-	
		17	0	-	-	1	1	2	0	0	1	-	
		18	0	0	0	2	3	4	1	4	3	17	
		19	0	1	1	2	2	1	2	1	2	12	
		20	-	4	3	-	-	-	-	-	-	-	
		21	-	-	-	-	-	-	-	-	-	-	
		22	0	-	-	2	2	2	2	2	2	-	
		23	0	2	2	2	3	2	2	2	4	19	
		24	0	2	1	2	1	1	2	3	3	15	
		25	0	3	3	3	3	3	2	1	1	19	
		26	0	1	2	2	2	2	2	1	2	14	
		27	0	1	1	2	2	3	3	2	2	16	
		28	0	1	1	3	4	4	3	2	1	19	
		29	0	1	1	2	3	2	3	1	1	14	
		30	0	1	2	1	2	1	1	2	1	14	
		31											
ε _D =4.038	ε _H =4.376	ε _Z =5.235		K _g =350									

Таблица
с к индексов
Суточные характеристики июль 1964.

Амплитуды			Характер ζ	K-индекс									
ΔD	ΔH	ΔZ Дата		1-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
		1	0	2	1	3	2	2	1	2	2	15	
		2	0	2	2	2	2	2	2	2	2	16	
		3	1	4	3	5	4	4	4	2	4	30	
		4	0	3	3	3	3	2	2	2	2	20	
		5	0	2	2	2	3	2	1	2	3	17	
		6	0	4	3	3	3	2	2	2	3	22	
		7	1	2	4	4	4	5	3	4	5	31	
		8	1	3	4	3	4	4	3	4	4	29	
		9	0	3	2	3	3	3	3	4	4	25	
		10	0	4	4	3	4	3	1	2	2	23	
		11	0	4	3	2	3	3	3	3	2	23	
		12	0	2	2	3	3	2	3	2	2	19	
		13	0	3	4	3	3	3	2	2	2	22	
		14	0	2	3	3	2	2	1	2	2	17	
		15	0	2	3	2	2	1	1	2	2	15	
		16	0	2	2	3	3	2	3	3	2	20	
		17	1	4	4	3	3	3	5	4	3	29	
		18	1	4	4	3	5	4	4	4	3	31	
		19	1	3	4	4	5	2	2	3	4	27	
		20	0	4	4	3	4	2	1	3	2	23	
		21	0	2	4	2	3	3	2	2	4	22	
		22	0	2	2	3	2	3	4	4	2	22	
		23	0	2	3	3	3	2	1	3	2	19	
		24	0	2	3	2	2	2	2	2	2	17	
		25	0	3	4	2	3	2	2	2	2	20	
		26	0	3	3	2	2	2	2	2	2	18	
		27	0	2	2	2	2	2	2	2	2	16	
		28	0	3	1	2	2	2	2	1	2	15	
		29	1	3	3	3	5	5	4	4	2	29	
		30	1	4	3	4	3	4	2	4	2	26	
		31	0	3	3	2	4	3	2	3	3	23	
$\varepsilon_D = 4.038$	$\varepsilon_H = 4.576$	$c1 \approx 10$ $\varepsilon_2 = 5.237$ $c11 \approx 20$ $\varepsilon_2 = 5.236$ $c21 \approx 31$ $\varepsilon_2 = 5.237$	$k_g = 350$										

Книж. № 11247-III п 58
август 1964.

$\varepsilon_D = 4.038$	$\varepsilon_H = 4.376$	$\varepsilon_1 \approx 10$ $\varepsilon_2 = 5.232$ $\varepsilon_{11} \approx 31$ $\varepsilon_2 = 5.238$
-------------------------	-------------------------	---

Таблица
с к индексам
Суточные характеристики сентябрь 1964.

n 58

1964.

[illegible]

Таблица
с и к индексом

11345-III п 58.

Суточные характеристики октябрь 1964

$E_D = 4.038$	$E_u = 4.376$	$c1 = 20$ $E_z = 5.242$ $c2 = 31$ $E_z = 5.243$
---------------	---------------	--

$$W_g = 350$$

msk
мск

Таблица С и К индексов
Суточные характеристики

Инв. № 11648-III

п. 58.

Ноябрь 1964

Амплитуды			Характер С	К — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	2	3	3	2	2	5	4	4	25	1
			0	3	3	3	2	2	2	2	3	20	2
			0	2	2	2	2	1	2	1	1	13	3
			-	2	3	2	2	3	-	-	-	-	4
			1	-	2	2	2	4	4	4	3	-	5
			0	2	2	1	1	3	2	3	1	15	6
			0	2	2	1	2	1	1	1	2	12	7
			0	3	2	3	2	3	2	4	3	22	8
			1	3	4	4	5	2	4	4	5	31	9
			0	3	-	3	2	4	2	3	1	-	10
			0	2	3	2	3	2	2	3	2	19	11
			0	2	3	2	1	2	3	4	3	20	12
			0	1	2	3	3	4	3	0	1	17	13
			0	1	1	2	2	1	3	1	2	13	14
			1	1	1	1	2	4	5	4	5	23	15
			0	3	2	4	3	3	3	3	3	24	16
			0	2	2	1	1	2	2	2	1	13	17
			0	2	1	3	2	1	3	3	3	18	18
			0	2	1	2	1	1	1	1	1	10	19
			0	1	2	2	2	1	1	1	2	12	20
			0	2	2	2	1	0	1	2	2	12	21
			0	2	1	3	4	2	3	3	4	22	22
			1	3	3	4	5	6	4	3	2	30	23
			0	2	2	2	2	1	2	1	0	12	24
			0	1	1	1	1	1	2	2	2	11	25
			1	1	2	2	4	5	4	3	3	24	26
			0	2	2	2	2	1	1	4	4	18	27
			1	3	2	3	2	3	4	3	2	22	28
			0	1	2	2	2	1	2	2	4	16	29
			0	4	3	2	2	1	2	2	3	19	30
													31

с1 no 20
 $\epsilon_z = 2,54$
с21 no 30
 $\epsilon_z = 2,55$

$K_g = 350$

$\epsilon_D = 4,04$ $\epsilon_H = 4,38$

Амплитуды			Характер С	K — индекс									Дата
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			0	2	2	3	3	3	3	3	2	21	1
			0	2	1	2	2	1	2	2	3	15	2
			0	1	2	2	3	2	3	3	2	18	3
			0	2	2	2	1	3	3	2	1	16	4
			0	1	2	2	1	1	2	1	2	12	5
			0	2	2	2	1	2	2	3	3	17	6
			1	1	2	2	3	3	5	3	3	22	7
			0	2	3	2	0	2	3	2	2	16	8
			0	1	2	2	2	2	3	1	3	16	9
			0	2	2	2	2	2	2	1	1	14	10
			0	1	1	1	1	2	0	2	1	9	11
			0	1	1	1	1	2	1	1	2	10	12
			0	1	2	1	1	2	5	4	2	18	13
			0	1	1	1	3	2	3	3	2	16	14
			0	2	2	2	2	3	2	1	2	16	15
			1	2	2	2	3	6	2	2	3	22	16
			0	4	3	3	3	2	3	4	2	24	17
			0	2	2	1	1	2	1	2	2	13	18
			1	1	2	2	1	3	4	5	2	20	19
			0	1	0	0	3	2	1	3	2	12	20
			0	1	1	2	2	3	4	2	2	17	21
			0	2	2	1	2	3	2	2	2	16	22
			0	2	2	2	2	3	2	2	3	18	23
			0	1	1	3	1	1	3	2	2	14	24
			0	1	1	2	2	2	2	3	3	16	25
			0	2	2	2	2	3	2	2	2	17	26
			0	2	2	2	2	1	1	1	2	13	27
			0	1	1	1	1	1	1	4	3	13	28
			0	2	2	3	2	1	3	1	2	16	29
			0	2	1	2	2	1	2	2	1	13	30
			0	2	1	2	2	2	1	2	2	14	31

ε_D = 4,038

ε_h = 4,576

с1 по 20

ε₂ = 5,248

с21 по 31

ε₂ = 5,249

k_g = 350