

Tomsk Таблица с к индексов
 анция Томск Суточные характеристики январь 1969, 4.58

Дата	Амплитуды			Характер С	К—индекс									Дата
					0-8	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	2	2	3	4	3	3	3	22	1
2				0	2	2	2	2	3	3	2	1	17	2
3				0	1	1	1	1	2	2	2	1	11	3
4				0	2	3	2	2	3	2	2	1	17	4
5				0	2	2	2	1	1	2	1	2	13	5
6				0	2	3	2	1	1	2	1	1	13	6
7				1	2	3	3	4	4	2	4	3	25	7
8				0	3	2	3	2	3	3	4	3	23	8
9				0	2	2	3	2	2	2	2	3	18	9
10				0	2	3	3	2	2	2	2	1	17	10
11				0	2	3	2	2	3	2	3	3	20	11
12				0	2	2	3	3	5	3	2	1	21	12
13				0	2	2	1	3	3	1	1	1	14	13
14				0	3	3	2	3	3	2	3	4	23	14
15				0	3	3	2	3	3	2	5	3	24	15
16				0	2	3	3	3	5	3	2	3	24	16
17				1	4	3	3	3	3	4	5	4	29	17
18				1	3	3	3	5	4	5	3	4	30	18
19				0	3	2	3	3	4	3	4	3	25	19
20				0	2	3	3	2	4	4	3	4	25	20
21				0	3	2	2	3	1	1	3	1	16	21
22				0	1	1	2	1	0	2	2	2	11	22
23				0	1	2	2	1	2	3	2	3	16	23
24				1	1	2	2	2	4	4	5	5	25	24
25				1	4	3	4	5	6	5	5	3	35	25
26				1	6	4	2	4	5	4	3	4	32	26
27				1	2	2	3	4	5	5	3	3	27	27
28				0	2	2	2	2	2	2	2	2	16	28
29				0	1	2	2	2	1	1	1	2	12	29
30				0	3	2	2	3	2	3	2	1	18	30
31				0	1	3	2	3	3	4	3	3	22	31
Среднее	c1 no 20 $E_D = 4,131$	$E_n = 4,55$	$E_z = 4,14$		$K_0 = 350$									
	c2 no 31 $E_D = 4,132$													

Томск
Томск

Таблица с и к. индексов
Суточные характеристики

22048-III
февраль 1969
н. 58

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	2	1	2	2	1	2	3	2	15	1
2				2	2	2	2	3	3	5	9	7	33	2
3				1	6	4	4	4	7	7	6	6	44	3
4				0	3	2	3	2	4	3	3	4	24	4
5				0	4	2	3	3	3	2	2	3	22	5
6				0	3	3	4	3	2	1	2	4	22	6
7				0	2	2	3	3	3	2	3	3	21	7
8				0	4	2	3	2	2	5	3	2	23	8
9				0	2	3	2	1	1	1	2	2	14	9
10				0	2	3	3	3	3	4	3	4	25	10
11				1	6	4	4	6	7	6	6	6	45	11
12				0	3	3	3	1	2	2	2	5	21	12
13				0	4	2	3	2	3	3	3	4	24	13
14				0	2	3	3	2	3	3	2	5	23	14
15				0	4	3	3	3	3	3	4	3	26	15
16				0	3	3	3	2	3	3	3	2	22	16
17				0	2	3	3	1	2	2	3	3	19	17
18				0	1	3	2	1	1	1	2	1	12	18
19				0	2	2	3	2	2	3	2	3	19	19
20				0	3	3	2	2	3	4	4	3	24	20
21				0	4	3	4	2	1	2	2	1	19	21
22				0	1	2	2	1	2	3	2	2	15	22
23				0	2	2	2	3	3	2	2	2	18	23
24				0	2	2	2	1	1	3	2	2	15	24
25				0	3	2	2	4	2	1	2	2	18	25
26				0	3	4	3	4	3	3	3	3	26	26
27				1	3	3	4	2	6	6	5	3	32	27
28				0	4	5	3	2	3	4	3	4	28	28
29														29
30														30
31														31
Среднее	$\varepsilon_0 = 4,13$	$\varepsilon_H = 4,55$	$\varepsilon_2 = 4,14$ $\varepsilon_{11} = 2,8$ $\varepsilon_2 = 4,13$		$K_g = 350$									

Tomsk
Томск

Таблица с к. индексов
Суточные характеристики

22308-58
март 1969 458

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				0	3	3	3	2	2	5	4	4	26	1
				0	4	3	2	3	4	2	1	2	21	2
				0	2	2	2	1	2	2	2	2	15	3
				0	1	2	2	1	2	2	4	5	19	4
				0	2	2	2	3	3	2	2	1	17	5
				0	2	2	2	3	2	5	4	3	23	6
				1	4	4	3	2	5	5	5	4	32	7
				0	4	3	2	4	4	1	3	4	25	8
				0	2	1	2	2	3	3	5	2	20	9
				0	2	1	3	2	1	1	2	2	14	10
				1	3	2	3	4	5	3	5	5	30	11
				1	5	5	4	4	3	5	5	2	33	12
				0	3	2	3	2	2	3	2	4	21	13
				0	3	3	2	2	2	3	4	4	23	14
				1	4	3	2	4	4	4	3	4	28	15
				0	3	4	3	4	4	2	2	2	24	16
				1	5	5	4	3	5	5	5	4	36	17
				0	3	3	3	3	2	4	3	3	24	18
				0	2	2	3	2	2	2	4	5	22	19
				1	6	4	4	3	2	5	3	4	31	20
				0	3	3	4	3	3	2	2	4	24	21
				0	3	3	2	4	3	3	3	2	23	22
				1	3	3	2	2	2	4	6	7	29	23
				1	7	5	7	6	4	3	2	3	37	24
				0	3	3	5	4	5	4	3	5	32	25
				0	3	3	3	4	4	4	2	3	26	26
				0	4	4	3	3	2	2	2	1	21	27
				0	2	3	3	3	2	5	2	2	22	28
				0	2	3	3	2	3	4	4	4	25	29
				0	4	3	3	2	2	4	5	4	27	30
				0	4	3	2	3	2	5	4	2	25	31
среднее	$\varepsilon_D = 4,13$	$\varepsilon_H = 4,55$	е 1 по 10 $\varepsilon_2 = 4,13$ е 11 по 20 $\varepsilon_2 = 4,14$ е 21 по 31 $\varepsilon_2 = 4,13$		$K_0 = 350$									

Tomsk

Tomsk

Таблица
С и К-индексов
Суточные характеристики Апрель 1969

22530-14

н. 58

022 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				1	2	4	3	2	3	5	5	4	28	1
				1	4	2	3	2	2	5	4	5	27	2
				0	5	3	4	3	3	3	5	4	30	3
				0	3	3	3	3	4	2	4	3	25	4
				0	3	3	3	3	2	2	3	3	22	5
				0	2	2	3	2	2	3	4	4	22	6
				0	3	2	4	2	3	4	5	2	25	7
				0	3	2	2	1	2	2	2	4	18	8
				0	2	2	3	3	3	3	5	2	23	9
				0	4	2	2	2	2	3	2	2	19	10
				0	3	3	3	3	4	2	2	2	22	11
				1	3	2	3	3	2	2	4	4	23	12
				1	5	4	5	3	3	5	5	5	35	13
				0	5	3	5	2	3	3	3	4	28	14
				1	3	4	3	4	3	3	3	2	25	15
				1	3	3	3	4	4	3	3	3	26	16
				1	4	3	4	3	5	4	4	4	31	17
				0	5	3	4	2	3	2	2	3	24	18
				0	3	2	2	2	2	2	2	4	19	19
				0	4	3	2	2	2	2	3	4	22	20
				0	5	2	2	3	2	2	2	3	21	21
				0	3	4	5	3	3	3	2	3	26	22
				0	4	3	3	2	3	2	2	4	23	23
				0	5	4	3	2	2	2	3	3	24	24
				0	4	3	3	3	4	3	2	3	25	25
				0	3	2	1	2	3	2	3	4	20	26
				1	5	2	2	3	3	2	4	2	23	27
				1	4	5	6	5	7	5	3	3	38	28
				0	4	3	4	2	2	3	4	4	26	29
				1	4	4	4	3	5	5	4	4	33	30
														31
Среднее	$E_D = 4.13$	$E_H = 4.55$	$E_2 = 4.13$						$K_9 = 350$					

Tomsk

поаіоёу Оіііе

Таблица

С и К - индексов

Суточные характеристики

22665-111

n. 58

Май 1969

22 Дата	Амплитуды			Характер С	К—индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				0	4	3	2	3	3	3	3	3	24	1
				1	4	4	4	2	4	3	6	5	32	2
				0	3	4	5	3	4	3	3	4	29	3
				0	3	3	3	2	3	2	3	2	21	4
				0	4	3	2	3	3	2	3	3	23	5
				0	3	3	3	2	2	3	2	4	22	6
				0	4	2	3	2	3	2	2	3	21	7
				0	3	3	2	2	3	3	2	3	21	8
				0	2	3	4	4	3	2	3	5	26	9
				0	4	3	4	2	3	3	2	3	24	10
				0	4	4	2	3	2	3	2	3	23	11
				0	2	3	2	3	2	3	4	4	23	12
				1	5	4	5	4	4	5	4	4	35	13
				1	5	5	3	5	3	5	6	6	38	14
				2	6	6	5	7	7	6	5	5	47	15
				1	5	4	5	5	5	3	4	4	35	16
				0	3	3	3	5	3	3	3	4	27	17
				1	5	2	3	4	4	5	4	3	30	18
				1	3	2	3	4	4	3	3	3	25	19
				0	3	2	3	4	4	3	3	3	26	20
				0	3	4	3	4	3	3	2	3	25	21
				0	3	3	3	4	4	4	3	3	27	22
				0	3	2	3	4	4	3	2	2	23	23
				0	3	4	3	3	3	3	3	3	25	24
				0	3	3	3	3	2	2	2	3	21	25
				0	2	2	2	3	2	2	2	2	17	26
				0	3	3	2	3	3	2	2	2	20	27
				0	2	3	2	3	3	4	2	2	21	28
				0	3	2	2	4	2	3	3	3	22	29
				0	3	4	4	4	3	5	2	3	28	30
				0	3	3	4	4	3	3	2	3	25	31
Среднее					K ₉ = 350									
					E _D = 4.13 E _H = 4.55 E ₂ = 4.13									

Таблица
С и К-индексов
Суточные характеристики

Июнь 1969

2324711

и. 58

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3-	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				0	3	3	2	3	3	3	3	2	22	1
				0	3	3	3	3	3	3	3	3	24	2
				0	3	3	4	3	2	3	2	2	22	3
				0	3	3	4	3	3	3	3	2	24	4
				0	4	3	3	5	3	2	3	3	26	5
				0	2	2	3	4	3	2	3	4	23	6
				0	3	3	3	4	4	3	3	3	26	7
				0	4	4	4	5	3	3	3	3	29	8
				0	3	4	4	4	4	3	5	4	31	9
				0	4	3	3	3	3	3	2	2	23	10
				0	3	2	4	4	3	3	3	3	25	11
				0	3	5	4	5	3	4	4	3	31	12
				0	4	4	2	4	3	3	4	4	28	13
				1	4	4	5	5	6	5	3	4	36	14
				0	4	3	4	5	3	2	3	3	27	15
				0	3	4	5	5	4	4	3	4	32	16
				0	5	4	5	4	3	4	4	2	31	17
				0	3	3	3	4	2	3	2	3	23	18
				0	3	3	5	3	3	2	2	3	24	19
				0	3	4	4	3	3	3	2	3	25	20
				0	3	3	2	3	3	2	2	2	20	21
				0	2	4	3	2	3	3	2	2	21	22
				0	3	3	4	3	3	3	3	3	25	23
				0	3	3	3	3	3	3	3	3	24	24
				0	3	3	3	4	3	3	4	4	27	25
				0	3	4	4	3	3	3	2	3	25	26
				0	3	4	3	3	3	3	2	3	24	27
				0	3	2	3	2	2	3	3	3	21	28
				0	3	3	3	3	3	2	3	2	22	29
				0	2	2	3	3	3	3	3	3	22	30
														31
Среднее	с 1 по 10	с 10 по 20	с 1 по 10											
	ΣD = 4.12	ΣH = 4.55	ΣX = 4.12											
	с 1 по 30	с 1 по 30	с 1 по 30											
	ΣD = 4.13	ΣH = 4.55	ΣX = 4.12											

K₉ = 350

Tomsk

поаіоёу Оіііё

Таблица
С и К - индексов
Суточные характеристики

Июль 1969 - 4.58

022- Дата	Амплитуды			Характер С	К—индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				1.	3	3	5	3	3	3	5	2	27	1
				0.	3	3	2	2	1	0	1	1	13	2
				0	1	1	1	1	1	1	1	1	8	3
				0	1	1	0	1	1	1	1	2	8	4
				0	1	1	1	1	1	1	1	1	8	5
				0	2	1	1	2	3	2	1	2	14	6
				0	2	1	1	2	3	3	2	2	16	7
				0	2	2	1	1	2	2	2	3	15	8
				0	2	2	3	2	3	2	3	1	18	9
				0	2	3	2	2	4	3	2	3	21	10
				0	2	1	2	2	2	1	3	2	15	11
				0	3	3	3	3	3	2	3	4	24	12
				1	2	3	4	4	3	2	4	3	25	13
				0	2	5	3	4	3	2	3	2	24	14
				0	2	2	3	4	3	2	3	2	21	15
				0	2	2	2	3	2	3	3	3	20	16
				0	2	2	1	2	2	1	1	1	12	17
				0	1	1	1	2	2	1	1	1	11	18
				0	1	1	2	1	0	0	0	0	5	19
				0	1	1	1	3	2	2	2	1	13	20
				0	2	1	2	1	2	2	2	3	15	21
				0	2	1	3	2	2	2	3	3	18	22
				0	2	1	1	2	1	3	2	2	14	23
				0	2	1	2	1	2	2	2	1	13	24
				0	1	0	1	1	2	1	1	2	9	25
				1	2	3	2	5	5	3	3	5	28	26
				1	5	5	4	3	2	2	4	1	26	27
				0	2	1	2	2	1	1	1	2	12	28
				0	2	2	1	2	1	1	1	1	11	29
				1	1	1	2	2	2	4	4	3	19	30
				0	3	2	2	3	2	1	2	1	16	31
Среднее	ε ₂ = 4.12	ε ₄ = 4.58	ε ₂ = 4.13 ε ₂ = 4.12	с.1 по 20 с.21 по 31										

K₉ = 350

Tomsk
Томск

Таблица
Сик индексов

23769-III
н.58

Суточные характеристики

Август 1969

3022 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	1	2	1	2	1	1	1	1	10	1
2				0	2	1	1	1	2	2	3	2	14	2
3				1	3	3	3	4	2	3	4	4	26	3
4				0	3	3	2	3	2	3	3	2	21	4
5				0	3	2	2	3	2	2	2	2	18	5
6				0	3	1	2	3	1	1	1	1	13	6
7				0	2	3	2	3	3	2	3	3	21	7
8				0	2	1	3	4	2	2	2	3	19	8
9				0	3	4	3	3	3	2	2	3	23	9
10				0	1	1	2	3	1	1	0	0	9	10
11				0	0	1	1	2	1	2	2	3	12	11
12				1	3	3	4	4	4	4	1	2	25	12
13				0	3	2	3	2	1	1	1	3	16	13
14				0	1	1	2	3	2	2	2	1	14	14
15				0	0	0	3	1	2	2	2	2	12	15
16				0	1	1	1	1	1	2	1	2	10	16
17				0	3	1	1	3	1	1	2	1	13	17
18				0	2	1	2	2	3	2	1	1	14	18
19				1	3	2	2	3	2	4	4	4	24	19
20				0	2	2	2	1	1	1	2	3	14	20
21				0	1	2	0	1	3	3	2	1	13	21
22				0	1	0	0	2	2	3	2	1	11	22
23				0	3	4	3	2	2	3	3	2	22	23
24				0	0	0	1	3	2	2	2	2	12	24
25				0	0	0	0	0	0	0	0	0	0	25
26				1	2	2	2	5	4	2	2	3	22	26
27				1	4	5	5	5	2	3	3	2	29	27
28				0	2	3	1	1	3	1	3	0	14	28
29				0	0	0	0	0	0	0	0	0	0	29
30				0	0	0	1	0	0	0	1	2	4	30
31				0	0	0	1	0	0	2	0	0	3	31
Среднее	Е0 = 4.12	Е1 = 4.55	Е2 = 4.12		K ₉ = 350									

Tomsk
Tomsk

Таблица
С и К-индексов

Суточные характеристики

24308-III
Сентябрь 1969 г. 58

022 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				0	0	0	0	0	0	0	0	0	0	1
				0	0	0	0	0	0	0	0	0	0	2
				0	0	0	1	2	1	0	2	1	7	3
				0	2	1	1	1	2	1	2	1	11	4
				1	1	0	2	3	5	6	4	5	26	5
				1	5	3	4	4	2	1	2	5	26	6
				1	1	2	2	4	2	3	4	4	22	7
				1	3	3	4	4	4	1	1	1	21	8
				0	1	2	3	2	3	4	1	3	19	9
0				0	2	1	1	1	2	2	3	4	16	10
1				0	4	2	1	2	4	1	3	1	18	11
2				0	2	2	2	2	2	2	1	1	14	12
3				0	1	1	2	1	2	2	2	1	12	13
4				0	1	1	1	2	1	3	4	4	17	14
5				1	4	3	4	2	3	4	2	2	24	15
6				0	3	2	1	1	1	1	1	1	11	16
7				0	1	0	1	3	3	3	4	4	19	17
8				1	3	2	2	3	3	5	5	3	26	18
9				0	3	3	1	1	1	2	1	3	15	19
10				1	2	1	3	3	4	4	1	0	18	20
11				0	1	1	1	1	1	2	1	2	10	21
12				0	2	1	1	1	1	1	1	1	9	22
13				0	2	1	1	1	3	4	4	4	20	23
14				0	2	2	2	2	1	0	1	2	12	24
15				0	1	2	3	1	1	4	2	2	16	25
16				0	2	2	2	1	1	1	1	1	11	26
17				0	1	1	2	0	1	1	3	4	13	27
18				1	2	4	4	6	5	5	5	5	36	28
19				1	2	3	5	5	6	6	6	6	39	29
20				1	7	5	5	7	6	5	6	2	43	30
21														31
Среднее	$\Sigma D = 4.12$	$\Sigma H = 4.55$	$\Sigma x = 4.12$		$K_g = 350$									

Tomsk
Tomsk

Таблица
С и К-индексов
Суточные характеристики Октября 1969

2435000
n:58

Амплитуды				Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				1	3	3	6	6	4	5	3	3	33	1
				1	4	5	2	5	4	5	3	3	31	2
				1	3	3	2	4	5	5	4	2	28	3
				0	3	2	1	2	3	4	2	1	18	4
				0	2	2	1	1	2	1	4	1	44	5
				1	1	2	3	2	4	5	4	3	24	6
				0	2	3	2	1	2	2	1	1	14	7
				0	2	1	1	1	2	1	2	2	12	8
				0	1	1	1	0	1	2	5	5	16	9
				1	3	4	3	3	4	3	5	4	29	10
				0	2	1	1	3	3	3	1	2	16	11
				0	3	2	3	0	4	3	3	1	19	12
				0	1	1	2	3	1	2	3	1	14	13
				0	0	1	1	0	0	1	2	1	6	14
				0	0	1	1	0	1	1	3	0	7	15
				0	1	1	1	1	2	4	3	3	16	16
				0	2	1	1	1	1	0	2	3	11	17
				0	3	2	1	3	0	0	2	1	12	18
				0	2	2	3	2	3	3	2	1	18	19
				0	2	2	0	1	0	0	2	3	10	20
				0	1	0	3	3	2	5	2	2	18	21
				0	2	2	3	2	4	3	1	1	18	22
				0	1	1	1	0	0	1	1	3	8	23
				0	2	2	2	2	3	3	2	3	19	24
				0	2	2	0	0	0	1	2	4	11	25
				0	2	1	2	1	1	1	1	1	10	26
				0	1	1	1	2	3	2	5	4	19	27
				0	2	2	1	1	1	3	3	2	15	28
				0	1	1	0	1	1	0	3	1	8	29
				0	1	1	1	1	1	0	0	1	6	30
				0	2	2	2	2	4	1	1	2	16	31
ΣD = 4.12 ΣH = 4.55 ΣZ = 4.13														
									K _g = 350					

Tomsk

поаіоёу Оііё

Таблица
С и К-индексов
Суточные характеристики

Ноябрь 1969

24638-00

h.58

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				0	0	1	1	0	0	1	1	1	5	1
2				1	2	2	1	1	5	4	4	4	23	2
3				1	4	2	2	2	4	4	4	4	26	3
4				0	1	1	1	2	2	1	2	1	11	4
5				0	2	1	1	2	3	3	1	0	13	5
6				0	0	0	1	1	1	1	1	1	6	6
7				1	3	2	2	2	4	2	4	2	21	7
8				1	2	2	2	1	4	4	5	4	24	8
9				1	3	3	4	6	6	6	4	1	33	9
10				1	1	3	4	4	6	6	5	4	33	10
11				1	3	1	2	4	4	5	3	2	24	11
12				0	3	1	1	2	2	4	2	2	17	12
13				0	1	1	1	2	2	2	3	2	14	13
14				0	1	1	0	0	0	0	0	0	2	14
15				0	0	0	1	0	0	0	1	0	2	15
16				0	0	0	1	0	0	2	2	0	5	16
17				0	1	1	0	0	0	1	1	1	5	17
18				0	1	2	1	0	1	3	3	1	12	18
19				0	0	0	1	0	3	3	3	3	13	19
20				0	1	1	0	0	0	0	0	0	2	20
21				0	0	0	0	0	2	2	1	1	6	21
22				0	2	2	0	2	2	1	3	1	13	22
23				0	1	1	1	0	1	3	2	2	11	23
24				0	0	0	1	3	3	3	3	3	16	24
25				0	1	1	2	2	2	3	2	2	15	25
26				1	3	2	2	1	1	5	4	2	20	26
27				1	2	4	3	4	5	5	5	3	31	27
28				0	2	2	2	2	2	1	3	3	17	28
29				1	2	2	3	2	5	4	4	4	26	29
30				1	3	4	3	3	2	5	5	1	26	30
31														31
INC	$\varepsilon_D = 4.12$	$\varepsilon_H = 4.55$	$\varepsilon_Z = 4.13$						$K_g = 350$					

Tomsk

Tomsk

Таблица
С и К-индексов
Суточные характеристики

24960-18
Декабрь 1969 г. 58

22 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				0	0	0	1	3	3	3	3	2	15	1
				0	1	1	1	1	3	2	2	1	12	2
				0	0	0	1	1	0	0	3	3	8	3
				0	2	1	2	1	4	4	2	2	18	4
				1	0	1	2	4	5	5	5	5	27	5
				1	3	4	3	3	5	3	3	4	28	6
				0	1	0	1	2	1	2	3	3	13	7
				0	0	0	2	1	0	3	3	3	12	8
				0	3	2	2	2	2	4	1	2	18	9
				0	0	1	1	1	1	3	3	4	14	10
				0	4	3	2	2	3	3	2	2	21	11
				0	2	2	1	1	1	1	2	1	11	12
				0	2	1	0	0	1	1	2	1	8	13
				0	1	1	1	2	2	3	2	1	13	14
				0	1	1	1	2	1	3	3	2	14	15
				0	3	2	3	2	3	4	3	2	22	16
				0	2	1	1	1	1	1	2	1	10	17
				0	2	1	1	1	1	1	1	1	9	18
				0	1	1	1	1	1	1	2	1	9	19
				0	1	0	1	0	0	1	0	1	4	20
				0	1	1	0	0	0	0	1	2	5	21
				0	1	0	2	1	4	3	2	2	15	22
				1	1	2	1	2	5	5	4	4	24	23
				0	4	2	1	3	3	1	3	2	19	24
				0	1	2	2	3	4	3	2	1	18	25
				0	2	1	2	1	0	5	3	3	17	26
				0	2	3	2	3	2	2	1	0	15	27
				0	0	0	0	1	1	4	1	0	7	28
				0	1	1	1	1	1	2	0	0	7	29
				0	0	0	1	1	1	1	1	0	5	30
				0	0	0	1	1	0	2	2	1	7	31
Единицы	Е _D = 4.12	Е _H = 4.55	С 1 по 20 Е _Z = 4.13 с 21 по 31 Е _Z = 4.12						К ₉ = 350					