

Vostok
Восток

Таблица
с и к индексов
Суточные характеристики

9685-117
ч. 63
Анварь 1964

A996

Дата	Амплитуды			Характер С	К-индекс									
	ΔD	ΔH	ΔZ		У-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣК	
1				0	2	2	3	2	4	3	3	2	21	
2				1	3	4	6	4	5	4	4	3	33	
3				1	3	3	3	3	3	3	3	3	24	
4				1	3	3	4	3	3	3	2	2	23	
5				0	2	2	3	3	2	2	2	1	17	
6				0	3	3	3	3	3	1	1	1	18	
7				0	2	2	3	3	3	3	1	3	20	
8				0	2	2	2	3	1	1	1	3	15	
9				1	3	3	3	5	4	3	3	3	27	
10				1	4	3	4	3	2	3	2	4	25	
11				0	2	3	3	3	3	2	2	2	20	
12				0	2	3	2	3	3	0	2	2	17	
13				0	3	3	3	2	2	1	1	1	16	
14				-	-	-	-	-	-	-	-	-	-	
15				0	2	2	2	2	2	2	1	3	16	
16				1	4	4	4	4	3	4	2	2	27	
17				1	4	4	4	3	3	2	3	2	25	
18				0	2	3	3	3	3	2	2	1	19	
19				1	2	1	3	4	3	2	3	3	21	
20				0	2	2	3	2	3	2	1	1	16	
21				0	2	2	2	2	1	1	2	1	13	
22				0	2	2	3	3	2	2	0	1	15	
23				0	1	2	3	3	3	2	1	2	17	
24				1	3	3	3	4	3	2	2	2	22	
25				0	3	3	3	3	2	2	3	3	22	
26				0	2	2	3	1	3	1	2	1	15	
27				0	2	2	2	2	2	2	1	2	15	
28				1	2	3	3	4	4	2	4	4	26	
29				1	3	3	4	4	3	3	3	2	25	
30				1	3	3	3	3	2	3	1	2	20	
31				1	2	3	3	4	3	4	4	2	25	
Среднее	$\varepsilon_D = 12.5$	$\varepsilon_H = 9.6$	$\varepsilon_Z = 11.4$		$K_0 = 2000$									ср 20

Vostok

Таблица

с и к индексов

№. № 9960-III

н. 13

Восток

Суточные характеристики февраля 1964г

A996

Дата	Амплитуды			Характер σ	K-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	3	3	2	2	3	1	2	3	19
2				0	3	1	2	2	3	2	1	1	15
3				0	1	2	1	2	2	1	1	1	11
4				1	2	2	5	4	3	3	2	2	23
5				1	1	3	3	3	3	3	3	4	23
6				1	4	4	4	4	4	3	2	3	28
7				1	3	3	3	2	2	3	2	2	20
8				1	4	2	2	3	3	3	4	3	24
9				1	3	4	3	3	3	2	2	3	23
10				0	2	3	2	2	2	2	2	3	18
11				0	2	2	1	1	2	1	0	1	10
12				1	2	1	4	5	4	3	2	3	24
13				1	4	3	4	5	3	2	3	1	25
14				1	2	3	3	3	2	2	2	2	19
15				1	3	2	2	3	3	2	2	2	19
16				1	1	3	2	3	2	1	1	2	15
17				1	1	3	4	3	3	2	1	1	18
18				1	1	2	3	3	3	2	2	1	17
19				0	2	1	1	2	2	1	0	0	9
20				1	1	2	2	3	3	3	4	4	22
21				1	3	4	4	3	3	2	2	1	22
22				1	2	2	1	2	3	2	3	2	17
23				1	2	1	2	2	2	3	3	1	16
24				0	1	2	2	3	3	2	1	2	16
25				1	3	2	2	3	3	3	4	3	23
26				2	3	4	3	3	3	1	1	2	20
27				1	3	3	2	2	2	3	3	1	19
28				2	3	3	4	3	3	3	2	2	23
29				1	2	3	2	3	2	2	1	1	16
30													
31													
Среднее	$\epsilon_D = 3.5$	$\epsilon_H = 9.6$	$\epsilon_Z = 11.3$		$K_s = 2000$								

Ср. 19

Таблица

с и к индексом

10271-III

Vostok

Восток

Суточные характеристики

№ 63

март 1964.

A996

Дата	Амплитуды			Характер σ	K-индекс									
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				0	2	1	2	2	1	1	1	1	11	
2				0	1	2	2	2	1	1	1	1	11	
3				1	1	1	2	2	2	2	1	3	14	
4				2	3	4	4	4	4	4	4	4	31	
5				2	4	4	4	3	3	3	4	4	29	
6				1	3	3	3	3	2	3	1	2	20	
7				1	4	3	3	3	3	2	2	2	22	
8				1	3	3	3	3	3	2	2	3	22	
9				1	3	4	3	2	2	1	1	1	17	
10				0	1	2	2	2	1	1	2	2	13	
11				1	2	3	3	3	3	2	2	1	19	
12				2	4	3	3	3	2	2	1	1	19	
13				1	1	3	2	3	1	1	1	2	14	
14				1	2	2	3	2	2	1	2	2	16	
15				1	3	3	2	2	2	3	2	1	18	
16				0	2	2	2	3	2	1	1	1	14	
17				0	2	2	2	2	2	1	1	1	13	
18				0	2	2	2	1	1	0	1	1	10	
19				0	1	2	2	2	1	0	1	1	10	
20				1	1	2	3	2	2	1	2	3	16	
21				1	3	2	3	2	1	1	2	2	16	
22				1	2	2	3	3	3	3	3	3	22	
23				1	3	3	3	4	3	3	3	2	24	
24				1	3	2	3	3	3	3	2	2	21	
25				1	3	3	3	3	3	2	3	2	22	
26				1	3	4	3	2	2	2	1	1	18	
27				0	1	2	1	2	1	1	1	1	10	
28				0	1	2	2	2	1	0	1	1	10	
29				0	1	3	2	1	1	0	1	1	10	
30				1	3	3	3	3	3	3	3	1	22	
31				0	1	1	1	1	1	1	1	2	9	
Среднее	$\epsilon_D = 12.9$	$\epsilon_H = 9.6$	$\epsilon_Z = 11.7$		$K_g = 2000.$									gp 17

Таблица

№ 10360-105

Vostok
Восток

с к индексом

Суточные характеристики Апрель 1964

и.б.г

1964

A996

Дата	Амплитуды			Характер σ	K-индекс									
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				2	1	2	2	2	3	4	4	4	22	
2				1	3	3	3	2	2	3	2	3	21	
3				1	3	3	3	3	3	3	2	3	23	
4				1	3	2	3	2	2	1	1	3	17	
5				1	2	2	3	3	2	2	2	3	19	
6				1	2	2	2	2	2	1	0	3	14	
7				1	3	1	1	2	3	2	3	2	17	
8				1	2	3	3	3	3	1	1	1	17	
9				0	2	3	3	2	2	1	1	1	15	
10				0	1	1	2	3	2	1	1	1	12	
11				1	2	2	3	3	4	2	2	2	20	
12				0	1	2	1	1	1	1	0	1	8	
13				0	1	2	1	2	1	1	1	1	10	
14				0	1	2	1	1	1	1	1	1	9	
15				1	1	2	2	3	2	2	1	2	15	
16				2	3	2	2	2	2	2	1	1	15	
17				1	3	3	4	3	3	3	1	1	21	
18				1	2	2	1	3	4	3	3	2	20	
19				1	3	3	2	3	3	2	3	3	22	
20				1	3	3	3	2	3	2	2	4	22	
21				1	3	3	2	2	2	1	2	3	18	
22				0	2	2	2	2	1	1	1	1	12	
23				0	1	3	1	1	1	1	1	0	9	
24				0	1	2	1	2	2	1	1	1	11	
25				1	2	2	2	3	3	2	2	3	19	
26				1	3	2	2	3	2	1	1	2	16	
27				1	2	3	3	2	3	3	4	3	23	
28				1	5	4	4	3	3	2	2	2	25	
29				1	5	2	3	3	2	2	3	2	22	
30				1	2	2	2	2	2	3	2	4	19	
31														
Среднее	$\epsilon_D = 12.9$	$\epsilon_H = 9.6$	$\epsilon_Z = 11.4$		$K_s = 2000$									17

Vostok

Таблица с к индексов

11.10344-III

и.63

A996

Восток

Суточные характеристики

май 1964г

Дата	Амплитуды			Характер С	К-индекс									
	ΔD	ΔH	ΔZ		У-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
1				1	3	3	3	4	4	3	2	2	24	
2				1	2	3	3	3	3	2	1	3	20	
3				0	3	3	1	1	1	1	1	1	12	
4				0	2	1	1	2	1	0	1	1	9	
5				0	2	2	2	3	3	1	1	1	15	
6				0	1	1	1	1	1	0	1	1	7	
7				0	1	1	2	2	1	1	0	1	9	
8				0	0	1	1	1	1	0	0	1	5	
9				0	0	1	0	1	1	1	1	1	6	
10				1	1	1	1	1	3	3	3	4	17	
11				1	4	3	2	2	1	1	1	1	15	
12				0	1	1	1	1	1	1	0	1	7	
13				1	1	1	1	1	3	3	3	2	15	
14				1	2	2	2	3	4	4	2	2	21	
15				1	3	3	-	-	-	-	-	-	-	
16				1	3	3	3	3	3	2	3	2	22	
17				1	1	2	3	3	3	2	1	3	18	
18				0	1	2	1	2	2	1	1	1	11	
19				0	1	1	1	1	1	1	2	1	9	
20				0	1	2	1	1	1	1	0	0	7	
21				0	0	1	1	2	1	1	2	1	9	
22				0	1	2	1	1	2	0	1	1	9	
23				0	1	2	2	1	1	1	1	2	11	
24				1	3	3	3	2	3	3	2	4	23	
25				2	3	2	3	5	3	3	3	3	25	
26				0	3	2	1	0	2	1	1	1	11	
27				1	3	3	3	3	2	2	2	3	21	
28				1	2	2	2	2	2	2	1	2	15	
29				1	2	3	2	1	1	1	1	2	13	
30				1	2	2	2	1	2	1	1	3	14	
31				0	2	2	1	1	1	1	1	1	10	
Среднее	$\epsilon_D = 12.9$	$\epsilon_H = 9.6$	$\epsilon_Z = 11.4$		$K_g = 2000.$									$6p = 14$

Vostok
Восток

Таблица
с к индексом
Суточные характеристики

10814-III
и-63
июнь 1964.

Дата	Амплитуды			Характер σ	К-индекс								
	ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	1	1	1	1	2	1	1	1	9
2				0	1	1	1	1	1	1	1	1	8
3				0	1	1	1	1	1	1	0	1	7
4				0	1	1	1	1	1	1	1	1	8
5				0	1	1	1	0	1	1	0	1	6
6				0	0	1	1	1	2	0	0	1	6
7				0	1	1	1	0	1	0	0	2	6
8				0	2	1	2	3	1	0	0	1	10
9				0	2	2	1	1	1	3	0	1	11
10				2	2	4	4	4	3	2	2	7	28
11				2	3	3	3	3	3	3	2	5	25
12				1	4	-	-	-	-	-	-	-	-
13				1	2	2	3	3	1	1	1	2	15
14				0	2	3	2	2	1	1	1	2	14
15				0	3	1	1	1	1	0	0	1	8
16				0	2	2	1	1	1	1	1	1	10
17				0	0	1	1	1	1	1	0	1	6
18				0	1	0	1	2	3	1	1	3	12
19				0	1	1	0	1	0	2	1	2	8
20				1	2	3	1	2	3	2	3	2	18
21				1	4	2	2	2	1	1	3	1	16
22				0	0	0	1	1	2	3	2	2	11
23				0	2	2	2	2	2	1	1	3	15
24				0	2	1	1	0	0	0	2	3	9
25				1	3	3	3	2	2	0	0	0	13
26				0	1	1	2	2	2	2	0	1	11
27				0	0	1	1	1	2	1	1	2	9
28				0	1	1	1	2	2	3	2	1	13
29				0	1	2	1	2	1	2	1	1	11
30				0	1	0	0	1	1	1	1	1	6
31													
Среднее	$\epsilon_D = 12.9$	$\epsilon_H = 9.6$	$\epsilon_Z = 11.4$										$K_3 = 2000$

Vostok
Восток

Таблица
с к индексом
Суточные характеристики июль 1964

10850-III
п.63.

A996

Дата	Амплитуды			Характер	К-индекс									
	ΔD	ΔH	ΔZ		Σ	0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK
1				0	1	1	1	1	0	0	1	0	5	
2				0	1	0	1	1	1	0	0	0	4	
3				1	2	2	2	3	3	2	3	3	20	
4				1	3	3	3	2	2	1	1	1	16	
5				0	2	1	1	2	1	1	1	2	11	
6				0	3	2	2	1	1	1	1	1	12	
7				1	1	3	2	2	3	2	2	3	18	
8				1	3	3	3	3	3	2	5	3	25	
9				1	3	3	3	2	2	2	4	3	22	
10				1	4	3	3	3	3	2	1	0	19	
11				0	2	2	1	2	2	1	1	1	12	
12				0	1	2	2	2	1	1	1	1	11	
13				0	2	2	2	2	2	1	1	1	13	
14				0	1	1	1	1	1	1	1	1	8	
15				0	0	1	0	1	1	1	0	0	4	
16				0	1	1	1	1	1	1	1	1	8	
17				1	2	2	2	2	3	3	3	2	19	
18				1	3	3	2	4	4	2	2	2	22	
19				1	3	3	3	3	2	1	2	2	19	
20				1	3	2	2	3	2	1	1	1	15	
21				0	2	2	1	2	2	1	2	3	15	
22				1	2	3	3	2	2	2	2	2	18	
23				0	3	2	2	2	1	1	2	2	15	
24				0	1	1	1	2	2	1	0	1	9	
25				0	2	2	1	2	2	1	1	1	12	
26				0	1	1	1	1	1	1	1	0	7	
27				0	1	0	0	1	1	0	1	1	5	
28				0	2	1	1	1	0	1	1	0	7	
29				0	2	1	1	2	2	2	1	1	12	
30				1	3	3	3	3	3	2	2	2	21	
31				1	2	2	3	3	2	2	1	1	16	
Среднее	$\Sigma D = 12.9$	$\Sigma H = 96$	$\Sigma Z = 11.7$		$K_0 = 2000$									ср. 14

Vostok
Восток

Таблица
с к индексом
Суточные характеристики

ИНВ. № 11294-III n 63
сентябрь 1964.

Амплитуды			Характер С	К — индекс									Дата A996
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	3	3	3	2	2	3	3	2	21	1
			0	3	2	2	3	2	2	2	2	18	2
			1	3	3	2	2	2	2	3	3	20	3
			1	2	2	2	3	2	1	1	3	16	4
			0	2	2	2	1	2	2	1	1	13	5
			1	2	2	2	2	3	1	3	4	19	6
			1	4	3	4	4	4	3	4	4	30	7
			1	3	3	4	3	3	3	3	3	25	8
			1	3	4	3	3	2	2	3	3	23	9
			1	4	3	2	1	1	1	2	2	16	10
			0	2	3	2	2	1	0	0	1	11	11
			0	2	2	1	1	1	0	0	1	8	12
			0	1	1	2	1	0	0	1	1	7	13
			0	1	1	1	1	0	0	0	1	5	14
			0	1	2	1	1	0	0	0	0	5	15
			1	2	3	2	2	2	3	3	3	20	16
			1	2	2	1	2	3	1	1	1	13	17
			0	2	1	1	1	1	1	1	1	9	18
			0	2	2	1	1	1	1	0	1	9	19
			0	1	2	1	0	0	0	1	2	7	20
			0	1	2	2	2	1	1	1	2	12	21
			2	4	5	3	2	1	1	1	2	19	22
			1	2	3	3	3	2	1	1	2	17	23
			1	1	2	3	3	2	2	3	2	18	24
			0	3	3	3	2	1	1	0	1	14	25
			0	2	1	2	3	2	0	1	1	12	26
			0	1	1	2	1	1	1	1	3	11	27
			2	4	3	5	4	3	4	3	2	28	28
			0	2	2	2	2	2	2	1	2	15	29
			1	2	4	4	3	3	3	2	2	25	30
													31

$\epsilon_D = 12,9$ $\epsilon_H = 9,6$ $\epsilon_Z = 11,4$

$k_g = 2000$

$\omega = 15$

Vostok
Восток

Таблица С и К индексов
Суточные характеристики Ноябрь 1964

ИНВ. № 11659-III

№63.

Амплитуды			Характер С.	К — индекс									Дата А996
ΔD	ΔH	ΔZ		0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	ΣK	
			1	3	3	3	2	3	4	3	4	25	1
			2	4	5	4	3	3	2	2	3	26	2
			1	3	3	2	2	2	2	1	2	17	3
			1	3	3	3	3	3	3	2	3	23	4
			1	4	3	3	3	3	3	3	2	24	5
			1	2	2	3	3	2	2	2	2	18	6
			1	2	2	2	3	2	1	1	2	15	7
			1	3	3	4	3	3	2	3	3	24	8
			2	4	5	4	3	3	3	3	3	28	9
			1	4	3	3	2	2	2	2	2	20	10
			1	3	2	3	3	3	2	2	2	20	11
			1	4	3	2	3	3	2	3	3	23	12
			0	2	2	3	2	2	2	1	1	15	13
			0	2	2	2	2	2	1	1	1	13	14
			1	2	1	2	2	3	4	4	4	22	15
			1	4	3	3	4	3	3	2	4	26	16
			1	2	3	4	3	3	3	2	2	22	17
			1	3	2	4	3	3	3	2	4	24	18
			1	3	3	2	2	2	2	2	2	18	19
			1	2	3	3	3	2	2	2	1	18	20
			0	3	3	3	2	2	1	1	2	17	21
			1	3	3	4	4	4	2	1	2	23	22
			2	2	4	4	4	4	3	2	2	25	23
			1	3	2	2	2	3	2	2	2	18	24
			1	2	1	3	2	3	1	3	2	17	25
			1	2	2	3	3	3	3	2	1	19	26
			1	2	3	3	3	2	2	3	2	20	27
			2	4	4	4	5	4	3	3	2	29	28
			1	3	2	3	3	3	2	2	3	21	29
			2	5	4	4	3	3	3	2	3	27	30
													31
$\epsilon_D = 12,9$			$\epsilon_H = 9,6$			$\epsilon_Z = 11,4$			$K_g = 2000$			Ср. 21	

