

Yakutsk  
Якутск

Таблица с к индексов  
Суточные характеристики

Январь 1967

18570-117

n=49

Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
1				1	1	2	1	3	3	6	3	3	22	1
2				0	1	1	1	1	1	2	3	1	11	2
3				1	1	2	1	3	4	3	2	0	16	3
4				0	0	0	0	0	2	0	1	1	4	4
5				0	1	1	0	1	2	1	0	0	6	5
6				0	1	1	2	2	1	0	1	1	9	6
7				1	1	0	3	3	6	4	6	3	26	7
8				1	3	5	5	5	4	6	5	2	35	8
9				0	1	2	2	1	4	4	3	2	19	9
10				0	2	0	0	0	2	2	3	2	11	10
11				1	3	2	2	2	6	5	5	3	28	11
12				0	1	1	0	1	0	0	1	1	5	12
13				1	1	1	2	2	6	3	4	6	25	13
14				1	7	4	5	5	2	2	1	1	27	14
15				0	3	1	1	4	4	3	4	3	23	15
16				0	2	2	2	4	4	4	2	2	22	16
17				0	1	1	0	1	1	3	1	1	9	17
18				0	0	1	1	1	3	2	3	1	12	18
19				0	1	0	0	1	1	1	3	3	10	19
20				0	1	1	2	2	4	3	3	2	18	20
21				0	1	1	1	3	3	4	2	1	16	21
22				0	2	1	1	1	1	2	2	2	12	22
23				0	1	1	1	1	1	1	3	1	10	23
24				0	0	1	0	1	2	0	0	1	5	24
25				0	2	2	0	2	3	3	0	1	13	25
26				0	1	1	1	1	3	0	0	1	8	26
27				0	1	1	0	1	1	0	1	1	6	27
28				0	1	2	3	3	2	1	3	2	17	28
29				0	2	1	1	0	0	2	2	1	9	29
30				0	0	2	1	0	2	1	1	2	9	30
31				0	1	0	0	0	0	0	1	1	3	31
e	c1 n 10 E <sub>D</sub> =3,12 c10 n 31 E <sub>D</sub> =3,10	c1 n 20 E <sub>n</sub> =5,92 c21 n 31 E <sub>n</sub> =5,89	c1 n 10 E <sub>2</sub> =4,34 c11 n 31 E <sub>2</sub> =4,33		K <sub>g</sub> =550									

# Yakutsk Таблица с к индексом

## Якутск Суточные характеристики

18550-11  
и.ч.г  
Февраль 1967

124 Дата	Амплитуды			Характер С	К-индекс									Дата
					0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
				0	2	1	2	2	3	2	0	1	13	1
				0	1	1	1	0	2	1	3	2	11	2
				0	2	0	1	3	2	1	1	2	12	3
				1	2	1	2	1	3	3	7	4	17	4
				1	4	2	1	2	1	4	1	3	18	5
				0	1	2	1	1	2	3	2	2	14	6
				2	2	2	1	1	1	5	6	6	24	7
				2	5	5	3	7	7	4	3	4	38	8
				0	2	2	2	0	1	1	1	2	11	9
				0	1	1	1	0	1	0	0	1	5	11
				0	2	3	3	3	3	1	2	2	19	11
				0	1	1	1	1	2	0	1	2	9	12
				0	2	2	1	0	1	4	3	2	15	13
				0	2	1	1	1	1	1	2	1	10	14
				0	2	1	1	0	0	1	1	2	8	15
				2	3	2	4	7	7	5	5	3	36	16
				1	2	2	2	5	4	4	3	3	25	17
				0	1	1	1	3	3	0	1	1	11	18
				0	1	2	0	1	3	3	2	1	13	19
				0	1	2	1	2	2	2	2	2	14	20
				0	1	0	1	1	3	3	3	2	14	21
				0	3	1	2	3	4	2	3	3	21	22
				1	3	1	1	2	3	4	5	3	22	23
				0	1	1	1	0	0	1	3	1	8	24
				1	1	4	2	2	1	4	4	1	19	25
				1	3	2	2	4	2	3	2	2	20	26
				0	1	3	2	1	1	3	2	1	14	27
				0	2	2	2	1	0	1	1	3	12	28
														29
														30
														31

  

с1 нс 10	с1 нс 10	с1 нс 20	K <sub>g</sub> = 550
ε <sub>p</sub> = 3,10	ε <sub>n</sub> = 5,89	ε <sub>2</sub> = 4,52	
с11 нс 20	с11 нс 20	с21 нс 31	
ε <sub>p</sub> = 3,09	ε <sub>n</sub> = 5,90	ε <sub>2</sub> = 4,54	
с21 нс 31	с21 нс 31		
ε <sub>p</sub> = 3,11	ε <sub>n</sub> = 5,81		

12590-III

Yakutsk Таблица с индексов  
Якутск Суточные характеристики

Март 1967

и.ч.9

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	2	2	1	1	4	2	1	1	14	1
			0	1	2	1	2	2	3	1	3	15	2
			0	1	2	1	3	4	2	1	2	16	3
			0	2	2	0	0	2	3	1	2	12	4
			0	2	2	1	0	3	4	2	3	17	5
			0	3	2	1	1	3	3	3	3	19	6
			0	1	2	2	0	4	0	2	2	13	7
			0	0	2	1	0	0	0	2	2	7	8
			1	2	1	2	2	3	3	3	4	20	9
			0	4	3	0	2	2	1	2	2	16	10
			0	1	1	1	1	0	0	0	1	5	11
			0	1	1	1	1	0	0	0	1	5	12
			0	2	1	1	2	1	2	1	2	12	13
			0	1	0	1	1	0	2	3	3	11	14
			0	2	1	1	0	1	2	0	1	8	15
			0	1	1	0	1	1	3	2	2	11	16
			0	2	1	1	0	0	1	2	2	9	17
			1	1	3	2	3	4	5	4	2	24	18
			1	3	2	1	1	4	5	3	5	24	19
			1	2	1	2	3	4	3	4	3	22	20
			0	3	3	0	2	4	1	3	2	18	21
			0	2	0	1	0	0	0	1	2	6	22
			0	1	2	1	0	0	2	3	2	11	23
			0	1	1	0	0	2	0	1	2	7	24
			0	1	2	1	0	0	1	1	2	8	25
			0	1	0	0	0	2	2	1	2	8	26
			1	3	2	1	2	4	4	3	3	22	27
			1	2	2	4	4	3	2	1	2	20	28
			1	2	2	1	1	2	4	1	1	14	29
			1	3	1	1	2	3	3	3	3	19	30
			0	3	1	0	0	0	1	1	2	8	31

c1 no 20  $\epsilon_0 = 3,06$   
 c21 no 31  $\epsilon_0 = 3,09$   
 c1 no 20  $\epsilon_n = 5,88$   
 c21 no 31  $\epsilon_n = 5,87$   
 $\epsilon_2 = 4,30$

$K_g = 550$

Yakutsk  
Якутск

Таблица с. к. к. индексов  
Суточные характеристики

18630-III

Апрель 1967 г. ч. 49

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	1	2	2	5	4	2	4	4	24	1
			1	3	1	2	4	4	3	3	2	22	2
			0	3	2	2	0	0	1	0	2	10	3
			1	2	3	2	2	5	3	3	2	22	4
			1	2	3	3	3	2	3	1	2	19	5
			1	3	2	2	4	5	4	1	1	22	6
			0	2	2	1	0	0	1	3	1	40	7
			0	3	2	2	1	2	1	2	2	15	8
			0	2	2	0	1	2	1	1	2	11	9
			0	3	1	1	0	1	2	3	2	13	10
			0	1	2	1	1	2	2	2	2	13	11
			0	2	1	0	1	1	0	0	1	6	12
			0	2	1	2	0	0	0	1	2	8	13
			0	2	0	0	0	0	1	1	1	5	14
			0	2	0	0	0	1	1	2	2	8	15
			1	1	3	2	2	3	3	4	2	20	16
			0	3	1	1	2	3	2	1	2	15	17
			0	2	1	2	2	2	1	2	3	15	18
			1	3	3	2	5	3	3	3	3	25	19
			1	2	2	1	3	4	2	3	1	18	20
			0	3	2	2	3	1	4	1	2	18	21
			1	3	3	4	4	3	3	3	2	25	22
			1	3	2	1	2	1	4	5	3	21	23
			1	5	4	3	6	5	4	4	3	34	24
			0	3	1	2	2	1	0	0	2	11	25
			0	2	2	1	2	2	1	1	2	13	26
			0	2	2	1	1	0	0	0	1	7	27
			0	2	2	1	0	1	0	0	1	7	28
			0	2	2	1	2	2	2	2	3	16	29
			0	3	0	1	1	2	0	1	2	10	30
													31

c1 no 10 E0 = 3,08  
 c11 no 20 E4 = 5,92  
 E0 = 3,10  
 c21 no 30 E4 = 5,90  
 E0 = 3,11

c1 no 10 E2 = 4,30  
 c11 no 20 E2 = 4,34  
 c21 no 30 E2 = 4,35

Kg = 550

Yakutsk  
Якутск

Таблица с-к индексов  
Суточные характеристики

18841-1/1  
Май 1967 г. 49

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	2	3	2	2	2	1	4	4	20	1
			1	2	2	2	4	3	4	4	4	25	2
			2	4	5	5	7	7	7	5	3	43	3
			1	3	2	2	3	4	2	2	2	20	4
			0	3	2	1	2	2	2	1	3	16	5
			0	2	2	0	1	2	2	2	2	13	6
			1	3	3	3	4	1	1	1	1	17	7
			0	2	1	0	2	3	2	3	1	14	8
			0	2	2	2	2	2	1	1	1	13	9
			0	3	2	2	1	2	3	2	2	17	10
			0	3	2	1	1	1	1	2	3	14	11
			0	3	3	2	2	2	2	3	3	20	12
			0	3	2	2	1	3	2	2	2	17	13
			0	3	2	1	1	2	3	3	3	18	14
			0	3	2	1	1	2	2	2	2	15	15
			0	2	2	1	1	2	2	2	2	14	16
			0	4	3	1	2	2	1	3	3	19	17
			0	3	1	2	2	2	1	2	3	16	18
			0	3	3	2	3	3	1	1	2	18	19
			0	2	2	2	2	1	1	2	2	14	20
			0	2	2	2	2	1	2	2	3	16	21
			0	3	2	1	2	0	0	1	1	10	22
			1	2	2	1	1	2	2	3	3	16	23
			1	3	1	2	2	2	2	4	2	18	24
			2	3	2	2	5	7	6	8	8	41	25
			2	8	6	7	7	7	3	3	4	45	26
			1	4	3	3	3	3	2	3	3	24	27
			1	3	4	4	4	3	4	5	5	32	28
			1	5	4	6	6	6	2	2	2	33	29
			1	3	2	3	3	5	5	6	5	32	30
			1	6	4	3	2	1	2	3	2	23	31

с1 no 20 E<sub>D</sub> = 3,10  
с21 no 31 E<sub>D</sub> = 3,06  
с1 no 10 E<sub>H</sub> = 5,89  
с11 no 20 E<sub>H</sub> = 5,90  
с21 no 31 E<sub>H</sub> = 5,89  
с1 no 10 E<sub>Z</sub> = 4,32  
с11 no 20 E<sub>Z</sub> = 4,31  
с21 no 31 E<sub>Z</sub> = 4,32

K<sub>g</sub> = 550

Yakutsk  
Якутск

Таблица с их индексов  
Суточные характеристики

189818 III п9

июнь 1967.

Амплитуды			Характер С	К-индекс								Дата	
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		К
			0	1	2	2	2	1	1	2	2	13	1
			0	2	1	2	2	2	3	3	2	17	2
			0	2	2	2	1	2	3	2	2	16	3
			0	2	2	3	2	3	3	3	3	21	4
			1	3	2	1	4	4	3	5	5	27	5
			1	6	3	2	2	2	2	4	4	25	6
			1	4	3	5	2	2	1	2	2	21	7
			1	3	2	1	4	5	3	4	3	25	8
			0	3	3	3	4	1	1	2	4	21	9
			0	3	1	3	2	0	1	2	2	14	10
			0	1	2	2	1	2	2	4	3	17	11
			0	2	2	2	1	2	2	1	2	14	12
			0	3	2	2	1	2	1	2	3	16	13
			1	3	2	3	3	4	2	3	3	23	14
			1	4	2	2	1	1	1	2	3	16	15
			0	2	2	2	2	3	1	2	2	16	16
			1	2	1	1	2	2	3	3	2	16	17
			0	3	2	2	1	1	0	1	1	11	18
			0	2	2	2	0	3	2	2	2	15	19
			0	2	1	2	2	1	1	1	1	11	20
			0	1	2	3	1	1	2	2	3	15	21
			0	3	2	2	2	2	1	1	2	15	22
			0	3	2	2	1	0	1	2	2	13	23
			0	1	1	0	1	1	1	1	2	8	24
			1	3	3	3	2	2	3	5	5	26	25
			1	5	2	3	3	2	4	3	2	24	26
			1	4	3	3	3	2	2	3	3	23	27
			1	3	3	2	3	2	2	3	2	20	28
			1	1	2	2	1	2	3	2	2	15	29
			1	3	1	3	3	2	2	2	3	19	30
													31

no 10 c1 no 10  
= 3,12 E<sub>1</sub> = 5,92 K<sub>2</sub> = 4,50  
no 30 c11 no 20  
0 = 3,08 E<sub>1</sub> = 5,88  
c21 no 30  
E<sub>2</sub> = 6,92

K<sub>9</sub> = 550

Yakutsk  
Якутск

Таблица с к индексов  
Суточные характеристики

18958 III n 49

июль 1967

Амплитуды			Характер С	К-индекс								Дата	
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		К
			Г	3	2	4	4	2	4	4	2	25	1
			0	3	2	2	1	0	0	1	2	11	2
			0	3	2	2	2	0	1	2	1	13	3
			0	2	1	0	2	1	1	2	3	12	4
			1	3	3	3	3	4	3	2	2	23	5
			0	2	2	1	2	2	2	2	4	17	6
			0	3	3	1	1	1	1	2	3	15	7
			0	3	2	0	2	2	1	0	2	12	8
			0	2	1	2	1	2	0	2	2	12	9
			0	1	1	1	1	2	1	1	3	11	10
			1	4	3	2	3	3	3	4	3	25	11
			0	3	3	2	2	2	2	2	2	18	12
			0	2	3	0	2	1	2	3	3	16	13
			0	3	3	3	2	3	1	2	2	19	14
			0	2	2	2	0	2	2	3	2	15	15
			0	2	3	2	2	0	0	1	2	12	16
			0	2	1	1	2	1	1	3	2	13	17
			1	1	2	3	3	3	2	2	2	18	18
			0	2	3	1	2	1	1	0	2	12	19
			0	3	2	1	2	3	2	2	3	18	20
			0	2	2	1	2	2	2	2	2	15	21
			0	2	2	2	1	2	1	1	2	13	22
			1	1	2	2	2	2	2	3	4	18	23
			1	3	2	2	1	1	1	4	3	17	24
			0	3	2	2	2	3	2	4	3	21	25
			0	3	2	1	1	1	1	1	2	12	26
			0	2	1	1	2	1	1	2	2	12	27
			0	3	2	2	3	3	4	4	3	24	28
			1	3	4	2	2	1	3	2	4	21	29
			0	4	3	3	2	2	1	1	1	17	30
			0	1	1	1	1	0	0	1	1	6	31

cI no 10  
 $\epsilon_0 = 3.06$   
 cII no 31  
 $\epsilon_0 = 3.07$   
 cI no 10  
 $\epsilon_1 = 5.15$   
 cII no 31  
 $\epsilon_1 = 5.90$   
 cI no 10  
 $\epsilon_2 = 4.28$   
 cII no 31  
 $\epsilon_2 = 4.27$

$K_g = SSO$

Амплитуды			Характер С	К-индекс								Дата	
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24		К
			0	2	1	1	1	2	2	1	2	12	1
			0	2	2	1	2	1	1	1	2	12	2
			0	1	2	2	2	1	1	2	2	13	3
			0	2	2	2	2	2	3	2	2	17	4
			0	4	1	1	3	3	3	2	3	20	5
			0	2	2	2	4	1	1	2	3	17	6
			0	3	2	2	3	2	2	2	3	19	7
			1	3	2	2	2	3	3	3	3	21	8
			0	3	2	1	2	2	2	1	2	15	9
			1	2	2	1	3	4	3	2	3	20	10
			1	4	3	3	3	4	4	4	3	28	11
			0	3	2	2	2	1	2	2	2	16	12
			0	2	1	1	2	2	3	2	2	15	13
			0	2	2	3	3	2	2	2	3	19	14
			0	2	3	1	3	2	2	2	2	17	15
			0	3	2	3	2	3	3	2	3	21	16
			0	3	3	2	4	4	3	2	2	23	17
			0	4	3	3	2	3	2	3	3	23	18
			0	4	2	2	2	3	2	3	2	20	19
			0	2	2	2	4	3	3	2	3	21	20
			0	2	2	2	2	3	3	2	2	18	21
			0	2	2	1	2	2	2	2	2	15	22
			0	3	2	1	2	1	2	3	1	15	23
			0	3	2	2	3	2	1	2	2	17	24
			0	2	2	3	2	2	4	3	4	22	25
			0	4	3	2	2	2	2	3	3	21	26
			0	3	3	2	2	1	2	1	3	17	27
			0	2	2	1	1	2	2	2	2	14	28
			0	2	2	1	2	3	0	2	2	14	29
			0	1	3	2	2	4	2	3	3	20	30
			0	3	2	3	3	2	2	2	3	20	31

$\epsilon_D = 3.07$   $\epsilon_h = 5.90$   $\epsilon_2 = 4.27$

$K_g$  S50



Үкүтүк  
Якутук

Таблица с н к индексов  
Суточные характеристики

19257-14

сентябрь 1967 г. 49

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	3	3	3	2	5	3	4	5	28	1
			1	3	3	3	6	5	4	2	2	28	2
			0	2	2	0	3	2	3	2	2	16	3
			0	2	2	2	1	3	2	2	1	15	4
			0	3	2	2	2	1	1	3	2	16	5
			0	2	3	1	1	2	1	3	3	16	6
			1	2	3	1	0	1	4	2	2	15	7
			1	3	3	1	2	4	3	3	3	22	8
			0	3	3	2	2	2	0	3	2	17	9
			0	2	1	1	0	0	1	1	2	8	10
			0	2	1	2	2	0	2	1	2	12	11
			0	1	1	0	1	1	0	1	1	6	12
			1	2	4	4	5	4	4	4	3	30	13
			1	3	2	2	4	5	3	4	3	26	14
			0	3	2	3	2	1	2	2	3	18	15
			0	2	3	1	1	3	3	2	2	17	16
			0	3	2	2	1	1	3	3	2	17	17
			1	2	2	2	3	3	2	3	4	21	18
			1	3	2	2	1	4	3	5	4	24	19
			1	2	2	4	6	6	4	4	4	32	20
			1	4	5	5	6	6	6	5	5	42	21
			0	3	3	1	1	1	3	2	1	15	22
			0	0	2	1	2	3	0	0	1	9	23
			0	1	1	0	2	3	4	2	2	15	24
			0	1	0	1	1	1	1	3	3	11	25
			0	0	1	0	1	0	1	3	2	8	26
			0	2	1	1	1	3	3	2	2	15	27
			1	2	2	4	7	4	5	4	5	33	28
			1	5	4	5	6	5	6	6	5	42	29
			1	4	4	4	6	6	5	3	3	35	30
													31

$c_1 \text{ no } 20$   
 $E_D = 3,08$   
 $c_{21} \text{ no } 30$   
 $E_D = 3,10$

$c_1 \text{ no } 10$   
 $E_1 = 5,84$   
 $c_{11} \text{ no } 30$   
 $E_1 = 5,90$

$c_1 \text{ no } 10$   
 $E_2 = 4,24$   
 $c_{11} \text{ no } 20$   
 $E_2 = 4,28$   
 $c_{21} \text{ no } 30$   
 $E_2 = 4,31$

$K_B = 550$

Yakutsk itsk  
Якутск

Таблица с к индексов  
Суточные характеристики

19812 М  
октябрь 1967, и. 49

24 га	Амплитуды			Характер С	К-индекс								Дата	
					0-3	3-6	6-9	9-12.12-15	15-18	18-21	21-24	К		
				1	3	3	3	5	3	1	2	1	21.	1
				0	1	2	1	2	3	3	4	2	18	2
				0	1	2	1	1	3	1	2	3	14	3
				0	2	2	1	1	1	0	1	3	11	4
				0	2	3	2	1	1	2	3	2	16	5
				0	2	2	2	0	3	1	0	1	11	6
				0	2	3	1	3	3	2	2	2	18	7
				1	1	2	1	2	5	3	4	2	20	8
				1	3	2	2	2	3	3	5	5	25	9
				1	5	4	3	4	5	4	4	4	33	10
				0	2	2	1	2	4	3	2	2	18	11
				0	4	3	3	3	1	4	1	4	23	12
				0	4	3	0	2	2	3	3	2	19	13
				0	2	2	2	3	3	4	5	4	25	14
				0	4	3	2	2	0	1	2	2	16	15
				0	2	3	2	1	2	1	3	2	16	16
				0	2	1	2	3	3	2	3	3	19	17
				0	2	2	2	3	1	0	0	2	12	18
				0	2	2	2	1	2	2	2	1	14	19
				0	2	1	2	1	1	0	1	1	9	20
				0	1	2	2	1	0	0	0	1	7	21
				0	1	1	2	1	0	1	3	3	12	22
				0	3	3	2	3	4	2	3	2	22	23
				0	2	2	3	3	3	2	2	1	18	24
				0	1	2	1	2	0	2	1	2	11	25
				0	2	2	1	1	0	2	2	1	11	26
				0	2	2	3	3	4	3	4	2	23	27
				1	3	3	3	5	5	3	3	4	24	28
				1	3	3	2	4	5	5	4	3	24	29
				0	3	5	2	1	3	3	1	2	20	30
				0	2	2	2	0	3	2	2	1	14	31

c1 no 10 E<sub>D</sub> = 3,10  
 c11 no 20 E<sub>u</sub> = 5,85  
 E<sub>D</sub> = 3,09  
 c21 no 31 E<sub>u</sub> = 5,80  
 E<sub>D</sub> = 2,98  
 c1 no 10 E<sub>u</sub> = 4,32  
 c11 no 20 E<sub>u</sub> = 4,20  
 c21 no 31 E<sub>u</sub> = 4,30

K<sub>g</sub> = 550

Yakutsk  
Якутск

Таблица С и К  
Суточные характеристики

Ноябрь

1965-11  
1967. и.ч. 9

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			0	2	0	1	0	0	1	2	2	8	1
			1	3	1	1	2	2	3	5	4	21	2
			1	2	2	2	3	4	5	6	4	28	3
			0	3	2	1	3	2	1	1	2	15	4
			1	2	1	3	4	3	3	5	2	23	5
			0	1	1	1	2	0	1	1	1	8	6
			0	1	1	1	1	2	2	1	1	10	7
			1	4	3	2	1	3	4	4	4	25	8
			1	3	1	0	4	5	3	4	1	21	9
			0	1	1	0	1	3	2	2	1	11	10
			1	2	2	1	1	2	2	4	5	19	11
			1	3	3	3	4	3	3	4	4	27	12
			1	2	3	2	4	3	4	4	3	25	13
			1	2	2	2	2	2	3	2	2	17	14
			1	1	1	1	2	3	4	4	3	19	15
			0	2	2	2	1	3	3	2	2	17	16
			0	1	1	1	0	0	0	0	1	4	17
			0	1	1	0	0	1	2	1	1	7	18
			0	1	0	1	1	0	2	1	0	6	19
			0	1	1	0	0	0	0	0	0	2	20
			0	1	0	0	0	0	0	1	4	6	21
			1	1	2	4	4	4	1	2	1	19	22
			1	2	1	2	2	4	2	2	2	17	23
			1	3	2	3	2	4	4	4	4	26	24
			1	3	2	0	3	4	4	3	3	22	25
			1	2	2	1	0	4	2	3	3	17	26
			0	1	1	2	1	2	2	3	4	16	27
			1	3	3	2	2	3	3	4	5	25	28
			1	3	3	3	3	5	2	3	1	23	29
			1	1	1	3	4	2	2	5	4	22	30
													31

$N_g = 550$

C1 no 10 E<sub>1</sub>=3,08  
 C1 no 10 E<sub>2</sub>=5,84  
 C1 no 10 E<sub>3</sub>=4,27  
 C11 no 20 E<sub>1</sub>=3,07  
 C11 no 20 E<sub>2</sub>=5,85  
 C11 no 20 E<sub>3</sub>=4,26  
 C21 no 30 E<sub>1</sub>=3,09  
 C21 no 30 E<sub>2</sub>=5,87  
 C21 no 30 E<sub>3</sub>=4,27

Yakutsk  
Якутск

Таблица С и К

20079-ИТ

4.49

Суточные характеристики

Декабрь 1967 г.

Амплитуды			Характер С	К-индекс									Дата
				0-3	3-6	6-9	9-12	12-15	15-18	18-21	21-24	К	
			1	4	2	3	6	5	4	6	5	35	1
			1	4	4	2	2	4	3	1	2	22	2
			1	1	1	2	2	4	4	2	3	19	3
			0	2	2	2	1	2	2	2	2	15	4
			1	1	2	0	1	2	3	4	4	17	5
			1	2	3	3	3	5	4	4	5	29	6
			1	5	2	3	4	5	5	4	2	30	7
			1	2	3	3	3	4	5	5	4	29	8
			0	2	2	1	1	3	3	4	3	19	9
			0	2	2	2	3	2	0	0	1	12	10
			0	2	2	1	1	1	2	0	1	10	11
			0	1	1	1	1	0	2	3	2	11	12
			0	2	1	1	1	1	2	3	1	12	13
			0	0	0	1	2	2	3	0	1	9	14
			1	2	2	1	2	3	3	4	4	21	15
			1	2	2	1	2	1	2	4	3	17	16
			1	2	1	3	5	3	3	2	2	21	17
			1	3	3	4	2	5	4	5	2	28	18
			1	2	2	3	3	4	5	6	6	31	19
			1	3	4	3	5	6	6	4	2	33	20
			1	2	2	2	5	4	3	3	3	24	21
			0	2	2	2	3	3	2	3	4	21	22
			1	3	2	2	2	3	4	4	2	22	23
			0	2	1	0	3	3	2	3	1	15	24
			0	1	1	1	0	3	1	0	1	8	25
			1	2	1	0	0	2	2	2	0	9	26
			1	3	1	1	2	4	3	0	1	15	27
			0	1	0	0	0	0	0	4	2	7	28
			0	2	1	1	1	1	1	0	2	9	29
			1	1	1	1	2	4	3	4	3	19	30
			2	3	3	5	6	6	7	6	6	42	31
с1 no 20	с1 no 20	с1 no 20	-										
$\bar{D}=3.09$	$E_H=5.86$	$E_2=4.26$											
с2 no 31	с2 no 31	с2 no 31											
$\bar{D}=3.10$	$E_H=5.89$	$E_2=4.33$											
$K_g = 550$													