

# МЕЖДУНАРОДНЫЙ ГЕОФИЗИЧЕСКИЙ ГОД



№ 02 Мггц июль 1962  
(длина волны) (единица) (месяц) (год)

НИИФИ  
(институт)

Станция Горький НИИФИ

Кем составлена Климкиной

Долгота 56° 09' N широта 44° 17' E

## ИОНОСФЕРНЫЕ ДАННЫЕ

Кем подсчитана Барановой

полное время 45° E

Дни	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	4.7	4.3	3.8	3.7	3.9	4.3	4.6	5.0	5.2	5.0	5.4	5.7	5.5	5.2	5.2	5.1	5.1	5.1	5.0	5.3	5.3	6.4F	6.7	U6.4R	
2	5.5	5.0	4.4	4.0	4.0	4.5	5.1	5.4	6.3	5.7	5.8	5.6	5.7	5.8	5.5	C	C	A I 4.8A	4.9	5.2	6.4	6.8	6.4		
3	A	5.0	U 4.4R	3.8	4.0	4.5	4.8	5.0	5.2	5.2	5.5	5.5	5.3	5.3	U 5.4R	5.2	I 5.1C	I 4.8C	4.8	5.0	5.2	5.5	5.9	5.4	
4	4.8	4.1	3.8	3.8	3.8	4.6	4.9	5.3	U 6.3R	6.6	6.5	6.6	6.6	6.0	5.5	5.5	5.3	6.0	6.3	5.7	U 5.4R	F	5.9	U 5.4R	
5	4.7	U 3.7F	U 3.5F	U 3.3F	3.5	3.8F	U 4.4R	4.5	U 4.6R	E 4.1G	5.1	I 5.1R	5.5	5.4	5.9	5.3	4.9F	U 4.7A	4.7	4.9	5.1	5.3	F	U 5.0R	
6	4.6	4.0F	3.8	3.6	3.8	4.6	5.3	5.8	5.2	6.3	7.0	H	5.9	5.9	5.8	5.9	5.7	U 5.3S	5.5	5.6	5.3	5.5	5.8	5.7	
7	5.3	4.9	4.3	4.2	4.1	4.7	E 4.1G	D 4.4R	5.5	5.5	D 5.0R	5.3	5.4	I 5.3C	5.3	5.3	5.2	5.1	U 4.9R	4.7	U 4.9R	5.2	5.3	U 5.1R	
8	4.9	4.6	3.9	3.7	3.8	4.2	4.9	U 5.3R	5.3	5.9	6.1	5.9	6.4	6.1	5.7	5.3	5.5	5.4	U 5.3R	U 5.3S	C	C	C	C	
9	C	C	S	S	U 4.2S	4.9	6.3	U 5.4S	6.0	5.6	5.6	5.9	6.5	6.3	6.1	5.5	5.6	5.3	5.1	I 5.3S	5.5	C	C	C	
10	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
11	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	5.4	5.9	5.7	5.4	U 5.2C
12	C	C	C	U 3.3C	D 2.8C	I 4.7C	5.1	I 5.3A	I 5.5A	U 5.7R	5.9	C	C	C	C	C	C	C	C	C	C	C	C	C	
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	5.1	5.1	5.7	6.0	5.1
14	4.8	4.5	3.7	3.2	3.2	3.8	4.4	4.5	5.3	5.5	5.1	5.2	D 5.0R	5.0	U 5.2R	U 5.3R	5.2	4.9	5.0	5.1	5.2	5.8	5.8	5.5	
15	5.0	U 4.3F	F	3.9F	4.2F	4.8	4.7	5.3	5.2	5.6	5.3	5.7	5.6	5.7	5.2	5.4	5.3	5.2	5.3	I 5.3C	5.3	U 5.8R	6.0	5.4	
16	4.6	I 4.1A	3.8	3.7F	4.0	4.4	4.5	5.0	5.2	5.1	5.8	I 5.7A	5.7	5.6	5.4	5.5	5.2	5.3	5.4	5.0	4.8	5.0	5.6	F	
17	5.0F	4.4R	4.2F	U 3.7F	4.3	4.7	5.2	U 5.6R	5.4	5.9	5.9	6.2	6.8	6.1	5.5	5.2	5.3	5.3	5.7	5.8	5.7	6.1	6.0	U 5.5R	
18	4.8	4.4F	4.4	4.2	U 4.3F	4.8	5.3	5.5	5.9	6.6	5.7	6.0	U 6.1R	6.0	5.9	5.8	5.7	I 5.5C	I 5.1R	U 5.5R	5.6	6.6	6.4	U 6.3R	
19	5.6	4.8	4.6	4.3	4.2	4.4	4.9	5.5	5.9	6.3	5.9	6.4	6.0	5.7	6.0	5.6	5.6	5.6	5.3	5.1	5.3	6.0	5.8	5.4	
20	4.5	4.0	C	C	C	3.9	4.3	D 4.5R	4.7	5.1	U 5.5R	5.5	4.7G	U 5.4R	5.6	4.9	4.8	4.8	4.8	4.9	4.8	4.3	5.1	5.0	
21	4.6	3.7F	3.3	3.4	3.3	3.7	4.4	I 4.7A	5.1	4.9	5.4	5.7	5.5	5.5	I 5.1R	5.0	4.9	4.8	4.9	5.1	4.8	4.9	5.1	4.9	
22	4.6F	U 3.7A	3.3	3.0	U 3.4R	I 3.8A	4.6	4.9	U 5.5R	I 5.2A	5.3	5.3	I 5.3R	I 5.5A	U 5.8R	U 5.6R	5.4	5.1	4.8	4.8	5.0	5.1F	5.6	5.1F	
23	U 4.7F	4.0	U 3.5F	U 3.0F	U 3.3F	F	4.3G	4.7	5.2	5.4	6.0	5.5	5.7	5.9	5.3	5.7	5.6	5.2	I 5.0C	5.0	5.0	5.3	F	F	
24	U 4.1R	3.7F	C	C	C	F	C	4.4	4.6	U 4.6R	4.5G	I 5.0A	I 4.8A	4.9	I 5.0A	4.8	4.8	4.6	4.7	4.8	4.9	5.1	U 5.4R	4.3F	
25	3.7	3.5F	F	F	2.8	E 2.9G	E 3.3G	3.7G	4.2G	4.4	4.7	I 4.8A	4.5G	4.5G	5.0	5.2	4.8	4.8	4.7	4.5	4.4	4.6	4.6	3.9	
26	U 3.5F	F	U 2.5F	F	3.1	3.6F	I 4.3R	4.5	4.7	I 4.6A	5.1	5.1	U 5.4R	A	A	A	4.2F	F	U 4.1R	3.9	3.8F	F	2.6F	U 2.4F	
27	U 2.0F	U 1.9F	1.9F	2.0F	2.8	U 3.5F	F	3.9F	F	4.3G	E 4.0G	4.5G	4.6G	4.5G	4.6G	I 4.6R	4.6	4.5	5.0	4.7	4.7	4.0F	3.9	3.7	
28	2.9	U 2.3F	2.1	2.2	U 2.6R	C	C	C	C	C	C	C	C	C	C	C	C	4.6	4.4	4.6	4.8	U 5.4F	U 5.4R	F	
29	F	F	F	F	2.7F	3.3	4.0	E 3.8G	U 4.3R	4.7	5.1	5.0	5.5	5.3	5.0	5.1	I 5.0C	D 4.3R	4.7	5.0	5.1	U 5.4R	4.5	3.9	
30	A	U 3.0R	2.7	2.5	2.8H	3.2	3.9	4.4	4.8	5.1	5.2	5.6	5.6	4.8	4.9	I 4.9R	4.8	4.6	5.1	5.0	5.3	U 5.6R	F	U 4.1F	
31	U 3.9F	U 3.5F	3.1F	F	3.0	3.7	4.4	4.7	F	5.1	5.3	5.3	D 5.0R	U 5.4R	5.4	5.0	5.0	4.7	4.6	5.0	5.0	5.1	5.2	4.4	
КВАРТИЛ	4.1/4.9	3.7/4.4	3.2/4.2	3.1/3.8	3.0/4.0	3.7/4.6	4.3/5.0	4.5/5.3	4.8/5.5	4.9/5.7	5.1/5.9	5.2/5.8	5.3/5.9	5.2/5.9	5.2/5.8	5.0/5.5	4.8/5.4	4.8/5.3	4.7/5.3	4.8/5.3	4.8/5.3	5.1/5.8	5.2/6.0	4.4/5.4	
Медiana	4.7	4.0	3.8	3.7	U 3.7	4.3	4.6	U 5.0	5.2	5.2	5.4	5.5	U 5.6	5.5	5.4	5.3	5.2	5.1	5.0	5.0	5.1	5.4	5.6	5.1	
Уточно	23	24	21	21	26	25	25	27	25	27	27	25	26	25	25	24	25	25	27	29	28	25	24	24	
Диапазон	0.8	0.7	1.0	0.7	1.0	0.9	0.7	0.8	0.7	0.8	0.8	0.6	0.6	0.7	0.6	0.5	0.6	0.5	0.6	0.5	0.5	0.7	0.8	1.0	

Пробег частоты от 1.0 Мгц до 18.0 Мгц 20 ГЕК

Станция

АВТОМАТИЧЕСКАЯ  
(ручной, автоматической)

# МЕЖДУНАРОДНЫЙ ГЕОФИЗИЧЕСКИЙ ГОД



f<sub>o</sub>F<sub>2</sub> МГц июль 1962  
(характеристика) (единицы) (месяц) (год)

НИРФИ  
(институт)

Станция Горький НИРФИ

## ИОНОСФЕРНЫЕ ДАННЫЕ

Кем составлена БАРАНОВОЙ

Долгота 56°09'N широта 44°14'E

полосное время 45°E

Кем подсчитана БАРАНОВОЙ

Дни	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	E1.1B	E1.2B	E1.1B	1.5	G	G	2.5	3.3	3.4	4.0	4.0	4.0	3.7	3.7	3.9	4.0	3.0	3.0	2.9	J3.8X	J3.9X	J4.3X	J4.3X	E1.6B	
2	J2.5X	E1.3B	J1.9X	1.2	2.0	2.2	2.8	3.7	J4.3X	4.1	3.9	3.6	J6.7X	4.2	3.7	C	C	J4.9X	J6.8X	3.5	J3.6X	J5.7X	J4.1X	J6.3X	
3	J6.3X	J3.5X	J3.3X	2.0	1.9	G	2.8	J4.7X	J4.3X	4.0	4.0H	J3.8X	G	J4.7X	3.9	2.8G	C	C	2.7	3.3	J3.3X	2.0	J3.2X	J2.2X	
4	E1.3B	J1.8X	E	J2.7X	1.5	2.4	J2.9X	3.4	3.6	3.3	4.2	3.9	3.5	3.5	G	3.4	G	3.4	4.3	J3.4X	J6.3X	J3.0X	E1.4B	E	
5	E1.2S	E1.5B	E1.1B	E1.1B	1.5	G	G	G	3.1	3.1	3.3	3.6	4.0	4.0	3.4	G	G	G	3.1	3.0	2.4	1.5	E1.4B	E1.4B	
6	E1.3B	E	E1.4B	E1.3B	G	G	2.9	3.2	3.4	J4.5X	3.7	3.7	3.5	4.0	G	G	G	3.0	2.6	2.4	J2.0X	J3.6X	E1.3B	E1.5B	
7	E1.4S	E1.4B	E	E	1.7	G	2.6	3.2	4.0	4.1	4.0	J5.6X	4.0	C	4.1	4.2	3.6	3.1	3.2	3.0	J3.3X	J2.3X	J3.0X	J3.3X	
8	J2.9X	E1.4S	E1.5B	E1.4B	J2.0X	J2.1X	2.4	3.4	3.5	4.0	3.8	3.7	4.0	3.6	4.0	3.4	3.0	3.0	G	G	C	C	C	C	
9	C	C	S	S	J2.6X	J2.7X	1.4G	3.5	4.0	J3.6X	4.0	3.6	4.2	3.3	3.2	4.2	3.6	2.8	G	2.6	2.4	C	C	C	
10	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
11	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	J5.9X	J5.0X	J7.5X	J5.0X	D2.5G
12	2.9	B	B	B	2.5	C	D3.0R	J6.5X	J6.1X	J4.9X	G	C	C	C	C	C	C	C	C	C	C	C	C	C	
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	2.3	2.0	E1.3B	J2.4X	1.6	
14	E1.1B	E	E	E1.3B	E1.9B	G	G	2.9	3.0	3.6	3.7	3.6	J4.5X	3.6	J3.1R	3.0G	G	G	3.4	4.9	J4.7X	2.4	1.9	E	
15	E	E	E	E1.1B	G	2.1	2.4	3.0	3.0	3.8	5.7	3.9	4.0	3.4	3.8	G	3.3	G	3.0	C	2.0	E1.7B	E	E1.2B	
16	J4.4X	J6.6X	J4.4X	J3.3X	J4.0X	J3.4X	2.5	3.6	4.0	4.3	J4.9X	J9.3X	J4.5X	4.7	J4.1X	3.0G	G	G	G	1.9G	J3.6X	J2.4X	E	E1.3B	
17	E1.1B	E	E	E	1.2G	G	2.6	3.3	3.4	4.0	4.1	4.3	J4.5X	G	G	2.9G	2.5G	2.4G	2.6H	2.2	2.1	J3.1X	J2.3X	1.8	
18	1.4	E1.3B	E	E1.1B	J3.5X	J2.3X	2.5	2.7	3.6	3.6	J4.9X	J4.5X	J5.9X	6.2	J4.3X	J4.0X	J3.9X	C	2.6	2.1	2.3	J2.5X	J3.5X	E1.1B	
19	E	E	E	E	1.4G	2.0	G	3.1	4.0	4.5	4.3	3.6	3.5	3.6	3.3	3.6	3.5	3.2	3.9	J4.4X	J3.3X	J3.0	1.2	1.6	
20	J1.9X	1.3	C	C	C	1.4G	2.6	3.0	3.8	3.8	3.8	G	G	G	D3.0R	2.9G	J3.0R	2.8	J2.8X	2.0	J5.1X	J3.2X	J3.0X	J3.3X	
21	J1.9X	J2.2X	Y	J1.7X	2.2	3.0	J4.5X	J4.7X	3.6	3.7	3.7	3.4	3.8	J3.5X	J4.3X	J6.0X	J3.3X	4.2	4.0	J5.0X	5.0	J3.6X	J2.1X	E	
22	E1.3B	J3.3X	1.8	J2.5X	2.0	J6.7X	2.4	J3.7X	3.9	J6.4X	3.6	J5.1X	J4.4X	J9.1X	3.5	J4.6X	G	G	G	2.2	J3.3X	J2.4X	E1.1B	J2.4X	
23	J2.0X	1.8H	E	E	G	G	2.5	3.4	J4.6X	4.3	3.7	4.0	3.6	4.0	J4.9X	4.5	J4.6X	J4.3X	C	J4.2X	J6.1X	J2.1X	E	E	
24	J4.1X	J3.4X	C	C	C	1.9	C	3.4	J3.7X	3.5	4.2	J6.3X	J6.9X	J3.9X	5.4	3.4	3.6	3.5	3.1	2.3	1.9	J3.5X	E	E1.3B	
25	E1.3S	E	E1.2B	J1.9X	2.1	2.1	2.2	3.7	J3.6X	3.1	3.2	J9.3X	J3.8X	3.8	3.3	4.0	J3.3X	J3.6X	J3.4X	2.1	2.5	J1.8X	E	E1.6B	
26	E	E	E	J1.4X	2.1	2.2	3.4	J4.6X	J3.3X	J4.8X	J3.9X	J4.0X	J5.0X	J6.3X	J9.3X	J4.9X	3.0	3.3	J4.4X	J4.2X	J3.3X	J4.3X	E1.3B	E	
27	E	E	1.4	1.6	1.6	2.4H	2.3	J4.3X	3.0	3.0	J3.3X	J3.7X	4.0	2.6	4.0	4.0	3.7	3.0	G	G	1.6	E1.1B	E1.4B	E1.2B	
28	E1.6B	E1.6B	E	E	1.5	C	C	C	C	C	C	C	C	C	C	C	C	3.1	3.6	J3.3X	J3.9X	J2.1X	E1.4S	E2.0S	
29	E2.0S	E1.3S	E2.0S	E1.5S	1.3	2.0H	3.0	2.8	2.9	3.5	3.4	3.2	3.2	2.8G	3.3	D2.7R	C	2.9	G	G	1.7	1.7	J3.0X	J4.0X	
30	J3.6X	J4.9X	J2.9X	J3.0X	J2.9X	2.0	G	3.0	3.4	3.9	J6.9X	J3.2X	J4.3X	3.4	J3.3X	J3.5X	3.3	J4.0X	2.6	4.1	J7.2X	J3.4X	E1.3B	E1.2B	
31	J1.9X	E	E	E	1.6	G	2.5	3.3	J4.4X	3.6	3.7	G	G	G	G	2.6G	J4.3X	J3.0X	2.3G	G	1.7	1.6	E1.3B	E1.2B	
КВАРТИЛ	E/1.25	E/1.8	E/1.7	E/1.8	G/2.1	G/2.3	G/2.8	3.0/3.7	3.4/4.0	3.6/4.3	3.7/4.2	3.6/4.3	3.6/4.5	G/4.1	3.2/4.1	G/4.1	G/3.6	G/3.5	G/3.4	2.0/4.0	2.0/4.3	1.8/3.5	E1.2/3.0	F1.2/2.2	
Медиана	E1.4	E1.3	E1.1	E1.4	1.8	2.0	2.5	3.3	3.6	3.9	3.9	3.8	4.0	3.6	U3.7	3.4	3.3	3.0	2.8	2.5	3.3	2.4	E1.4	E1.5	
Учено	27	26	24	24	26	26	26	27	27	27	27	26	26	25	26	25	23	25	26	28	28	27	27	27	
ДИАПАЗОН КВАРТИЛ	D1.4	D0.8	D0.7	D0.8	D0.6	D0.3	D0.4	0.7	0.6	0.7	0.5	0.7	0.9	D0.7	0.9	D1.0	D0.6	D0.7	D0.9	2.0	2.3	1.7	D1.8	D1.0	

Прибор частоты от 1.0 МГц до 18.0 МГц 20

СЕК

Станция АВТОМАТИЧЕСКАЯ (ручная автоматическая)

# МЕЖДУНАРОДНЫЙ ГЕОФИЗИЧЕСКИЙ ГОД



Станция Горький НИРФИ  
 (характеристика) (единицы) (месяц) (год)  
 № 7 min МГГЦ. июль 1962

НИРФИ  
 (институт)

Широта 56°09' N  
 Долгота 44°17' E

## ИОНОСФЕРНЫЕ ДАННЫЕ

Комп составлена Климкиной

Комп подсчитана Барановой

Поясное время 45° E

Дни	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	11	12	11	10	12	10	13	13	14	12	10	12	11	12	10	13	12	10	11	12	13	10	10	16
2	10	13	10	10	11	13	13	11	11	13	12	16	11	12	10	C	C	10	10	10	13	10	10	11
3	13	10	10	10	11	11	11	11	10	10	10	11	11	11	10	11	C	C	11	13	14	12	10	10
4	13	14	10	11	12	10	10	10	12	14	13	13	14	14	12	10	13	11	10	11	13	10	14	10
5	E12S	15	11	11	11	12	10	10	10	12	13	13	13	13	14	12	10	12	10	13	12	10	14	14
6	13	10	14	13	11	12	12	13	13	11	10	13	11	13	10	10	10	14	10	11	14	13	13	15
7	E14S	14	10	10	10	14	11	12	13	13	13	12	13	C	11	E14SE	E13SE	E13SE	E16S	13	E14S	12	13	E15S
8	E14SE	E14S	15	14	12	12	12	13	14	13	12	12	E12S	14	12	12	11	12	16	14	C	C	C	C
9	C	C	S	S	12	12	10	14	11	13	14	13	13	12	14	14	12	14	15	E13S	11	C	C	C
10	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
11	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
12	17	13	16	16	13	C	12	18	17	16	18	C	C	C	C	C	C	C	C	16	16	16	20	E20C
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
14	11	10	10	13	19	10	11	10	11	12	11	14	10	12	10	12	14	10	13	14	14	10	13	10
15	10	10	10	11	12	11	12	13	10	13	14	10	10	10	10	14	10	10	13	C	12	17	10	12
16	10	10	10	10	10	10	11	11	14	12	11	10	11	13	11	11	12	12	10	11	12	10	10	13
17	11	10	10	10	10	10	14	14	12	13	12	13	13	13	13	13	13	12	10	13	11	10	10	10
18	10	13	10	11	10	10	10	11	12	10	10	11	10	11	11	14	10	C	10	10	10	10	10	11
19	10	10	10	10	10	10	13	10	10	10	13	13	10	13	10	10	14	12	12	12	12	10	10	10
20	10	10	C	C	C	10	11	12	14	16	12	15	14	16	10	12	10	10	10	10	13	10	10	10
21	12	10	10	10	10	10	10	14	12	12	10	10	13	10	13	15	13	10	12	10	13	10	10	10
22	13	10	10	10	11	13	16	13	13	12	10	14	18	15	13	13	15	13	10	10	10	10	11	10
23	12	10	10	10	10	12	10	11	10	16	14	14	10	13	14	14	13	14	C	11	11	10	10	10
24	10	10	C	C	C	14	C	10	10	10	12	17	12	15	14	10	10	10	10	13	14	10	10	11
25	E13S	10	12	10	10	10	12	10	10	10	10	10	10	14	12	12	14	14	11	11	10	10	10	16
26	10	10	10	10	10	10	13	10	13	13	12	17	15	10	14	13	14	10	11	10	13	10	13	10
27	10	10	10	10	10	10	10	10	12	15	12	13	11	12	12	12	13	13	11	10	13	11	14	12
28	16	12	10	10	10	C	C	C	C	C	C	C	C	C	C	C	C	16	E13S	14	13	10	E14SE	E20S
29	E20SE	E13SE	E20SE	E15S	11	13	14	15	14	16	14	16	13	19	10	14	C	14	15	12	12	10	10	13
30	12	16	10	10	10	10	16	10	10	15	13	13	15	13	17	15	17	11	12	10	10	10	13	12
31	10	10	10	10	10	10	14	11	17	16	13	14	13	14	13	14	12	10	14	13	11	11	13	12
КВАРТИЛЫ	10/12	10/13	10/10	10/11	10/12	10/12	10/13	10/13	10/14	12/15	10/13	12/14	10/13	12/14	10/13	12/14	10/14	10/14	10/12	10/13	11/13	10/11	10/13	10/14
Медиана	U11	10	10	10	10	10	12	11	12	13	12	13	12	13	12	U12	13	12	11	12	12	10	10	12
Учетные	25	27	25	25	26	26	26	27	27	27	27	26	26	25	26	25	23	24	26	28	28	27	27	27
ДИАПАЗОН КВАРТИЛЫ	0.2	0.3		0.1	0.2	0.2	0.3	0.3	0.4	0.3	0.3	0.2	0.3	0.2	0.3	0.2	0.4	0.4	0.2	0.3	0.2	0.1	0.3	0.4

Пробег частоты от 1.0 МГц до 18.0 МГц 20 СЕК. (мин.)

Станция АВТОМАТИЧЕСКАЯ  
 (ручная, автоматическая)

# МЕЖДУНАРОДНЫЙ ГЕОФИЗИЧЕСКИЙ ГОД



(M3000)F2 ИЮЛЬ 1962  
(характеристика) (единицы) (месяц) (год)

НИРФИ  
(институт)

Станция ГОРДКИЙ НИРФИ

Кем составлена Густовой

Долгота 56°09'N широта 44°17'E

## ИОНОСФЕРНЫЕ ДАННЫЕ

Кем подсчитана Барановой

поясное время 45°E

Дни	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	
1	3.15	3.05	3.15	3.05	3.10	2.80	3.05	3.00	3.20	2.95	3.10	3.20	3.10	3.15	3.10	3.15	3.15	3.15	3.20	3.20	3.10	3.15F	3.05	U3.15R	
2	2.95	3.05	3.05	3.00	3.00	2.90	2.95	3.10	3.10	2.95	3.15	3.10	3.00	3.10	3.10	C	C	A	A	3.15	3.20	3.05	3.00	2.95	
3	A	3.15	R	2.95	3.20	3.15	2.90	3.05	3.10	2.90	3.10	2.95	3.10	3.15	U3.10R	2.90	C	C	3.15	3.30	3.10	3.10	3.15	3.35	
4	3.15	3.15	2.95	2.95	3.15	2.95	3.05	2.85	U3.00R	3.05	2.90	2.90	3.35	3.15	3.10	3.05	3.10	3.05	3.35	3.25	U3.05R	F	3.05	U3.00R	
5	3.15	F	F	F	2.85	2.70F	U2.95R	2.90	R	G	2.95	R	3.00	2.95	3.30	3.60	3.00F	F	2.90	3.25	3.35	3.10	F	R	
6	2.95	3.05F	3.10	3.00	3.00	3.05	3.00	3.10	2.90	3.00	3.30	H	3.00	3.05	3.05	2.90	3.25	U3.25S	3.45	3.40	3.10	3.30	2.95	2.95	
7	2.90	3.05	2.95	3.15	3.20	3.20	G	R	3.00	3.30	R	2.85	3.15	C	3.15	3.15	3.25	3.15	U3.40R	3.20	R	3.20	3.00	R	
8	3.00	3.00	2.85	3.10	2.85	3.00	3.00	U3.00R	3.10	3.05	3.10	3.05	3.10	3.30	3.15	3.10	3.10	3.15	R	S	C	C	C	C	
9	C	C	S	S	U2.85S	3.05	3.35	U3.05S	3.35	3.05	3.20	3.05	3.15	3.15	3.30	3.45	3.10	3.30	3.15	S	3.25	C	C	C	
10	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	
11	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	3.20	3.25	3.15	2.90	C
12	C	C	C	U3.250	C	C	2.80	A	A	U3.15R	3.05	C	C	C	C	C	C	C	C	C	C	C	C	C	
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	3.25	3.20	3.00	3.00	2.85
14	2.90	2.95	3.05	2.90	2.75	2.70	2.95	2.70	3.00	3.10	2.55	2.95	R	3.00	U2.90R	U2.95R	3.00	2.95	3.10	3.25	3.15	3.15	3.00	3.05	
15	3.20	F	F	2.80F	3.00F	2.90	2.80	3.05	3.30	3.15	2.85	3.00	2.95	3.10	3.20	3.20	3.10	3.20	3.40	C	3.40	U3.20R	3.20	3.15	
16	3.00	A	2.95	3.00F	3.05	3.05	2.70	3.20	3.20	2.85	3.10	A	3.10	3.05	2.95	3.10	2.80	3.05	3.25	3.25	3.25	3.10	3.05	F	
17	3.00F	3.15F	3.15F	F	3.15	3.00	3.15	U3.25R	3.15	3.25	3.10	3.20	3.25	3.30	3.30	3.10	3.20	3.15	3.35	3.30	3.20	3.30	3.15	U3.10R	
18	3.00	2.95F	2.95	3.10	U3.10F	2.85	3.15	3.10	3.20	3.35	3.05	3.15	R	A	3.30	3.15	3.30	C	R	U3.30R	3.10	3.15	3.15	U3.20R	
19	3.00	3.00	3.05	2.95	3.20	2.90	2.80	3.10	3.20	3.35	3.05	3.10	3.45	2.80	3.20	3.15	3.15	3.20	3.20	3.30	3.35	3.05	3.25	3.00	
20	3.00	2.80	C	C	C	3.10	2.70	R	2.75	3.15	U3.10R	3.30	G	U2.70R	3.30	3.05	3.10	2.80	3.15	3.25	3.25	3.00	2.95	3.00	
21	3.15	3.10F	3.05	3.10	3.10	3.25	3.05	A	3.00	2.75	3.00	3.35	2.80	3.10	R	3.25	3.10	3.10	3.25	3.35	3.45	3.05	2.95	3.05	
22	2.90F	U3.05F	2.90	3.00	U3.00R	A	3.05	3.25	U3.25R	A	3.00	3.00	R	A	U3.00R	U3.40R	3.35	3.35	3.45	3.10	3.30	3.15F	3.15	3.15F	
23	U3.15F	3.20	F	U2.90F	U3.05F	F	G	2.75	3.20	2.95	3.15	2.90	3.00	2.95	3.15	3.35	3.10	3.10	C	3.40	3.20	3.30	F	F	
24	U3.30R	2.90F	C	C	C	F	C	2.95	2.80	U2.85R	G	A	A	2.75	A	3.10	3.20	3.25	3.20	3.20	3.15	3.15	U3.15R	3.15F	
25	3.10	3.05F	F	F	2.60	G	G	G	G	2.80	2.75	A	G	G	2.90	3.10	2.85	3.15	3.10	3.20	3.10	3.15	3.20	3.15	
26	U2.95F	F	U3.20F	F	3.00	2.80F	R	2.90	2.90	A	2.75	2.60	U2.30R	A	A	A	2.50F	F	U2.85R	2.95	3.15F	F	2.90F	U3.10F	
27	F	U3.00F	2.60F	2.90F	3.20	F	F	F	F	G	G	G	G	G	G	R	3.00	2.90	3.10	3.30	3.45	3.00F	2.90	3.10	
28	3.20	F	3.10	3.05	U3.25R	C	C	C	C	C	C	C	C	C	C	C	C	3.15	3.20	3.05	3.15	F	U3.35R	F	
29	F	F	F	F	2.95F	3.20	3.20	G	R	3.15	2.95	2.90	3.25	3.20	3.00	3.15	C	R	3.20	3.20	3.25	U3.15R	3.20	3.15	
30	A	U3.00R	3.05	3.30	H	3.30	3.00	2.95	3.10	3.00	A	3.20	3.30	2.90	3.05	R	3.20	3.05	3.15	3.20	3.10	U3.15R	F	F	
31	U3.15F	U3.00F	2.90F	F	3.00	3.05	2.95	3.20	F	3.20	3.30	3.10	R	R	3.25	3.30	3.30	3.20	3.25	3.40	3.25	3.15	2.95	2.90	
Квартиль	2.05/3.15	3.00/3.10	2.95/3.10	2.95/3.10	3.00/3.15	2.85/3.10	2.80/3.05	2.90/3.10	3.00/3.20	2.90/3.15	2.90/3.10	2.90/3.20	2.95/3.20	2.85/3.15	3.00/3.25	3.10/3.25	3.00/3.20	3.05/3.20	3.15/3.35	3.20/3.30	3.10/3.25	3.10/3.15	2.95/3.15	3.00/3.15	
Медiana	3.00	3.05	3.05	3.00	3.00	3.00	2.95	3.00	3.10	3.05	3.05	3.05	3.10	3.05	3.10	3.15	3.10	3.15	3.20	3.25	3.20	3.15	3.05	3.10	
Учетов	22	20	18	19	24	22	24	22	22	25	25	21	21	21	23	22	23	21	23	26	27	24	24	20	
Диапазон	0.20	0.10	0.15	0.15	0.15	0.25	0.25	0.20	0.20	0.25	0.20	0.30	0.35	0.30	0.25	0.15	0.20	0.15	0.20	0.10	0.15	0.05	0.20	0.15	

Пробег частоты от 10 МГц до 18.0 МГц 20 СЕК.

Станция АВТОМАТИЧЕСКАЯ  
(ручная, автоматическая)