

1965 г.

Принятые значения цен, делений шкалы *основной серии*

€D			€H			€Z		
с	по	велич.	с	по	велич.	с	по	велич.
1. I - 3. I		0.465 /	1. I - 3. I		1.97 /	1. I - 3. I		1.58 /
1. II - 2. II		0.467 /	1. II - 2. II		1.99 /	1. II - 3. II		1.59 /
1. III - 3. III		0.464 /	1. III - 3. III		2.00 /	1. IV - 3. IV		1.58 /
1. IV - 3. IV		0.465 /	1. IV - 3. IV		1.99 /	1. V - 3. V		1.59 /
1. V - 3. V		0.457 /	1. V - 3. V		1.97 /	1. VI - 3. VI		1.58 /
1. VI - 3. VI		0.460 /	1. VI - 3. VI		1.99 /	1. VII - 3. VII		1.57 /
1. VII - 3. VII		0.459 /				1. I E - 3. I E		1.59 /

Принятые базисные значения $1 \cdot x - 31 \cdot x$
 $1 \cdot x - 31 \cdot x$

ΣU_1		D_0		$\Sigma H_{\text{пр}}$		Z_0	
с	по	велич.		с	по	велич.	
11.5	31.5	196	нед. 1/2	1.0.11	31.0.11	198	нед. 1/2
1.0.11	31.0.11	197	нед. 1/2	1.0.12	30.0.12	199	нед. 1/2
1.0.12	30.0.12	198	нед. 1/2	1.0.1	31.0.1	203	нед. 1/2
1.0.1	31.0.1	197	нед. 1/2	1.0.1	30.0.1	204	нед. 1/2
1.0.12	30.0.12	196	нед. 1/2	1.0.11	31.0.11	203	нед. 1/2
1.0.11	31.0.11	197	нед. 1/2				
1.0.11	31.0.1	196	нед. 1/2				
1.0.1	31.0.1	198	нед. 1/2				

Принятые базисные значения

D_0		H_0		Z_0	
$1 \cdot \underline{I} - 30 \cdot \underline{I\bar{E}}$	$-13^{\circ}38.2$	$1 \cdot \underline{I} - 31 \cdot \underline{I\bar{H}}$	17567°	$1 \cdot \underline{I} - 31 \cdot \underline{I}$	52674°
$1 \cdot \underline{X} - 31 \cdot \underline{X\bar{H}}$	$-13^{\circ}46.2$			$1 \cdot \underline{II} - 29 \cdot \underline{II}$	52672°
				$1 \cdot \underline{III} - 30 \cdot \underline{III}$	52673°
				$1 \cdot \underline{IV} - 31 \cdot \underline{IV}$	52674°
				$1 \cdot \underline{V} - 31 \cdot \underline{V\bar{H}}$	52675°
				$1 \cdot \underline{I\bar{X}} - 30 \cdot \underline{I\bar{E}}$	52676°
				$1 \cdot \underline{X} - 31 \cdot \underline{X}$	52665°
				$1 \cdot \underline{XI} - 30 \cdot \underline{XI}$	52666°
				$1 \cdot \underline{XII} - 31 \cdot \underline{XII}$	52665°
		∇_0			
		$1 \cdot \underline{I} - 31 \cdot \underline{I\bar{H}}$	55515°		

1965 г.

Принятые значения цен, делений шкалы *контр. серии*

€D		€H		€Z	
с	по	с	по	с	по
1.1 - 31.1	0.276' / мм	1.1 - 31.1	2.65' / мм	1.1 - 31.1	3.07' / мм
1.11 - 29.11	0.279' / мм	1.11 - 29.11	2.68' / мм	1.11 - 29.11	3.10' / мм
1.111 - 30.11	0.242' / мм	1.111 - 31.11	2.66' / мм	1.111 - 31.11	3.08' / мм
1.111 - 31.11	0.276' / мм	1.111 - 30.11	2.68' / мм	1.111 - 31.11	3.09' / мм
1.111 - 30.11	0.278' / мм	1.111 - 31.11	2.67' / мм	1.111 - 30.11	3.06' / мм
1.111 - 31.11	0.277' / мм	1.111 - 30.11	2.65' / мм	1.111 - 31.11	3.08' / мм
1.111 - 30.11	0.279' / мм				
1.111 - 31.11	0.277' / мм				

Принятые базисные значения

[illegible]

Принятые базисные значения

[illegible]

Т А Б Л И Ц А
температуры вариационного павильона
за 1995 год.

ДНИ	Янв.	Февр.	Март.	Апр.	Май.	Июнь.	Июль.	Авг.	Сент.	Окт.	Ноябр.	Декабрь
1.	20	20	20	20	20	20	20	20	20	20	20	20
2.	20	20	20	20	20	20	20	20	20	20	20	20
3.	20	20	20	20	20	20	20	20	20	20	20	20
4.	20	20	20	20	20	20	20	20	20	20	20	20
5.	20	20	20	20	20	20	20	20	20	20	20	20
6.	20	20	20	20	20	20	20	20	20	20	20	20
7.	20	20	20	20	20	20	20	20	20	20	20	20
8.	20	20	20	20	20	20	20	20	20	20	20	20
9.	20	20	20	20	20	20	20	20	20	20	20	20
10.	20	20	20	20	20	20	20	20	20	20	20	20
11.	20	20	20	20	20	20	20	20	20	20	20	20
12.	20	20	20	20	20	20	20	20	20	20	20	20
13.	20	20	20	20	20	20	20	20	20	20	20	20
14.	20	20	20	20	20	20	20	20	20	20	20	20
15.	20	20	20	20	20	20	20	20	20	20	20	20
16.	20	20	20	20	20	20	20	20	20	20	20	20
17.	20	20	20	20	20	20	20	20	20	20	20	20
18.	20	20	20	20	20	20	20	20	20	20	20	20
19.	20	20	20	20	20	20	20	20	20	20	20	20
20.	20	20	20	20	20	20	20	20	20	20	20	20
21.	20	20	20	20	20	20	20	20	20	20	20	20
22.	20	20	20	20	20	20	20	20	20	20	20	20
23.	20	20	20	20	20	20	20	20	20	20	20	20
24.	20	20	20	20	20	20	20	20	20	20	20	20
25.	20	20	20	20	20	20	20	20	20	20	20	20
26.	20	20	20	20	20	20	20	20	20	20	20	20
27.	20	20	20	20	20	20	20	20	20	20	20	20
28.	20	20	20	20	20	20	20	20	20	20	20	20
29.	20	-	20	20	20	20	20	20	20	20	20	20
30.	20	-	20	20	20	20	20	20	20	20	20	20
31.	20	-	20	-	20	-	20	20	-	20	-	20

Составила: Г. КУЗНЕЦОВА.